

C 614.1  
N87v

The Library  
of the  
University of North Carolina



Collection of North Caroliniana

CG14.1  
N87v  
1933

UNIVERSITY OF N.C. AT CHAPEL HILL



00032761850

*This book must not  
be taken from the  
Library building.*

LUNC-15M N.36  
OP-13370







ANNUAL REPORT

OF THE

BUREAU OF VITAL  
STATISTICS

OF THE

NORTH CAROLINA  
STATE BOARD OF HEALTH

1933

CARL V. REYNOLDS, M. D.  
SECRETARY  
AND STATE HEALTH OFFICER





# CONTENTS

---

	PAGE
Introduction .....	7
GENERAL TABLES	
Table I.—Total births and deaths (exclusive of stillbirths) with rate per 1,000 population for the years 1914-1933 inclusive.....	16
Table II.—Births (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, per cent attended by physicians and number illegitimate, 1933.....	17
Table II-A.—Births (exclusive of stillbirths) in each city of 10,000 population or over in 1930, by color, with rate per 1,000 population; per cent attended by physicians and number illegitimate, 1933.....	21
Table III.—Deaths (exclusive of stillbirths) for the State as a whole from each cause, by sex, color and age 1933 (includes all deaths occurring in North Carolina and residents of North Carolina who died in other states).....	22
Table IV.—Deaths (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, 1933.....	68
Table V.—Deaths (exclusive of stillbirths) in each county, by cause of death (abridged international list) and by color of decedent, 1933	72
Table VI.—Deaths (exclusive of stillbirths) in cities or towns, by cause of death (abridged international list) and by color of decedent, 1933	122
Table VII.—Death rates per 100,000 population (by place of death, also by place of usual residence) in each county, from nine important causes, with estimated population, 1933.....	132
Table VIII.—Deaths (exclusive of stillbirths) by cause by certain subdivisions of the first year of life, 1933.....	136
Table IX.—Deaths under 1 year of age (exclusive of stillbirths), and maternal deaths in each county with rates per 1,000 live births, 1933	138
Table X.—Cases and deaths from special diseases by month of occurrence, 1933 .....	140
Table XI.—Cases from 30 of the reportable diseases by counties, 1933.....	144
Table XII.—Death rates per 100,000 population from ten important causes, for the State as a whole, with estimated population for each year, 1914-1933.....	148

245422



LETTER OF TRANSMITTAL

Raleigh, N. C., March 27, 1935.

TO HIS EXCELLENCY, J. C. B. EHRLINGHAUS,  
*Governor of North Carolina,*  
Raleigh.

MY DEAR GOVERNOR EHRLINGHAUS:

I have the honor of transmitting the report for the Bureau of Vital Statistics covering the calendar year, 1933.

With assurance of my very great respect, I am

Very sincerely,

CARL V. REYNOLDS, M.D.,

*Secretary and State Health Officer.*

r/e



## INTRODUCTION

The annual report of the Bureau of Vital Statistics presents a tabulation of the births and deaths occurring in North Carolina as recorded with the State Board of Health. State-wide registration was begun in 1914, and the first report related to that year. Reports have been published for every year since, with the exception of 1918 and 1919.

This data is of inestimable value to the public health worker. It is useful in outlining future policies and practices and in calculating the results of past endeavors. To the individual the registration of a birth occurring in North Carolina makes it possible always to obtain an official record of the facts surrounding his advent into life. The purposes for which certified copies of birth certificates are requested indicate that their value is becoming more generally realized from year to year. Likewise, the demand for death certificates shows that this vital record is essential in upholding the right of citizens in the establishment of necessary facts in the closing event of life.

In the 1933 Annual Report of the Bureau of Vital Statistics the Abridged International List of Causes of Death has been used in tabulating deaths by counties and cities. This is the same plan that was followed for 1931 and 1932. Information for the State as a whole has been tabulated according to the detailed International List of Causes of Death. Deaths have been allocated to the place of legal residence of the deceased before death. Prior to 1932, deaths had been recorded by place of occurrence only. This gives a distorted rate for those counties that have medical centers within their borders and for the counties from which the patients are drawn. Deaths by counties and cities are tabulated by place of occurrence and by place of residence.

Although tabulation by residence corrects one, probably the greatest, source of error in comparing the rates of different localities, there are other factors that must be taken into consideration. The rates are crude rates, in the calculation of which no allowance is made for the difference in the sex, age, and color distribution of the population. For the State as a whole, 90 per cent of the deaths are believed to be reported. For any single area, the percentage may be above or below that figure, and this degree of completeness of reported deaths should be borne in mind when comparing two areas.

## POPULATION

The total population of North Carolina in 1930 was 3,170,276, a gain in ten years of 611,153 or 23.9 per cent. This was the largest addition on record. There was an increase of 352,836 between 1910 and 1920,

and an increase of 312,477 for the period 1900-1910. It is not reasonable to predict as great a growth between 1930 and 1940 as occurred in the last decade.

Population is based upon three factors—births, deaths, and migration. All are important not only in themselves, but in relation to each other. The excess of births over deaths, or the natural increase, has varied at times rather widely, but for the past five years, with the exception of the present year, it shows that the source of future population is increasing. Between the census of 1920 and 1930 the State gained 611,153 persons, but the natural increase for the decade was 498,583. This means that North Carolina gained approximately 113,000 by immigration.


Of the total population in 1930, 809,847 or 25.5 per cent were considered urban. This included all incorporated places of 2,500 inhabitants or more. In 1920 there were fourteen cities over 10,000 population. By 1930 there were 21 in this group. The gain in these cities accounted for 71.3 per cent of the actual urban gain. In 1920 there was not a single city with a population as great as 50,000. By 1930 there were five cities—Asheville, Charlotte, Durham, Greensboro, and Winston-Salem—with a population greater than 50,000. The gain in these cities accounted for 46.6 per cent of the actual urban gain.

The mid-year population of the State in 1933, as estimated by the Bureau of the Census, was 3,275,000. The estimate for 1932 was 3,244,000. This represents an annual increase of 31,000 over 1932. Incidentally, the natural increase in population in 1933 was 45,019, or a loss to the State by emigration of approximately 14,000 persons. Of the total number of North Carolina's inhabitants, 70.5 per cent (2,310,000) are white, 29.0 per cent (965,000) Negro, and 0.5 per cent "other races," the majority of which are Indians. Approximately 0.3 per cent are foreign-born.

#### NATALITY

*Live Births:* During 1933 there were 75,322 live births recorded with the Bureau of Vital Statistics, 2,558 fewer than for 1932. This is equivalent to a rate of 23.0 per 1,000 population, a decrease of 1.0 from the rate of 24.0 for 1932, and lowest ever recorded. Of the 75,322 live births, 51,490 were white, 23,265 Negro, and 567 Indian, which gave a birth rate of 22.3 per 1,000 population for white, 24.5 for Negro, and 35.4 for Indian. For the first fifteen years of State registration, the birth rate ranged between a high of 33.4 in 1915 and a low of 27.5 for 1928. There has been a gradual decline in the birth rate since 1921.

CHART 1. BIRTH AND DEATH RATES PER 1,000 POPULATION FOR NORTH CAROLINA: 1914-1932, INCLUSIVE.



*Stillbirths:* In conformity with statistical practice, the stillbirths were not included in the totals of either births or deaths. Parallel to the decrease in the number of births, there were 521 fewer stillbirths than last year. The 3,122 stillbirths represents a rate of 41.4 per 1,000 live births. If they were classified as a single cause of death, the rate based on a 100,000 population would be a little more than that of tuberculosis and influenza combined. In every 100 deliveries there were approximately four stillbirths.

### MORTALITY

In the compilation of mortality statistics, the cause of death as stated by the physician is used as the basis of classification by causes. Since the accuracy of statistics can be no greater than that of the material upon which it is based, it is desirable that physicians give as accurate and complete a diagnosis of cause of death as possible. A specific cause, rather than a general condition or symptom is essential if the greatest accuracy is to be expected. Hundreds of certificates are queried as to cause of death yearly in order to classify them correctly. We are duly appreciative of the prompt and courteous replies given by most

physicians when asked to give a more specific statement as to cause of death. Occasionally a certificate is queried that should not have been, but this can hardly be prevented considering that the clerks do not have the advantage of medical training and must follow more closely a rule of thumb.

Health conditions during 1933, as indicated by the death rate, were generally favorable throughout North Carolina. There were fewer deaths in the State from all causes in proportion to the total population at all ages than in any year since the beginning of State registration in 1914. The 30,496 deaths, exclusive of 3,122 stillbirths reported for 1933, represents an annual death rate of 9.3 per 1,000 population. When the number of deaths of residents of other states (367) are excluded and the residents of North Carolina (89) who died elsewhere are added, the total number of resident deaths is 30,118. The mortality rate for 1932 was 9.6; for 1931, 10.2; for 1930, 11.2; and for 1929, 12.4. (See Chart 1.) Considered in terms of total deaths, the deaths reported for 1933 were 504 fewer than for 1932, and 2,573 fewer than in 1931.

The principal causes of death in 1933 in order of their importance were heart disease, nephritis, congenital malformations and diseases of early infancy, cerebral hemorrhage, tuberculosis, the pneumonias, all accidents and cancer. These eight causes make up approximately 68 per cent of the 30,496 deaths recorded. The hazards to life and health in North Carolina have undergone a noticeable change since 1914, the first year of registration. For the most part, there has been improvement, but in some instances the change has been for the worse. The declines in death rates from specific causes have been gradual and, therefore, not very outstanding from one year to the next. But when the last twenty years are considered a great gain is evident.



CHART 2. LEADING CAUSES OF DEATH IN NORTH CAROLINA, 1914 AND 1932.





Chart 2 shows the death rates in North Carolina from the six leading causes of death in 1914, and in 1933. The relative positions of the various causes of death have changed within the last score of years. Tuberculosis is an outstanding example of the success of preventive medicine and public health in the control of infectious diseases. In 1914 this disease was the leader among all causes of death. Today it has fallen to fifth place.

Heart disease ranks first in 1933 in the list of causes of death. The death rate from this disease is more than one-third higher than it was twenty years ago. It is true that a part of this increase merely reflects the increasing proportion of older persons in the population, among whom chiefly deaths from heart disease occur; but a large part of the increase is due to a definite rise in heart disease mortality. Nephritis, not among the six leading causes of death in 1914, ranks second in 1933. What has been said regarding the increase of heart disease is equally true of nephritis.

Diarrhea and enteritis, a major cause of death in 1914, does not appear among the six leaders in 1933. The rate has fallen from 98.8 per 100,000 population in 1914 to 32.8 in 1933. Modern sanitary measures have played a large part in reducing the death rate from diarrhea among infants.

CHART 3. DEATH RATES PER 100,000 POPULATION FOR SPECIFIED CAUSES IN NORTH CAROLINA ON ARITHLOG-GRID: 1914-1933.



The decreases in the death rates from typhoid fever, diarrhea and enteritis, diphtheria and tuberculosis are shown in Chart 3. The rates are charted on semi-logarithmic grid in order to avoid error in making direct comparisons of rates between the various causes. The inclination of the lines indicate the proportionate change in each instance. It is readily discernible that typhoid fever had the greatest improvement

in mortality, diphtheria second, diarrhea and enteritis third, and tuberculosis fourth. While the trend throughout the entire period has been downward for all four causes, the mortality from tuberculosis has shown less fluctuations from year to year. Diphtheria has had two well defined rises during this period. It is further shown that the rates for diphtheria and for diarrhea and enteritis are higher for 1933 than they were for 1932.

*Typhoid Fever:* There was a noticeable decrease in the number of deaths from typhoid fever. The 128 deaths from this cause were thirty fewer than the 158 for 1932, with a consequent lowering of the death rate from 4.9 per 100,000 population to 3.9. Of these deaths 15 occurred in June, 28 in July, 22 in August, and 17 in September. There has been a great improvement in this condition since 1914 with its rate of 35.8 for every 100,000 population, or a total of 839 deaths, to the present rate of 3.9. For three years prior to 1933 the rate remained practically stationary, but for the present year a favorable decrease has been manifested.

*Smallpox:* This is the second consecutive year that no deaths were reported from smallpox. There were 35 cases reported to the Division of Epidemiology. In 1932 there were 72 cases reported with no deaths.

*Diphtheria:* The records concerning diphtheria do not show so favorably. There were 218 deaths with a rate of 6.7 per 100,000 population compared to 165 deaths with a rate of 5.1 for 1932. There has been a 70 per cent reduction in the mortality rate from this disease since 1915. The rate for 1933 is only slightly over half of what the rate was five years ago. Diphtheria is a disease for which we have a specific protective vaccination and is, therefore, a disease against which public health activities can be very effective. In round numbers, five-sixths of the deaths from diphtheria occur in children under five years of age. This indicates that vaccination to be most profitable must be done early in infancy.

*Influenza and Pneumonia:* There were 2,072 deaths from pneumonia, and 997 deaths from influenza, making a total of 3,169 recorded for 1933. The deaths from these two combined gave a rate of 96.8 per 100,000 population for 1933, as against a rate of 102.5 for 1932.

*Tuberculosis:* The death rate from all forms of tuberculosis was 64.4 in 1933 and 68.1 in 1932. In the past 20 years the mortality rate has declined by more than 50 per cent. Tuberculosis ranked first among the causes of death in 1914. Since then it has fallen to the record low rate for 1933, and to fifth place in the causes of death.

Of the 2,110 deaths 47.5 per cent were males and 52.5 per cent females, 42.6 per cent were white, 57.0 per cent Negroes, and 0.4 per cent Indian. The colored rate of 125.3 for tuberculosis is more than three times the white rate of 39.0.

*Cancer:* Cancer accounted for 1,738 deaths in 1933, giving a rate of 53.1 against a rate of 51.7 for 1932 and 48.2 for 1931. While the trend of cancer mortality has been steadily upward, it is not unreasonable to hope for at least a retarding in the increase. Early diagnosis offers a genuine opportunity for a cure. If the public can be convinced of this fact, the ascending rate will be checked.

*Pellagra:* The deaths from pellagra continued to decline for 1933. There were approximately one hundred fewer deaths in 1933 than the number recorded for 1932, reducing the rate from 14.6 to 11.4 per 100,000 population. The 374 deaths in 1933 were only a few more than one-third of the 1015 for 1930, the peak year for pellagra deaths.

*Suicides and Homicides:* The deaths from suicides decreased and those from homicides increased for 1933, the total showing 28 more than for 1932. There were 268 suicidal and 440 homicidal deaths.

*Accidental Causes:* Automobile accidents accounted for the greatest number of accidental deaths in 1933. There were 203 more deaths from all types of automobile accidents than for the preceding year. There were 807 in 1933 and 604 in 1932. Deaths from railroad accidents, exclusive of collision with automobiles, decreased from 134 in 1932 to 106 in 1933.

*Maternal Mortality:* The diseases of pregnancy, childbirth and the puerperal state continued to make the creation of new life hazardous in North Carolina. There was a decrease in the number of puerperal deaths, but the ratio to the number of live births remained about the same since parallel to the decrease in deaths there were fewer births. There were 535 maternal deaths in 1933 to 560 in 1932, giving a rate of 7.1 per 1,000 live births for the former year and 7.2 for the latter. This is in excess of the rate of approximately 6.5 for the United States Registration Area. There were 319 white, 2 Indian, and 214 Negro puerperal deaths, accounting for a death rate of 6.2 per 1,000 live births for the white and 9.3 for the Negro. The rate for the white is higher than it was for 1932, while the colored rate has fallen from 10.3. The annual rates for the past five years are 6.6 for the white, and 11.4 for the colored. Albuminuria and eclampsia accounted for more of the puerperal deaths than any other single cause. Approximately a third of the deaths were due to this cause. The second and third greatest offenders were puerperal septicemia and other accidents of childbirth,

respectively. Eighty-nine maternal deaths were chargeable to puerperal septicemia and 64 to other accidents of childbirth.

*Infant Mortality:* The total number of deaths under one year of age was 4,974. This is 197 fewer than for 1932, but because of the fewer number of births in 1933 the rate remained practically stationary. The rate for 1933 was 66.0 per 1,000 live births and 66.4 for 1932. Of the total deaths 2,824 were white and 2,151 colored. This gave a white rate of 54.8 and a colored rate of 90.2.

Of the total number of deaths under one year of age, 1,253 occurred under one day of age, and almost half in the first two weeks. Over fifty per cent are caused by the group known as "diseases of early infancy." Mortality from this group of causes, to which fall victims mainly infants under one month old, has changed but slightly or has actually increased. Deaths from these causes must be lowered if the present death rate of infants is to be improved. The progress made in saving young lives has been due primarily to the reduction in the number of deaths from infectious and gastrointestinal diseases. Diarrhea and enteritis as a cause of infant mortality has been reduced materially.

Every birth and death occurring in North Carolina should be recorded with the Bureau of Vital Statistics. Birth and death records have a wide variety of uses which are of great importance to individuals. Vital statistics are of practical value to every citizen of the State. For health organizations, accurate certificates are essential if our true problems are to be known, if our programs are to be intelligently planned, if we are to ascertain the effectiveness of the procedure, and if errors in our work are to be detected. Incomplete or incorrect records may lead to costly mistakes. It is, therefore, incumbent upon every citizen of North Carolina to do whatever possible to promote the completeness of our birth and death records.

TABLE I—TOTAL BIRTHS AND DEATHS (EXCLUSIVE OF STILLBIRTHS) WITH RATE PER 1000 POPULATION FOR THE YEARS 1914-1933 INCLUSIVE

YEAR	Births		Deaths	
	Number	Rate	Number	Rate
1914 .....	*71,931	31.2	29,044	12.4
1915 .....	*79,409	33.4	31,324	13.2
1916 .....	76,658	31.9	31,372	13.0
1917 .....	76,539	31.8	33,989	14.1
1918 .....	76,175	30.8	42,411	17.6
1919 .....	69,791	29.3	30,114	12.4
1920 .....	81,407	31.8	32,336	12.6
1921 .....	87,456	33.4	29,010	11.0
1922 .....	81,673	30.8	30,660	11.5
1923 .....	84,190	31.3	32,396	12.0
1924 .....	87,023	31.9	33,234	12.2
1925 .....	83,700	29.7	32,524	11.5
1926 .....	82,459	28.8	34,608	12.1
1927 .....	83,330	28.7	32,911	11.3
1928 .....	80,887	27.5	36,133	12.3
1929 .....	77,164	24.7	36,894	12.4
1930 .....	76,717	24.1	35,739	11.2
1931 .....	74,743	23.2	33,069	10.2
1932 .....	77,880	24.0	31,000	9.6
1933 .....	75,322	23.0	30,496	9.3

\*Stillbirths included in births 1914 and 1915.



TABLE II.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY COLOR, WITH RATE PER 1000 POPULATION; PER CENT ATTENDED BY PHYSICIANS AND NUMBER ILLEGITIMATE—1933

COUNTY	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates			Number Illegitimates				
	Total		Total		White		Colored		Colored		Place of Birth			Usual Place of Residence				
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.		
Entire State.....	75,322	23.0	75,238	23.0	51,490	22.3	51,407	22.2	23,265	24.1	23,264	24.1	85.2	27.0	6,469	1,457	4,946	66
Alamance.....	1,033	23.6	1,070	24.4	813	23.2	843	24.0	220	25.2	227	26.0	99	81	37	11	26	47
Alexander.....	318	24.5	328	25.2	295	24.8	304	25.5	23	20.9	24	21.8	84	30	29	24	5	31
Alleghany.....	165	23.0	168	23.4	156	22.8	159	23.2	9	26.2	9	26.2	88	70	6	4	2	6
Anson.....	678	23.0	666	22.6	331	23.3	320	22.5	347	22.6	346	22.6	78	11	70	3	67	70
Ashe.....	519	24.7	527	25.1	508	24.7	516	25.0	11	27.5	11	27.5	54	27	30	28	2	31
Avery.....	347	28.7	330	27.3	341	28.9	324	27.4	6	20.0	6	20.0	54	67	23	21	2	22
Beaufort.....	804	22.5	800	22.4	487	22.2	482	22.0	317	23.0	318	23.0	86	17	90	9	81	95
Bertie.....	712	27.2	713	27.2	229	20.1	231	20.3	483	32.6	482	32.5	66	4	98	2	96	97
Bladen.....	687	30.1	690	30.3	394	29.6	397	29.8	293	30.8	293	30.8	65	9	59	12	47	60
Brunswick.....	469	29.3	475	29.7	294	29.4	298	29.8	177	29.5	177	29.5	44	5	46	7	39	46
Buncombe.....	1,789	17.2	1,754	16.9	1,567	18.2	1,533	17.8	222	12.6	221	12.5	96	50	116	49	67	116
Burke.....	673	22.1	679	22.3	610	21.9	615	22.1	63	23.3	64	24.1	75	54	31	16	15	33
Cabarrus.....	994	21.6	1,028	22.3	818	21.6	852	22.5	176	21.2	176	21.2	94	37	53	17	36	53
Caldwell.....	844	28.7	848	28.8	784	29.1	788	29.3	60	24.0	60	24.0	86	67	39	22	17	40
Camden.....	96	17.4	97	17.6	44	13.3	45	13.6	52	23.6	52	23.6	88	0.2	13	3	10	13
Carteret.....	387	22.5	380	22.1	322	22.0	316	21.6	65	25.0	64	23.5	89	35	25	5	20	25
Caswell.....	451	24.2	457	24.6	220	22.0	226	22.6	231	26.8	231	26.8	92	32	29	1	28	30
Catawba.....	1,064	23.3	1,078	23.6	949	23.4	964	23.8	115	22.1	114	21.9	88	34	53	30	23	57
Chatham.....	397	16.4	415	17.1	255	15.7	264	16.5	142	17.8	146	18.2	86	25	24	3	21	26
Cherokee.....	376	23.1	379	23.2	373	23.4	375	23.6	2	5.0	2	5.0	51	50	17	16	1	18
Chowan.....	266	23.3	266	24.3	133	22.2	133	22.2	133	24.6	133	24.6	95	26	31	1	30	31
Clay.....	136	24.3	138	24.6	135	24.5	137	24.9	1	10.0	1	10.0	87	100	62	14	48	63
Cleveland.....	1,249	22.8	1,252	22.8	969	23.0	971	23.0	280	22.0	281	22.1	92	17	62	14	48	49





Hyde.....	185	21.5	192	22.3	93	18.2	100	19.6	92	26.2	92	26.2	72	21	20	3	17	20	3	17
Iredell.....	966	20.0	906	18.8	756	19.5	696	18.0	210	21.8	210	21.8	97	22	82	16	66	79	13	66
Jackson.....	479	26.3	483	26.5	458	26.9	461	27.1	8	6.6	9	7.5	56	4	26	22	1	26	22	1
Johnston.....	1,576	26.7	1,588	26.9	1,213	26.6	1,221	26.8	363	26.8	367	27.1	83	12	114	31	83	118	33	85
Jones.....	284	27.0	286	27.2	284	27.1	286	27.2	139	24.3	141	24.3	139	19	39	2	37	40	3	37
Lee.....	359	20.4	356	20.2	216	18.0	212	17.6	143	25.5	144	25.7	89	17	45	7	38	45	7	38
Lincoln.....	838	22.8	820	22.2	453	21.6	439	21.0	385	24.2	381	24.0	86	9	118	18	100	116	16	100
Lenoir.....	571	24.1	558	23.5	482	23.8	469	23.2	89	25.4	89	25.4	96	27	16	7	9	16	7	9
McDowell.....	538	25.7	539	25.8	505	26.8	506	26.8	33	16.5	33	16.5	85	67	25	20	5	26	21	5
Macon.....	375	27.2	374	27.1	367	27.5	366	27.5	6	12.0	6	12.0	65	83	18	17	1	18	17	1
Madison.....	546	26.9	552	27.2	545	27.2	551	27.5	1	3.3	1	3.3	40	100	27	26	1	28	27	1
Martin.....	705	29.6	711	29.9	341	27.0	347	27.5	364	32.5	364	32.5	81	7	94	10	84	96	12	84
Mecklenburg.....	2,371	17.4	2,306	16.9	1,595	16.6	1,530	16.0	776	19.2	776	19.2	99	65	313	73	240	278	38	240
Mitchell.....	428	29.7	438	30.4	428	29.8	438	30.5	---	---	---	---	64	---	11	11	---	12	12	---
Montgomery.....	316	19.2	321	19.4	246	19.3	251	19.8	70	18.4	70	18.4	78	18	26	8	18	26	8	18
Moore.....	566	19.2	564	19.2	340	17.7	338	17.6	226	22.1	226	22.1	83	9	65	13	52	66	14	52
Nash.....	1,270	23.2	1,257	22.9	700	23.0	689	22.6	570	23.3	568	23.2	87	28	124	21	103	125	22	103
New Hanover.....	855	19.7	815	18.8	516	19.5	481	18.2	339	19.9	334	19.6	97	55	113	8	105	110	6	104
Northampton.....	619	22.3	628	22.6	128	12.4	133	12.9	491	28.0	495	28.2	76	14	71	2	69	72	2	70
Onslow.....	449	29.2	454	29.5	300	26.5	305	27.0	149	36.3	149	36.3	82	34	43	5	38	43	5	38
Orange.....	389	17.9	436	20.1	247	16.9	282	19.3	142	20.0	154	21.6	99	57	27	2	25	34	3	31
Pamlico.....	269	28.9	272	29.2	122	20.0	125	20.4	147	45.9	147	45.9	76	16	27	1	26	30	4	26
Pasquotank.....	423	21.8	416	21.4	226	20.3	219	19.7	197	23.7	197	23.7	92	12	33	5	28	33	5	28
Pender.....	398	25.2	408	25.8	164	20.3	172	21.0	234	30.7	236	31.0	73	6	58	1	57	60	2	58
Perquimans.....	246	23.0	248	23.2	103	19.1	105	19.5	143	27.0	143	27.0	89	14	30	1	29	30	1	29
Person.....	577	25.5	587	26.0	330	24.2	340	25.0	240	26.6	240	26.6	91	44	30	2	28	31	3	28
Pitt.....	1,502	26.8	1,515	27.0	646	22.4	637	22.8	856	31.4	858	31.5	84	15	243	14	229	253	22	231
Polk.....	231	20.2	226	20.9	198	22.2	194	21.8	33	20.6	32	20.0	82	33	14	10	4	12	9	3
Randolph.....	885	23.8	896	24.1	811	24.3	822	24.6	74	19.0	74	19.0	87	50	37	23	14	38	24	14
Richmond.....	832	23.4	841	23.7	523	24.2	532	24.7	309	22.2	309	22.2	90	19	99	13	86	104	18	86
Robeson.....	1,904	27.8	1,893	27.6	812	25.1	803	24.8	678	28.8	677	28.8	87	20	248	36	162	250	38	162
Rockingham.....	1,259	24.1	1,268	24.2	974	24.0	982	24.2	280	23.7	281	23.8	94	88	54	15	39	55	16	39
Rowan.....	1,220	20.7	1,231	20.9	952	20.2	964	20.5	268	22.6	267	22.4	96	32	82	24	58	88	30	58
Rutherford.....	1,045	24.9	1,043	24.8	904	24.8	902	24.8	141	25.1	141	25.1	92	45	45	28	17	46	28	18
Sampson.....	1,101	27.0	1,112	27.2	667	25.1	678	25.5	410	28.6	410	28.6	64	8	82	7	74	84	9	74
Scotland.....	510	24.3	511	24.3	200	21.7	201	21.8	288	24.4	288	24.4	80	9	89	10	78	89	10	78
Stany.....	701	22.8	692	22.5	654	24.1	644	23.8	47	13.0	48	13.6	84	32	21	12	9	23	14	9

TABLE II—Continued

COUNTY	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates				Number Illegitimates					
	Total		Total		White		Colored		Usual Place of Residence		Colored		Place of Birth				Usual Place of Residence			
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.	Total	White	Col.	Ind.
Stokes	511	22.6	517	22.9	468	23.2	473	23.5	43	19.2	44	17.6	88	42	10	5	5	10	5	5
Surry	987	24.1	982	24.0	917	24.0	912	23.9	70	25.0	70	25.0	86	28	35	18	17	37	20	17
Swain	244	21.1	244	21.1	208	20.1	209	20.2	3	2.3	3	2.3	67	67	16	13	3	16	13	3
Transylvania	248	25.8	249	25.9	237	26.3	238	26.4	11	18.3	11	18.3	53	9	8	5	3	9	6	3
Tyrrell	142	27.3	142	27.3	79	22.5	79	22.5	63	37.0	63	37.0	76	11	11	11	11	11	11	11
Union	985	23.6	984	23.5	764	24.1	763	24.1	221	21.6	221	21.6	82	36	39	14	25	41	16	25
Vance	616	21.9	610	21.7	300	19.1	297	18.9	316	25.4	313	25.2	93	17	41	4	37	42	6	36
Wake	1,913	19.5	1,890	19.3	1,079	17.1	1,072	17.0	834	23.8	818	23.3	93	38	207	16	191	198	21	177
Warren	671	28.3	678	28.6	157	18.0	160	18.3	514	34.2	518	34.5	66	11	60	2	58	61	2	59
Washington	297	25.6	299	25.8	115	18.5	116	18.7	182	33.7	183	33.8	70	3	49	3	46	50	3	47
Watauga	440	28.4	441	28.4	430	28.2	431	28.3	10	33.3	10	33.3	71	80	8	7	1	8	7	1
Wayne	1,113	20.4	1,114	20.4	651	21.2	652	21.2	462	19.3	462	19.3	95	33	106	15	91	109	17	92
Wilkes	1,061	28.8	1,056	28.7	908	29.3	993	29.2	63	22.5	63	22.5	56	32	62	46	16	63	47	16
Wilson	1,167	25.2	1,165	25.2	672	25.4	672	25.4	495	24.8	493	24.8	95	22	137	14	123	142	19	123
Yadkin	398	21.7	424	23.2	379	21.9	404	23.3	19	19.0	20	20.0	88	58	13	9	4	13	9	4
Yancey	406	28.0	412	28.4	405	28.2	411	28.6	1	6.1	1	6.1	65	100	25	25	25	25	25	25

Indian Births: Total, 567; Cherokee 1; Columbus 9; Cumberland 2; Graham 2; Harnett 6; Hoke 27; Jackson 13; Macon 2; Person 7; Robeson 414; Rockingham 5; Sampson 24; Scotland 22; Swain 33.

TABLE II-A—BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 10,000 POPULATION OR OVER IN 1930, BY COLOR, WITH RATE PER 1,000 POPULATION; PER CENT ATTENDED BY PHYSICIANS AND NUMBER ILLEGITIMATE—1933

City	Total		Total		White		Colored		Colored		Per Cent Attended by Physicians		Number Illegitimate			
	Place of Birth		Place of Residence		Place of Birth		Place of Residence		Place of Birth		Place of Residence		Place of Birth		Place of Residence	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Colored	White	Colored	White	Colored
Totals.....	12,422	20.7	11,087	17.6	8,422	20.0	7,297	17.3	4,000	19.4	3,790	18.4	298	52.1	219	1,138
Asheville.....	938	17.6	831	15.6	739	19.6	633	16.8	199	12.9	198	12.8	30	50.7	24	58
Charlotte.....	1,567	18.4	1,393	16.4	1,084	18.1	914	15.3	483	19.1	479	19.0	61	78.2	22	167
Concord.....	245	20.0	233	19.0	204	20.0	193	18.9	41	20.5	40	20.0	4	41.4	4	10
Durham.....	1,272	22.3	1,081	19.0	800	22.4	652	18.3	472	22.1	429	20.1	35	62.7	23	180
Elizabeth City.....	204	19.8	196	19.0	119	18.3	111	17.0	85	22.3	85	22.3	1	15.2	1	16
Fayetteville.....	322	23.0	288	20.5	207	25.2	173	21.0	115	19.8	115	19.8	14	40.8	12	27
Gastonia.....	405	22.5	393	21.8	341	23.3	330	22.6	64	18.8	63	18.5	9	32.8	10	15
Goldsboro.....	298	18.8	291	18.4	164	19.2	158	18.5	134	18.3	133	18.2	3	31.3	4	38
Greensboro.....	1,022	18.0	932	16.4	785	18.6	701	16.6	237	16.0	231	15.6	48	70.8	24	46
High Point.....	757	18.1	739	17.8	660	19.9	643	19.4	97	11.6	96	11.5	16	64.9	18	23
Kinston.....	267	22.8	217	18.6	164	25.6	117	18.2	103	19.4	107	18.8	7	9.7	10	7
New Bern.....	240	20.0	230	19.1	102	17.8	93	16.3	138	22.0	137	21.8	1	13.7	1	3
Raleigh.....	735	18.5	625	15.8	430	16.2	351	13.2	305	23.1	274	20.8	9	40.0	7	107
Rocky Mount.....	441	18.9	311	13.3	230	16.8	172	12.5	211	22.0	139	14.4	5	50.2	5	61
Salisbury.....	336	19.0	323	18.3	254	18.6	242	17.8	82	20.5	81	20.2	5	23.1	9	19
Shelby.....	272	21.9	256	20.6	228	23.0	213	21.5	44	17.6	43	17.2	1	36.3	1	12
Statesville.....	226	20.3	193	17.3	203	21.5	170	18.0	23	13.5	23	13.5	6	60.8	5	7
Thomasville.....	231	20.8	236	21.2	198	21.5	203	22.0	33	17.3	33	17.3	4	93.9	4	3
Wilmington.....	780	24.1	612	19.0	479	25.0	346	18.0	301	23.0	266	20.2	8	61.1	5	97
Wilson.....	340	26.0	324	24.7	161	24.3	149	22.5	179	27.5	175	26.9	8	97.4	11	58
Winston-Salem.....	1,524	19.1	1,383	17.3	870	19.2	733	16.2	654	19.0	650	18.9	20	58.2	19	173

TABLE III—DEATHS (EXCLUSIVE OF STILLBIRTHS) FOR THE STATE AS A WHOLE  
RING IN NORTH CAROLINA AND RESIDENTS OF

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
All Causes .....		30,585	4,975	1,514	550	485
Males .....	Total .....	16,376	2,800	825	284	281
	White .....	10,628	1,627	526	189	172
	Indian .....	94	22	9	2	3
	Colored .....	5,654	1,151	290	93	106
Females .....	Total .....	14,209	2,175	689	266	204
	White .....	8,581	1,197	411	170	88
	Indian .....	75	13	11	4	3
	Colored .....	5,553	965	267	92	113
I. INFECTIOUS AND PARASITIC DISEASES:						
Males .....	Total .....	2,235	278	263	18	65
	White .....	1,177	134	171	53	26
	Indian .....	7		2		2
	Colored .....	1,051	144	90	28	37
Females .....	Total .....	2,224	229	206	81	62
	White .....	1,063	102	127	54	13
	Indian .....	14	2	3		
	Colored .....	1,147	125	76	27	49
1. Typhoid fever .....	W { Male .....	34		1	1	3
	{ Female .....	21		1	5	
	C { Male .....	42		1	6	7
	{ Female .....	32	1	2	3	5
3. Typhus fever .....	W { Male .....	3			1	
	{ Female .....	2		1		
5. Undulant fever .....	W { Male .....	2				
	{ Female .....					
	C { Male .....					
	{ Female .....	2				
7. Measles .....	W { Male .....	36	15	12	4	1
	{ Female .....	37	6	13	6	2
	I { Male .....	1		1		
	{ Female .....	1		1		
	C { Male .....	7	2	3		1
	{ Female .....	9	1	3		2
8. Scarlet fever .....	W { Male .....	26	3	14	8	
	{ Female .....	20	1	8	7	2
	C { Male .....	2			1	1
	{ Female .....	1		1		
9. Whooping-cough .....	W { Male .....	39	19	18	2	
	{ Female .....	56	34	21	1	
	I { Male .....	1		1		
	{ Female .....	1		1		
	C { Male .....	57	40	16	1	
	{ Female .....	46	27	18	1	



TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years		
10. Diphtheria.....	W {	Male .....	96	11	64	16	3	
		Female....	82	10	46	23	---	
		C {	Male .....	25	5	16	3	---
			Female....	15	5	9	---	---
11. Influenza.....	W {	Male .....	307	51	33	8	5	
		Female....	272	28	20	3	4	
	I {	Male .....	2	---	---	---	---	
		Female....	4	2	---	---	---	
	C {	Male .....	207	48	28	2	13	
		Female....	204	50	20	8	5	
13. Dysentery.....	W {	Male .....	31	11	10	---	---	
		Female....	27	4	5	---	---	
	I {	Male .....	---	---	---	---	---	
		Female....	1	---	1	---	---	
	C {	Male .....	16	6	6	---	---	
		Female....	21	7	7	---	1	
15. Erysipelas.....	W {	Male .....	23	8	1	---	---	
		Female....	30	6	1	1	---	
	C {	Male .....	4	1	---	1	---	
		Female....	2	---	---	---	1	
16. Acute poliomyelitis and acute polioencephalitis.....	W {	Male .....	7	2	2	---	1	
		Female....	5	---	2	1	---	
	I {	Male .....	1	---	---	---	1	
		Female....	---	---	---	---	---	
	C {	Male .....	3	---	1	---	---	
		Female....	2	---	1	1	---	
17. Lethargic or epidemic encephalitis.....	W {	Male .....	2	---	---	---	---	
		Female....	7	1	---	---	---	
	C {	Male .....	2	---	1	---	---	
		Female....	4	1	1	1	---	
18. Epidemic cerebrospinal meningitis.....	W {	Male .....	7	2	1	---	2	
		Female....	4	---	1	1	2	
	C {	Male .....	3	1	1	1	---	
		Female....	4	1	---	2	1	
21. Rabies.....	W {	Male .....	4	---	1	3	---	
		Female....	1	---	1	---	---	
22. Tetanus.....	W {	Male .....	11	1	2	3	2	
		Female....	2	1	---	---	---	
	I {	Male .....	1	---	---	---	1	
		Female....	---	---	---	---	---	
	C {	Male .....	7	1	---	1	2	
		Female....	2	---	---	---	---	

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
				1	1						
		1		1		1					
	1 1										
7 11	12 8	7 11 1	12 11	29 29 1	27 26	34 20	25 30	43 47	14 21	3	
					1		1				
9 11	10 13	6 12	18 9	16 23	14 20	17 12	15 13	8 5	3 2	1	
				1	1	1 3	1 2	6 8			
		2			1	1 1	1		1 1	1	
		1 1	1	2 3	3 2	1 2	4 4	1 6 1	1 1		
			1								
1				1		1					
								2			
						1		1			
					2						
			1	2	1	1		1			
		1	1								
2											
1				2 1							
1				2	1						

TABLE III.—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
23. Tuberculosis of the respiratory system.....	W	Male.....	433	1	2	4
		Female.....	397			1
	I	Male.....				
		Female.....	6			
	C	Male.....	470	6	3	4
		Female.....	629	3	3	8
24. Tuberculosis of the meninges and central nervous system.....	W	Male.....	16	2	4	
		Female.....	8	1	4	1
	C	Male.....	11	1	1	2
		Female.....	7	2	3	
		Male.....				
		Female.....				
25. Tuberculosis of the intestines and peritoneum	W	Male.....	7			
		Female.....	14	1		1
	C	Male.....	15			3
		Female.....	22		2	
		Male.....				
		Female.....				
26. Tuberculosis of the vertebral column.....	W	Male.....	5	1		1
		Female.....	2			
	C	Male.....	7			
		Female.....	1			
		Male.....				
		Female.....				
27. Tuberculosis of the joints (vertebral column excepted).....	W	Male.....	1			
		Female.....	2			
	C	Male.....	4			
		Female.....	6			
		Male.....				
		Female.....				
29. Tuberculosis of the lymphatic system (bronchial mesenteric and retroperitoneal glands excepted).....	C	Male.....	4	1	1	
		Female.....				
		Male.....				
		Female.....				
		Male.....				
		Female.....				
30. Tuberculosis of the genitourinary system....	W	Male.....	6			
		C Male.....	3			
	C	Female.....	1			
		Male.....				
		Female.....				
32. Disseminated tuberculosis.....	W	Male.....	6	1		
		Female.....	6			
	C	Male.....	16	1		
		Female.....	7	1		1
		Male.....				
		Female.....				
34. Syphilis.....	W	Male.....	23	4	1	
		Female.....	24	7		
	C	Male.....	107	28	2	2
		Female.....	96	23	5	1
		Male.....				
		Female.....				
35. Gonococcus infection and other venereal diseases.....	W	Male.....	1			
		Female.....	6			
	C	Male.....	6			1
		Female.....	16			
		Male.....				
		Female.....				



Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
12	26	34	52	138	75	54	29	5	1		
20	51	66	53	77	47	35	28	18	1		
	3	1		1	1						
56	83	59	58	92	57	27	18				
88	144	101	80	91	47	24	6	5	1		
1	3	1	1	4							
	1	1									
	1	2		1		1		1			
1	1										
			1	4		1		1			
1				2		5	4				
2	2	1	2	3	1	1					
2	6	3	2	3	1	2	1				
	1	1					1				
		2									
2	1			3		1					
				1							
						1					
					1		1				
1	1	1		1							
	1	1	1	2	1						
	1		1								
				3	2	1					
				1	1	1					
			1								
	2	1		1	1						
2			2				1	1			
	3	5		3	1	2	1				
	1	1		2	1						
	1		1	5	6	4	1				
	2	3	4	1	5	1	1				
2	9	6	9	22	10	7	8		2		
7	9	10	6	17	8	4	4				
		1									
2	1		1	2							
	2	2			1						
	5		6	4	1						

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
36. Purulent infection, septicemia (nonpuerperal)	W { Male .....	17	1	-----	1	3
	Female.....	19	1	1	2	-----
	I { Male .....	-----	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
	C { Male .....	5	-----	-----	-----	-----
	Female.....	5	-----	-----	-----	1
38. Malaria.....	W { Male .....	19	-----	2	-----	-----
	Female.....	11	2	-----	-----	-----
	C { Male .....	14	-----	3	3	-----
	Female.....	6	-----	1	-----	1
39. Other diseases due to protozoal parasites.....	W { Male .....	-----	-----	-----	-----	-----
	Female.....	2	-----	-----	-----	-----
	C { Male .....	1	-----	-----	-----	-----
	Female.....	1	-----	-----	-----	-----
40. Ankylostomiasis.....	W { Male .....	1	-----	-----	1	-----
	Female.....	-----	-----	-----	-----	-----
42. Other diseases caused by helminths.....	W { Male .....	5	-----	3	1	1
	Female.....	5	-----	1	4	-----
	I { Male .....	1	-----	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
	C { Male .....	5	1	4	-----	-----
	Female.....	2	-----	1	-----	-----
43. Mycoses.....	W { Male .....	1	1	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
	C { Male .....	5	4	1	-----	-----
	Female.....	4	4	-----	-----	-----
44 (a). Chickenpox.....	W { Male .....	1	1	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
	C { Male .....	1	-----	1	-----	-----
	Female.....	-----	-----	-----	-----	-----
44 (b). Milk sickness.....	W { Male .....	2	-----	-----	1	-----
	Female.....	-----	-----	-----	-----	-----
44 (c). German measles.....	C { Male .....	1	-----	-----	-----	1
	Female.....	-----	-----	-----	-----	-----
44 (d). Mumps.....	W { Male .....	1	1	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----
44 (e). Rocky Mountain spotted fever.....	W { Male .....	4	-----	-----	1	-----
	Female.....	1	-----	-----	-----	-----
44 (f). Tularemia.....	C { Male .....	1	-----	-----	-----	-----
	Female.....	-----	-----	-----	-----	-----

Continued

[illegible]

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
<b>II. CANCERS AND OTHER TUMORS:</b>						
Males .....	Total .....	721	2	6	5	10
	White .....	590	1	3	5	8
	Indian .....	4				
	Colored .....	127	1	3		2
Females .....	Total .....	1,161	1	10	10	3
	White .....	819	1	9	3	1
	Indian .....	6			1	
	Colored .....	336		1	6	2
45. Cancer and other malignant tumors of the buccal cavity and pharynx .....	W { Male .....	46				
	Female .....	23				1
	C { Male .....	7				
	Female .....	8			1	
46. Cancer and other malignant tumors of the digestive tract and peritoneum .....	W { Male .....	265		1		2
	Female .....	290		2		
	I { Male .....	1				
	Female .....	1				
	C { Male .....	71				1
	Female .....	85			2	
47. Cancer and other malignant tumors of the respiratory system .....	W { Male .....	27				1
	Female .....	11				
	C { Male .....	7				
	Female .....					
48. Cancer and other malignant tumors of the uterus .....	W Female .....	205				
	I Female .....	3				
	C Female .....	125				
49. Cancer and other malignant tumors of other female genital organs .....	W Female .....	19				
	C Female .....	7				
50. Cancer and other malignant tumors of the breast .....	W { Male .....	2				
	Female .....	105				
	I Female .....	1				
	C Female .....	34				
51. Cancer and other malignant tumors of the male genitourinary organs .....	W Male .....	94				
	I Male .....	1				
	C Male .....	20		1		
52. Cancer and other malignant tumors of the skin .....	W { Male .....	40				
	Female .....	30	1		1	
	C { Male .....					
	Female .....	5				
53. Cancer and other malignant tumors of other or unspecified organs .....	W { Male .....	86			3	2
	Female .....	87		7	2	
	I { Male .....	1				
	Female .....	1			1	
	C { Male .....	14		1		
	Female .....	31		1	1	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
13	9	9	17	58	113	178	164	113	23	1	-----
8	6	7	15	43	84	152	139	99	20	-----	-----
-----	-----	-----	-----	1	-----	1	-----	1	1	-----	-----
5	3	2	2	14	29	25	25	13	2	1	-----
10	14	27	45	165	251	249	232	120	22	1	1
8	10	16	20	87	177	179	188	102	17	-----	1
-----	-----	-----	-----	2	2	1	-----	-----	-----	-----	-----
2	4	11	25	76	72	69	44	18	5	1	-----
1	-----	-----	3	2	5	12	12	9	2	-----	-----
1	-----	-----	-----	1	2	3	10	3	2	-----	-----
1	-----	-----	-----	-----	-----	2	3	1	-----	-----	-----
-----	-----	-----	-----	-----	4	3	-----	-----	-----	-----	-----
1	1	1	3	22	40	80	68	39	7	-----	-----
1	1	3	2	17	50	73	88	47	6	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
1	1	1	-----	8	21	16	13	6	2	1	-----
-----	1	3	5	8	23	19	18	4	2	-----	-----
1	2	-----	-----	3	5	9	5	1	-----	-----	-----
1	-----	-----	-----	3	1	2	2	2	-----	-----	-----
-----	1	-----	1	3	1	-----	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	4	3	9	30	62	47	31	18	1	-----	-----
-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	-----
2	-----	3	8	33	26	30	14	6	2	1	-----
-----	-----	-----	-----	2	6	6	2	2	-----	-----	1
-----	-----	1	-----	1	1	3	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----
-----	-----	1	2	16	26	23	24	11	2	-----	-----
-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
-----	-----	3	11	4	5	6	4	4	1	-----	-----
1	1	-----	2	3	6	25	31	20	5	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
1	-----	1	-----	2	3	4	5	3	-----	-----	-----
-----	-----	1	-----	1	2	6	12	16	2	-----	-----
-----	2	-----	-----	2	2	6	7	8	3	-----	-----
-----	-----	-----	-----	3	-----	1	-----	1	-----	-----	-----
3	1	3	3	9	20	17	7	14	4	-----	-----
5	2	4	5	6	12	17	20	4	3	-----	-----
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
2	1	-----	-----	3	2	2	2	3	-----	-----	-----
-----	1	3	2	4	7	6	3	2	-----	-----	-----

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
54. Nonmalignant tumors .....	W {	Male .....	21	1	1	2	
		Female .....	41				
	I {	Male .....	1				
		Female .....					
	C {	Male .....	3				
		Female .....	37		1	1	
55. Tumors of which the nature is not specified. ....	W {	Male .....	9		1	1	
		Female .....	8				
	C {	Male .....	5	1	1	1	
		Female .....	4			1	
III. RHEUMATIC DISEASES, NUTRITIONAL DISEASES, DISEASES OF THE ENDOCRINE GLANDS AND OTHER GENERAL DISEASES:							
Males .....	{	Total .....	444	29	14	6	11
		White .....	310	21	10	4	8
		Indian .....	2				
		Colored .....	132	8	4	2	3
Females .....	{	Total .....	589	26	13	8	15
		White .....	357	15	10	5	9
		Indian .....	1				1
		Colored .....	231	11	3	3	5
56. Acute rheumatic fever .....	W {	Male .....	26		1	3	6
		Female .....	18			4	2
	C {	Male .....	11			1	1
		Female .....	13			2	4
57. Chronic rheumatism, osteoarthritis .....	W {	Male .....	21				
		Female .....	20				1
	C {	Male .....	11				
		Female .....	13				
59. Diabetes mellitus .....	W {	Male .....	139		2		1
		Female .....	135	1	3	1	4
	I {	Male .....	1				
		Female .....	1				1
	C {	Male .....	35				2
		Female .....	63				1
60. Scurvy .....	W {	Male .....	1		1		
		Female .....	1	1			
62. Pellagra .....	W {	Male .....	89		1	1	
		Female .....	134	1			1
	I {	Male .....	1				
		Female .....					
	C {	Male .....	58		1		
		Female .....	111				

*Continued.*

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	1	2	2	2	5		2				
		5	1	10	14	2	4	5			
				1							
			1		1		1				
	1	1	7	15	7	1	2	1			
			2	1	1	1	2				
	1		1	2	2			2			
	1			1	1	1					
	1			1		1					
15	12	12	15	45	62	81	90	42	8	2	
8	6	9	10	28	37	63	69	32	5		
							2				
7	6	3	5	17	25	18	19	10	3	2	
15	19	26	32	79	100	102	108	41	4	1	
7	9	9	16	35	55	65	86	33	3		
8	10	17	16	44	45	37	22	8	1	1	
5	2	1		2	2	2	1	1			
2	1	1	1	1	1	1	3	1			
2					3	1	3				
2	1			2	1	1					
			2	3	2	4	4	5	1		
			1	1	1	5	8	3			
1			1	1	1	1	1	3	2		
				1	5	2	3	2			
3	3	4	6	9	18	34	44	13	2		
	4	3	4	7	17	36	37	16	2		
							1				
1	3	1	1	6	7	4	8	2			
1	1	3	2	9	14	18	10	3		1	
	1	4	1	11	15	21	19	13	2		
3	3	4	10	21	29	20	30	12			
							1				
2	3	2	3	10	11	12	7	5	1	1	
2	8	12	14	26	23	13	9	3	1		

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
63. Rickets.....	W	Male .....	5	3	2	-----	
		Female.....	2	2	-----	-----	
	C	Male .....	6	4	1	1	-----
		Female.....	4	2	2	-----	-----
64. Osteomalacia.....	W	Male .....	1	-----	-----	1	
		Female.....	1	-----	-----	-----	
66. Diseases of the thyroid and parathyroid glands.....	W	Male .....	5	-----	1	-----	
		Female.....	26	1	-----	-----	
	C	Male .....	1	-----	-----	-----	
		Female.....	20	3	-----	1	-----
67. Diseases of the thymus gland.....	W	Male .....	15	14	1	-----	
		Female.....	9	7	1	-----	1
	C	Male .....	5	4	1	-----	-----
		Female.....	2	2	-----	-----	-----
68. Diseases of the adrenals (Addison's disease, not specified as tuberculous) .....	W	Male .....	2	-----	-----	-----	
		Female.....	-----	-----	-----	-----	-----
	C	Male .....	2	-----	-----	-----	-----
		Female.....	-----	-----	-----	-----	-----
69. Other general diseases.....	W	Male .....	6	4	1	-----	
		Female.....	11	2	6	-----	-----
	C	Male .....	3	-----	1	-----	-----
		Female.....	5	4	1	-----	-----
IV. DISEASES OF THE BLOOD AND BLOOD-MAKING ORGANS:							
Males .....	Total .....		77	7	7	1	6
	White .....		63	4	7	1	6
	Indian .....		1	1	-----	-----	-----
	Colored.....		13	2	-----	-----	-----
Females.....	Total .....		72	6	6	3	2
	White .....		58	4	6	2	2
	Indian .....		-----	-----	-----	-----	-----
	Colored.....		14	2	-----	1	-----
70. Hemorrhagic conditions.....	W	Male .....	11	2	2	-----	-----
		Female.....	6	1	1	-----	-----
	I	Male .....	1	1	-----	-----	-----
		Female.....	-----	-----	-----	-----	-----
	C	Male .....	-----	-----	-----	-----	-----
		Female.....	1	1	-----	-----	-----
71. Anemias.....	W	Male .....	20	1	3	-----	-----
		Female.....	28	3	4	-----	1
	C	Male .....	8	2	-----	-----	-----
		Female.....	6	1	-----	-----	-----



Continued

[illegible]

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
72. Leukemias and pseudoleukemias.....	W { Male .....	27	1	2	1	5
	Female.....	21		1	1	1
	C { Male .....	3				
	Female.....	5			1	
73. Diseases of the spleen.....	W { Male .....	4				1
	Female.....	2			1	
	C { Male .....	2				
	Female.....	1				
74. Other diseases.....	W { Male .....	1				
	Female.....	1				
	C { Male .....					
	Female.....	1				
V. CHRONIC POISONINGS AND INTOXICATIONS:						
Males.....	Total .....	96		2	2	
	White .....	65		1	1	
	Colored.....	31		1	1	
Females.....	Total .....	10		1	2	1
	White .....	4				
	Colored.....	6		1	2	1
75. Alcoholism (acute or chronic).....	W { Male .....	61		1	1	
	Female.....	1				
	C { Male .....	27				
	Female.....	3		1		1
76. Chronic poisoning by other organic substances.....	W { Male .....	3				
	Female.....	3				
	C { Male .....	2		1		
	Female.....	1				
77. Chronic poisoning by mineral substances....	W { Male .....	1				
	Female.....					
	C { Male .....	2			1	
	Female.....	2			2	
VI. DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE:						
Males.....	Total .....	1,604	61	28	28	9
	White .....	1,051	34	20	24	4
	Indian .....	11	2			
	Colored.....	542	25	8	4	5
Females.....	Total .....	1,495	49	30	13	14
	White .....	897	28	16	9	7
	Indian .....	2				
	Colored.....	596	21	14	4	7

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	4		2	3	1	2	2	3			
	4	1	3	3	3	3	1				
1				2							
1		1		1	1						
		1	1	1							
									1		
1		1			1						
					1						
					1						
1											
		1									
2	8	7	11	24	30	6	2	2			
1	4	3	8	17	21	6	2	1			
1	4	4	3	7	9			1			
		1	1	1		1	1	1			
			1			1	1	1			
		1		1							
1	4	3	8	17	20	4	2				
						1					
1	4	4	2	7	8			1			
		1									
						2		1			
			1				1	1			
			1								
				1							
					1						
					1						
22	31	27	27	99	230	360	373	247	55	5	2
10	11	18	10	39	136	252	275	185	32	1	
		1			1	3	2	2			
12	20	8	17	60	93	105	96	60	23	4	2
10	15	24	18	99	241	295	331	264	81	11	
5	6	7	10	49	105	162	229	204	59	1	
							2				
5	9	17	8	50	136	133	100	60	22	10	

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
78. Encephalitis (nonepidemic) .....	W {	Male .....	19	2	4	---
		Female .....	15	4	1	1
	C {	Male .....	7	1	2	---
		Female .....	10	1	1	3
79. Meningitis .....	W {	Male .....	30	12	6	1
		Female .....	16	6	3	2
	C {	Male .....	15	6	1	1
		Female .....	18	8	5	---
80. Progressive locomotor ataxia (tabes dorsalis) ..	W {	Male .....	4	---	---	---
	C {	Male .....	2	---	---	---
81. Other diseases of the spinal cord .....	W {	Male .....	20	---	---	---
		Female .....	11	---	2	1
	C {	Male .....	6	---	---	---
		Female .....	11	1	---	---
82. Cerebral hemorrhage, cerebral embolism and thrombosis .....	W {	Male .....	832	3	3	1
		Female .....	756	4	2	1
	I {	Male .....	8	---	---	---
		Female .....	2	---	---	---
	C {	Male .....	419	1	---	---
		Female .....	494	---	---	---
83. General paralysis of the insane .....	W {	Male .....	28	---	---	---
		Female .....	14	---	---	---
	C {	Male .....	23	---	---	---
		Female .....	10	---	---	---
84. Dementia praecox and other psychoses .....	W {	Male .....	18	---	---	---
		Female .....	17	1	---	---
	C {	Male .....	6	---	---	---
		Female .....	8	---	---	---
85. Epilepsy .....	W {	Male .....	28	1	3	---
		Female .....	14	1	1	1
	C {	Male .....	28	---	1	1
		Female .....	17	---	1	3
86. Convulsions (under 5 years of age) .....	W {	Male .....	11	9	2	---
		Female .....	6	5	1	---
	I {	Male .....	1	1	---	---
		Female .....	---	---	---	---
	C {	Male .....	17	15	2	---
		Female .....	13	9	4	---
87. Other diseases of the nervous system .....	W {	Male .....	32	2	4	2
		Female .....	21	2	1	2
	I {	Male .....	1	---	---	---
		Female .....	---	---	---	---
	C {	Male .....	8	---	3	1
		Female .....	9	1	2	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	2	1	1	2	2	2	3				
1				4	3		1				
	2		1			1					
1				2	1	1					
1	1	1		2	2						
	1	1	2		1						
2	2	1		1	1						
	1	1		1	2						
						3	1				
				1		1					
2	1		1	1	1	7	3	3	1		
	1		2			1	2	1	1		
2				2		1	1				
	1		1		2	1	4	1			
2	1	7	3	21	112	221	248	176	31	1	
		1	2	29	95	150	219	197	55	1	
					1	3	2	2			
							2				
2	4	2	10	46	85	93	89	60	21	4	2
1	3	8	5	44	120	129	93	59	22	10	
	1	1	2	4	10	3	5	2			
	1	1	2	4		1	2	3			
		1	2	4	3	9	3		1		
		2			6	1	1				
		1	2	2	2	5	4	2			
				8	2	4	1		1		
2	1		2				1				
	1	1	1	1	4						
3	4	6		4	3	2	2				
2		2	1	2	1	1		1	1		
4	11	4	1	3	3						
2	3	5	1	1		1					
1				2	2	8	9	2			
		1	1		3	4	4	2	1		
		1									
			1	2	1						
1					1		2				

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
88. Diseases of the organs of vision.....	C Male.....	2	—	—	—	1
89. Diseases of the ear and of the mastoid process	W { Male.....	29	7	3	9	2
	{ Female.....	27	6	8	3	1
	I { Male.....	1	1	—	—	—
	{ Female.....	—	—	—	—	—
	C { Male.....	9	3	1	1	1
	{ Female.....	6	3	2	—	—
VII. DISEASES OF THE CIRCULATORY SYSTEM:						
Males.....	Total.....	2,697	4	11	11	16
	White.....	1,898	4	8	7	10
	Indian.....	15	—	—	1	—
	Colored.....	784	—	3	3	6
Females.....	Total.....	2,081	7	9	12	10
	White.....	1,368	5	5	8	5
	Indian.....	7	—	—	—	—
	Colored.....	706	2	4	4	5
90. Pericarditis.....	W { Male.....	18	—	1	1	—
	{ Female.....	12	—	—	—	—
	C { Male.....	15	—	—	—	2
	{ Female.....	8	—	—	—	—
91. Acute endocarditis.....	W { Male.....	15	2	1	3	2
	{ Female.....	26	1	4	2	1
	I { Male.....	1	—	—	1	—
	{ Female.....	—	—	—	—	—
	C { Male.....	8	—	—	1	—
	{ Female.....	17	—	—	1	1
92. Chronic endocarditis, valvular diseases.....	W { Male.....	354	1	1	1	6
	{ Female.....	288	1	—	3	4
	I { Male.....	2	—	—	—	—
	{ Female.....	1	—	—	—	—
	C { Male.....	204	—	1	2	3
	{ Female.....	217	—	3	1	3
93. Diseases of the myocardium.....	W { Male.....	524	—	2	—	—
	{ Female.....	410	1	—	—	—
	I { Male.....	3	—	—	—	—
	{ Female.....	1	—	—	—	—
	C { Male.....	183	—	2	—	1
	{ Female.....	152	—	1	1	—
94. Diseases of the coronary arteries and angina pectoris.....	W { Male.....	350	—	—	—	—
	{ Female.....	158	—	—	—	—
	I { Male.....	2	—	—	—	—
	{ Female.....	—	—	—	—	—
	C { Male.....	60	—	—	—	—
	{ Female.....	51	—	—	—	—

*Continued*

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
							1				
1	1	1	1	1	2	1					
2	3	1		2		1					
				1			1		1		
				1							
22	18	26	37	187	400	576	693	537	136	19	4
14	7	7	16	89	241	411	535	438	105	5	1
			1		1	1	5	5	1		
8	11	19	20	98	158	164	153	94	30	14	3
15	31	49	53	168	271	371	498	435	133	17	2
11	15	18	17	76	120	242	371	361	105	8	1
						2	3	1	1		
4	16	31	36	92	151	127	124	73	27	9	1
1	1			2		3	1	7	1		
	1					3	3	5			
	1		1	2		2	3	4			
				3	2	1	2				
1			1		1	1	1	2			
3	3	4		3	1	1	2	1			
1	2	1	1	2							
	2		2	6	2	2		1			
4	3	3	3	10	33	52	112	104	20	1	
	4	5	5	20	28	35	87	69	26	1	
							1	1			
									1		
3	1	5	6	26	39	42	37	26	8	4	1
2	7	12	10	30	43	42	37	19	5	3	
1	1	2	4	32	59	114	136	139	31	3	
	3	2	5	21	27	68	112	130	36	5	
						1	1	1			
							1				
1	3	4	3	19	32	44	42	21	5	5	1
	2	6	7	19	30	27	32	18	8	1	
1		1	2	17	73	100	91	53	11	1	
1		1	3	5	20	49	47	24	8		
							2				
	1	1	3	10	15	16	10	2	2		
	1	5	3	5	15	6	8	4	3		1

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
95. Other diseases of the heart.....	W { Male.....	520	1	3	1	2
	Female.....	396	2	1	3	—
	I { Male.....	7	—	—	—	—
	Female.....	4	—	—	—	—
	C { Male.....	258	—	—	—	—
	Female.....	220	1	—	1	1
96. Aneurysm (except of the heart).....	W { Male.....	7	—	—	—	—
	Female.....	2	—	—	—	—
	C { Male.....	7	—	—	—	—
	Female.....	2	—	—	—	—
97. Arteriosclerosis (diseases of the coronary arteries excepted).....	W { Male.....	63	—	—	—	—
	Female.....	49	—	—	—	—
	C { Male.....	31	—	—	—	—
	Female.....	16	—	—	—	—
98. Gangrene.....	W { Male.....	12	—	—	—	—
	Female.....	9	—	—	—	—
	C { Male.....	10	—	—	—	—
	Female.....	12	—	—	—	—
99. Other diseases of the arteries.....	W { Male.....	13	—	—	—	—
	Female.....	4	—	—	—	—
	C { Male.....	2	—	—	—	—
	Female.....	2	—	—	—	—
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	W { Male.....	6	—	—	1	—
	Female.....	9	—	—	—	—
	I { Male.....	—	—	—	—	—
	Female.....	1	—	—	—	—
	C { Male.....	2	—	—	—	—
	Female.....	—	—	—	—	—
101. Diseases of the lymphatic system (lymphangitis).....	W Female....	1	—	—	—	—
102. Idiopathic anomalies of the blood-pressure.....	W { Male.....	15	—	—	—	—
	Female.....	4	—	—	—	—
	C { Male.....	2	—	—	—	—
	Female.....	7	—	—	—	—
103. Other diseases of the circulatory system.....	W { Male.....	1	—	—	—	—
	Female.....	—	—	—	—	—
	C { Male.....	2	—	—	—	—
	Female.....	2	1	—	—	—
VIII. DISEASES OF THE RESPIRATORY SYSTEM:						
Males.....	Total.....	1,285	359	164	26	21
	White.....	766	181	97	10	9
	Indian.....	11	5	3	—	—
	Colored.....	508	173	64	16	12



Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
6	2	1	6	25	67	112	151	103	39		1
7	3	6	2	25	41	72	104	102	26	2	
			1		1		1	3	1		
						1	2	1			
3	2	6	6	36	59	52	56	27	9	2	
2	3	8	12	28	52	43	33	24	9	3	
				1	4	2					
			1			1					
		1			5	1					
				1				1			
						14	26	21	2		
					1	8	13	19	8		
	1			2	5	3	5	8	3	3	1
			1		2	3	5	4		1	
				1	2	1	3	4	1		
					1	1	3	3	1		
				1		3		3	3		
					3	2	4	1	1	1	
					1	6	5	1			
			1			1		2			
					1	1					
	1					1					
						3	1	1			
				2	1	1		4			1
						1					
								2			
	1										
					1	3	8	3			
						2		2			
					1			1			
			1		2		3		1		
				1							
		1			1						
								1			
45	42	37	41	121	88	99	113	98	28	3	
24	19	16	18	70	52	71	88	86	25		
2						1					
19	23	21	23	51	36	27	25	12	3	3	

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females.....	Total .....	1,060	257	139	34	16
	White .....	620	118	81	19	8
	Indian .....	3	—	—	1	—
	Colored.....	437	139	58	14	8
104. Diseases of the nasal fossæ and annexæ.....	W { Male .....	9	1	—	—	—
	Female.....	10	3	—	—	—
	C { Male .....	15	12	—	—	1
	Female.....	7	6	—	—	—
105. Diseases of the larynx.....	W { Male .....	6	2	4	—	—
	Female.....	—	—	—	—	—
	C { Male .....	2	—	1	—	—
	Female.....	5	3	1	—	—
106. Bronchitis.....	W { Male .....	22	5	2	—	—
	Female.....	34	4	2	1	—
	I { Male .....	1	—	—	—	—
	Female.....	—	—	—	—	—
	C { Male .....	13	6	4	—	—
	Female.....	16	6	3	—	—
107. Bronchopneumonia (including capillary bronchitis).....	W { Male .....	274	126	52	4	2
	Female.....	224	76	36	7	3
	I { Male .....	3	3	—	—	—
	Female.....	1	—	—	1	—
	C { Male .....	165	77	32	7	5
	Female.....	125	55	26	7	1
108. Lobar pneumonia.....	W { Male .....	365	30	30	5	6
	Female.....	275	23	32	9	5
	I { Male .....	4	2	1	—	—
	Female.....	2	—	—	—	—
	C { Male .....	210	30	17	4	6
	Female.....	188	29	14	6	6
109. Pneumonia, unspecified.....	W { Male .....	47	17	9	1	1
	Female.....	40	11	10	1	—
	I { Male .....	3	—	2	—	—
	Female.....	—	—	—	—	—
	C { Male .....	79	46	9	4	—
	Female.....	71	38	12	1	—
110. Pleurisy.....	W { Male .....	10	—	—	—	—
	Female.....	3	—	1	—	—
	C { Male .....	2	—	—	1	—
	Female.....	3	—	1	—	1
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs.....	W { Male .....	8	—	—	—	—
	Female.....	22	1	—	—	—
	C { Male .....	2	1	—	—	—
	Female.....	2	—	—	—	—

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
25	41	29	28	67	86	88	101	99	42	8	-----
10	18	14	12	37	46	55	77	84	36	5	-----
15	23	15	16	2	40	33	24	15	6	3	-----
1	2	1	1	3	-----	-----	-----	-----	-----	-----	-----
1	2	2	-----	1	-----	-----	-----	-----	1	-----	-----
1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	2	1	1	3	3	5	-----	-----
-----	-----	-----	-----	1	5	4	5	8	4	-----	-----
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
-----	-----	-----	1	-----	-----	-----	-----	1	-----	1	-----
1	-----	1	-----	1	-----	1	1	2	-----	-----	-----
5	1	2	3	7	6	18	17	23	8	-----	-----
3	4	1	1	6	7	13	21	30	16	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5	6	2	4	9	1	4	7	4	1	1	-----
2	6	1	1	4	6	6	5	3	1	1	-----
17	14	11	12	46	36	44	62	47	5	-----	-----
6	10	11	9	21	28	31	43	38	6	3	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
12	13	17	14	2	-----	-----	-----	-----	-----	-----	-----
10	14	10	13	35	30	16	13	3	-----	-----	-----
-----	-----	-----	-----	20	25	21	11	6	3	-----	-----
-----	1	-----	-----	4	2	-----	2	6	4	-----	-----
1	1	-----	-----	2	3	4	2	2	3	1	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	3	1	2	3	1	2	4	2	2	-----	-----
1	2	1	1	2	3	1	6	2	1	-----	-----
-----	-----	1	1	1	2	2	1	2	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----
-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
-----	1	-----	-----	2	1	1	3	6	6	1	-----
-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
112. Asthma .....	W {	Male .....	13				
		Female .....	8		1		
		C {	Male .....	10		1	
			Female .....	14		1	
113. Pleurisy emphysema .....	C Male .....	1					
114. Other diseases of the respiratory system (tuberculosis excepted) .....	W {	Male .....	12				
		Female .....	4				
		C {	Male .....	9	1		
			Female .....	6	2		
IX. DISEASES OF THE DIGESTIVE SYSTEM:							
Males .....	{	Total .....	1,310	366	196	41	38
		White .....	862	213	134	28	28
		Indian .....	12	5	4		
		Colored .....	436	148	58	13	10
Females .....	{	Total .....	1,111	301	158	39	35
		White .....	665	151	96	25	23
		Indian .....	10	2	4	1	2
		Colored .....	436	148	58	13	10
115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations) .....	W {	Male .....	59	3	6	6	5
		Female .....	70	2	12	11	3
	I {	Male .....	1	1			
		Female .....	1			1	
	C {	Male .....	33	3	4	4	
		Female .....	22	2	1	4	2
116. Diseases of the esophagus .....	W {	Male .....	1				
		Female .....	2				
	C {	Male .....	1				
		Female .....					
117. Ulcer of the stomach and duodenum .....	W {	Male .....	54				
		Female .....	16				
	C {	Male .....	14				
		Female .....	15				
118. Other diseases of the stomach (cancer ex- cepted) .....	W {	Male .....	64	12	5	2	1
		Female .....	29	2	3		1
	I {	Male .....	1		1		
		Female .....					
	C {	Male .....	36	2			1
		Female .....	42	6	5		
119. Diarrhea and enteritis (under 2 years) .....	W {	Male .....	267	187	80		
		Female .....	196	140	56		
	I {	Male .....	7	4	3		
		Female .....	5	2	3		
	C {	Male .....	169	134	35		
		Female .....	160	109	51		

Continued

[illegible]

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
120. Diarrhea and enteritis (2 years and over).....	W	Male .....	84	32	6	1
		Female.....	105	19	6	-----
	I	Male .....	1	-----	-----	-----
		Female.....	1	1	-----	-----
	C	Male .....	38	15	4	2
		Female.....	43	12	1	-----
121. Appendicitis.....	W	Male .....	141	1	5	10
		Female.....	89	4	8	17
	I	Male .....	1	-----	-----	-----
		Female.....	2	-----	-----	2
	C	Male .....	53	1	4	6
		Female.....	36	-----	4	3
122. Hernia, intestinal obstruction.....	W	Male .....	82	9	4	2
		Female.....	57	5	1	-----
	C	Male .....	59	7	2	1
		Female.....	44	1	1	1
123. Other diseases of the intestines.....	W	Male .....	9	-----	-----	2
		Female.....	13	2	-----	-----
	C	Male .....	3	1	1	-----
		Female.....	11	1	-----	-----
124. Cirrhosis of the liver .....	W	Male .....	48	-----	-----	1
		Female.....	29	-----	-----	1
	I	Male .....	1	-----	-----	-----
		Female.....	1	-----	-----	-----
	C	Male .....	15	-----	-----	-----
		Female.....	15	-----	1	-----
125. Other diseases of the liver (including yellow atrophy of the liver).....	W	Male .....	11	1	1	1
		Female.....	4	1	-----	-----
	C	Male .....	5	-----	-----	1
		Female.....	7	1	-----	-----
126. Biliary calculi.....	W	Male .....	5	-----	-----	-----
		Female.....	14	-----	-----	-----
	C	Male .....	1	-----	-----	-----
		Female.....	4	-----	-----	-----
127. Other diseases of the gall-bladder and biliary passages.....	W	Male .....	30	-----	1	1
		Female.....	32	-----	-----	-----
	C	Male .....	4	1	-----	-----
		Female.....	8	1	-----	-----
128. Diseases of the pancreas .....	W	Male .....	2	-----	-----	-----
		Female.....	3	-----	-----	-----
	C	Male .....	3	-----	-----	-----
		Female.....	-----	-----	-----	-----
129. Peritonitis, cause not specified .....	W	Male .....	5	1	-----	-----
		Female.....	6	-----	-----	-----
	C	Male .....	2	-----	-----	-----
		Female.....	9	-----	2	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	1	2	1	5	7	8	9	11	1		
	2	1	3	4	12	12	19	17	9	1	
							1				
		3		2		6	3	2	1		
2	1	3	1		6	7	4	4	1	1	
14	13	12	8	17	21	16	8	3	1		
6	5	8	8	10	7	6	6	3	1		
	1										
6	4	3	8	6	11	4					
8	3	6	4	4	1	3					
1	2	1	3	7	5	11	15	15	3		
1	1	3		7	10	7	7	13	1		
5	4	6	1	16	5	1	4	6	1		
	3	2	7	11	6	7	5				
		1			1	3	2				
		3	1	1	1	2	3				
1											
	2		1	3		3		1			
1	1	1	2	5	5	7	12	11	1	1	
			1	2	5	6	4	8	2		
						1					
							1				
2			1	6	2	4					
	1	1	1	5	4	1	1				
1				2	2	1	1	1			
		1					1	1			
				1	1	1	1				
	1			2	3						
					3	1			1		
	1	1			2	4	4	2			
	1										
			1	2	1						
	1			4	5	7	6	4			
			1	3	3	8	10	6	1		
		1	1		1						
	1			3	2	1					
							2				
	1				1			1			
	1		1	1							
				3	1						
	3			2	1						
			1		1						
1				3			2				

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
<b>X. DISEASES OF THE GENITOURINARY SYSTEM:</b>						
Males .....	Total .....	1,793	9	12	5	10
	White .....	1,225	6	4	1	6
	Indian .....	5				
	Colored .....	563	3	8	4	4
Females .....	Total .....	1,502	2	7	10	7
	White .....	972		4	7	3
	Indian .....	5				
	Colored .....	525	2	3	3	4
130. Acute nephritis (including unspecified under 10 years of age) .....	W { Male .....	56	5	2		3
	Female .....	41		1	5	2
	C { Male .....	64	1	7	2	4
	Female .....	53	2	3	3	1
131. Chronic nephritis .....	W { Male .....	923	1	1		2
	Female .....	729		2	1	
	I { Male .....	4				
	Female .....	4				
	C { Male .....	355	1			
	Female .....	359				3
132. Nephritis, unspecified (10 years and over) .....	W { Male .....	161				
	Female .....	135				
	C { Male .....	84				
	Female .....	77				
133. Other diseases of the kidneys and ureters (puerperal diseases excepted) .....	W { Male .....	17		1		1
	Female .....	29		1	1	1
	C { Male .....	13	1	1	1	
	Female .....	9				
134. Calculi of the urinary passages .....	W { Male .....	4				
	Female .....	11				
	C { Male .....	3				
	Female .....	1				
135. Diseases of the bladder .....	W { Male .....	18				
	Female .....	2				
	C { Male .....	6			1	
	Female .....					
136. Diseases of the urethra, urinary abscess, etc. ....	W Male .....	3				
	C Male .....	12				
137. Diseases of the prostate .....	W { Male .....	42				
	Female .....					
	I { Male .....	1				
	Female .....					
	C { Male .....	25				
	Female .....					





TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
138. Diseases of the male genital organs, not specified as venereal.....	W Male.....	1	-----	-----	1	-----
	C Male.....	1	-----	-----	-----	-----
139. Diseases of the female genital organs, not specified as venereal.....	W Female.....	25	-----	-----	-----	-----
	I Female.....	1	-----	-----	-----	-----
	C Female.....	26	-----	-----	-----	-----
XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE:						
Females.....	Total.....	535	-----	-----	-----	2
	White.....	319	-----	-----	-----	-----
	Indian.....	2	-----	-----	-----	-----
	Colored.....	214	-----	-----	-----	2
140. Abortion with septic conditions.....	White.....	18	-----	-----	-----	-----
	Colored.....	11	-----	-----	-----	1
141. Abortion without mention of septic condition (to include hemorrhage).....	White.....	22	-----	-----	-----	-----
	Colored.....	15	-----	-----	-----	-----
142. Ectopic gestation.....	White.....	4	-----	-----	-----	-----
	Colored.....	7	-----	-----	-----	-----
143. Other accidents of pregnancy (not to include hemorrhage).....	White.....	13	-----	-----	-----	-----
	Colored.....	5	-----	-----	-----	-----
144. Puerperal hemorrhages.....	White.....	35	-----	-----	-----	-----
	Colored.....	20	-----	-----	-----	-----
145. Puerperal septicemia (not specified as due to abortion).....	White.....	51	-----	-----	-----	-----
	Indian.....	2	-----	-----	-----	-----
	Colored.....	36	-----	-----	-----	-----
146. Puerperal albuminuria and eclampsia.....	White.....	104	-----	-----	-----	-----
	Colored.....	71	-----	-----	-----	1
147. Other toxemias of pregnancy.....	White.....	16	-----	-----	-----	-----
	Colored.....	17	-----	-----	-----	-----
148. Puerperal phlegmasia albadolens, embolus, sudden death (not specified as septic).....	White.....	13	-----	-----	-----	-----
	Colored.....	4	-----	-----	-----	-----
149. Other accidents of labor.....	White.....	38	-----	-----	-----	-----
	Colored.....	26	-----	-----	-----	-----
150. Other and unspecified conditions of the puerperal state.....	White.....	5	-----	-----	-----	-----
	Colored.....	2	-----	-----	-----	-----
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE:						
Males.....	Total.....	47	11	2	1	1
	White.....	26	3	-----	1	1
	Indian.....	-----	-----	-----	-----	-----
	Colored.....	21	8	2	-----	-----

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					1						
	2	1	3	11	4	4					
					1						
	6	5	7	6	2						
85	107	97	98	138	8						
39	58	61	61	96	4						
	1		1								
46	48	36	36	42	4						
1	3	6	4	4							
3	1	1	3	1	1						
3	4	4	4	7							
1	4	1	4	5							
		1	3								
	3	1	2	1							
1	3	1	3	4	1						
1	1			2	1						
	3	4	9	18	1						
4	3	3	2	7	1						
6	14	15	10	5	1						
	1		1								
7	12	8	3	5	1						
21	17	18	12	35	1						
21	13	12	12	12							
1	4	3	4	4							
4	4	3	3	3							
1	3	4	2	3							
1	1	1	1								
5	6	3	9	15							
4	6	6	5	5							
	1	2	1	1							
			1	1							
1	4	2	1	5	9	5		4		1	
1	3	1	1	5	5	4		1			
	1	1			4	1		3		1	

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females.....	Total.....	30	6			1
	White.....	21	3			1
	Indian.....					
	Colored.....	9	3			
151. Furuncle, carbuncle.....	W { Male.....	11			1	
	Female.....	4				
	C { Male.....	1	1			
	Female.....	2				
152. Phlegmon, acute abscess.....	W { Male.....	12	2			1
	Female.....	8	1			1
	C { Male.....	11	4	1		
	Female.....	2	1			
153. Other diseases of the skin and annexæ, and of the cellular tissue.....	W { Male.....	3	1			
	Female.....	9	2			
	C { Male.....	9	3	1		
	Female.....	5	2			
XIII. DISEASES OF THE ORGANS OF LOCOMOTION:						
Males.....	Total.....	32		2	6	7
	White.....	26		1	5	5
	Colored.....	6		1	1	2
Females.....	Total.....	18	3	1	1	2
	White.....	11	2	1	1	2
	Colored.....	7	1			
154. Osteomyelitis.....	W { Male.....	20		1	5	3
	Female.....	7	1	1	1	2
	C { Male.....	4		1	1	1
	Female.....	3	1			
155. Other diseases of the bones (tuberculosis excepted).....	W { Male.....	2				1
	Female.....	1				
	C { Male.....					
	Female.....	1				
156. Diseases of the joints and other organs of locomotion.....	W { Male.....	4				1
	Female.....	3	1			
	C { Male.....	2				1
	Female.....	3				
XIV. CONGENITAL MALFORMATIONS:						
Males.....	Total.....	177	167	8	1	
	White.....	133	125	6	1	
	Indian.....	2	2			
	Colored.....	42	40	2		
Females.....	Total.....	133	124	8		1
	White.....	101	95	6		
	Indian.....					
	Colored.....	32	29	2		1

Continued

[illegible]

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
157. Congenital malformations (stillbirths not included)-----	W {	Male.....	133	125	6	1	-----
		Female.....	101	95	6	-----	-----
	I {	Male.....	2	2	-----	-----	-----
		Female.....	-----	-----	-----	-----	-----
	C {	Male.....	42	40	2	-----	-----
		Female.....	32	29	2	-----	1
XV. DISEASES OF EARLY INFANCY:							
Males-----	{	Total.....	1,386	1,385	1	-----	-----
		White.....	839	838	1	-----	-----
		Indian.....	7	7	-----	-----	-----
		Colored.....	540	540	-----	-----	-----
Females-----	{	Total.....	1,102	1,100	1	1	-----
		White.....	628	626	1	1	-----
		Indian.....	9	9	-----	-----	-----
		Colored.....	465	465	-----	-----	-----
158. Congenital debility-----	W {	Male.....	174	174	-----	-----	-----
		Female.....	128	127	-----	1	-----
	I {	Male.....	2	2	-----	-----	-----
		Female.....	4	4	-----	-----	-----
	C {	Male.....	221	221	-----	-----	-----
		Female.....	183	183	-----	-----	-----
159. Premature birth-----	W {	Male.....	530	530	-----	-----	-----
		Female.....	410	410	-----	-----	-----
	I {	Male.....	4	4	-----	-----	-----
		Female.....	4	4	-----	-----	-----
	C {	Male.....	260	260	-----	-----	-----
		Female.....	243	243	-----	-----	-----
160. Injury at birth-----	W {	Male.....	85	84	1	-----	-----
		Female.....	49	49	-----	-----	-----
	I {	Male.....	-----	-----	-----	-----	-----
		Female.....	1	1	-----	-----	-----
	C {	Male.....	38	38	-----	-----	-----
		Female.....	19	19	-----	-----	-----
161. Other diseases peculiar to early infancy-----	W {	Male.....	50	50	-----	-----	-----
		Female.....	41	40	1	-----	-----
	I {	Male.....	1	1	-----	-----	-----
		Female.....	-----	-----	-----	-----	-----
	C {	Male.....	21	21	-----	-----	-----
		Female.....	20	20	-----	-----	-----
XVI. SENILITY:							
Males-----	{	Total.....	174	-----	-----	-----	-----
		White.....	88	-----	-----	-----	-----
		Indian.....	1	-----	-----	-----	-----
		Colored.....	85	-----	-----	-----	-----

Continued

[illegible]

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females.....	Total.....	243				
	White.....	143				
	Indian.....	3				
	Colored.....	97				
XVII. VIOLENT AND ACCIDENTAL DEATHS:						
Males.....	Total.....	2,046	73	81	65	83
	White.....	1,379	36	53	47	60
	Indian.....	14			1	
	Colored.....	653	37	28	17	23
Females.....	Total.....	653	52	64	47	30
	White.....	447	25	44	34	12
	Indian.....	8		1	1	
	Colored.....	198	27	19	12	18
163. Suicide by solid or liquid poisons or by corrosive substances.....	W { Male.....	21				
	Female.....	18				
	I { Male.....					
	Female.....	1				
164. Suicide by poisonous gas.....	C { Male.....					
	Female.....	1				
165. Suicide by hanging or strangulation.....	W { Male.....	12				
	Female.....	4				
166. Suicide by drowning.....	W { Male.....	2				
	Female.....	4				
	C { Male.....	1				
	Female.....					
167. Suicide by firearms.....	W { Male.....	153				
	Female.....	11				
	C { Male.....	14				
	Female.....	2				
168. Suicide by cutting or piercing instruments.....	W { Male.....	5				
	Female.....	1				
169. Suicide by jumping from high places.....	W { Male.....					
	Female.....	1				
	C { Male.....	1				
	Female.....	1				
170. Suicide by crushing.....	W { Male.....	1				
	Female.....					
171. Suicide by other means.....	W { Male.....	2				
	Female.....	3				



Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
							27	107	86	23	
							17	61	57	8	
								3			
							10	43	29	15	
204	276	220	193	293	202	173	109	48	21		5
130	160	131	137	191	149	138	88	42	14		3
2	4		1	2	1	1	2				
72	112	89	55	100	52	34	19	6	7		2
59	59	42	26	41	39	30	46	82	34	1	1
37	32	24	17	30	23	20	37	81	29	1	1
2	2						2				
20	25	18	9	11	16	10	7	1	5		
	2	1	2	6	5	5					
4	6	1	4	3							
	1										
		1									
	1		1	3	1	2					
1		2	1		1						
	2		3	1	4	2					
	1		1	1			1				
				1		1					
					2	1	1				
					1						
11	16	15	18	22	26	25	15	4			1
3		1		4	3						
3	4	1	1	2	2		1				
	1	1									
				1		1	2	1			
							1				
	1										
		1		1							
	1										
						1					1
	1		1		1						

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
172. Infanticide (murder of infants less than 1 year)-----	W {	Male.....	-----	-----	-----	-----
		Female.....	1	1	-----	-----
	C {	Male.....	1	1	-----	-----
		Female.....	2	-----	-----	-----
173. Homicide by firearms-----	W {	Male.....	104	-----	2	1
		Female.....	14	-----	-----	-----
	I {	Male.....	3	-----	-----	-----
		Female.....	1	-----	-----	-----
	C {	Male.....	164	-----	1	1
		Female.....	32	-----	-----	-----
174. Homicide by cutting or piercing instruments-----	W {	Male.....	15	-----	-----	-----
		Female.....	2	-----	-----	-----
	I {	Male.....	3	-----	-----	-----
		Female.....	-----	-----	-----	-----
	C {	Male.....	43	-----	-----	3
		Female.....	10	-----	-----	-----
175. Homicide by other means-----	W {	Male.....	18	-----	1	-----
		Female.....	3	-----	-----	-----
	I {	Male.....	-----	-----	-----	-----
		Female.....	1	-----	-----	-----
	C {	Male.....	19	-----	-----	1
		Female.....	7	-----	-----	-----
176. Attack by venomous animals-----	W {	Male.....	2	-----	1	-----
		Female.....	1	-----	1	-----
177. Poisoning by food-----	W {	Male.....	5	1	1	-----
		Female.....	4	-----	1	2
	C {	Male.....	3	1	-----	-----
		Female.....	4	1	-----	-----
178. Accidental absorption of poisonous gas-----	W {	Male.....	2	-----	-----	-----
		C Male.....	1	-----	-----	-----
179. Other acute accidental poisonings (gas excepted)-----	W {	Male.....	7	2	4	-----
		Female.....	1	-----	-----	-----
	I {	Male.....	-----	-----	-----	-----
		Female.....	1	-----	1	-----
	C {	Male.....	7	-----	5	-----
		Female.....	4	-----	3	-----
180. Conflagration-----	W {	Male.....	14	2	2	1
		Female.....	3	-----	1	-----
	C {	Male.....	17	3	3	1
		Female.....	8	2	4	1

Continued

[illegible]

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
181. Accidental burns.....	W	Male.....	41	6	13	2
		Female.....	61	6	24	8
	I	Male.....	1			
		Female.....	2		1	
	C	Male.....	17	1	8	1
		Female.....	24	2	5	6
182. Accidental mechanical suffocation.....	W	Male.....	20	18		1
		Female.....	11	11		
	C	Male.....	20	18	1	
		Female.....	14	14		
183. Accidental drowning.....	W	Male.....	54		4	5
		Female.....	12		4	1
	I	Male.....	1			
		Female.....				
	C	Male.....	23	1		2
		Female.....	9		1	3
184. Accidental traumatism by firearms (wounds of war excepted).....	W	Male.....	53		3	3
		Female.....	11		2	3
	C	Male.....	32		2	5
		Female.....	11		2	1
185. Accidental traumatism by cutting or piercing instruments (wounds of war excepted).....	W	Male.....	5		3	
		Female.....	1			
	C	Male.....	4			
		Female.....	2		1	1
186. Accidental traumatism by fall, crushing, landslide, etc.....	W	Male.....	103	1	1	3
		Female.....	131	1	1	1
	I	Male.....	1			
		Female.....	1			
	C	Male.....	25	4	1	
		Female.....	16	2		1
187. Cataclysm (all deaths attributed to cataclysm regardless of their nature).....	W	Male.....	4			
		Female.....	4	1		1
	C	Male.....	3			
		Female.....	1			
188. Injuries by animals.....	W	Male.....	10			1
		Female.....			1	
	C	Male.....	7		1	
		Female.....	2			
189. Hunger and thirst.....	W	Male.....	1	1		
190. Excessive cold.....	W	Male.....	2			
	C	Male.....	5			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	2	2	4	3	1	3	1	2			
4	1	1	1	2	2	3	2	6	1		
	1										
							1				
3	1			1		1	1				
1	2			1	2	1	1				
				1							
					1						
12	10	2	4	5	3	2		1			
1	5										
	1										
11	4	2	2								
2	2								1		
13	6	4	5	3	7	2	1				
2				2							
7	6	2	1		1		1				
4	1	1			1	1					
	1				1						
								1			
1	1	1				1					
4	5	9	5	8	9	10	14	18	12		
1		1			3	7	20	67	27	1	
							1				
							1				
2	2	3	2	3	2	1	2	1	2		
				1	2	2	3	1	3		
1	2				1						
1						1					
	1	2									
				1							
				1		3	4				
1	1		1	1	1			1			
					1	1					
				1	1						
		1	1				1		2		

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
191. Excessive heat.....	W {	Male.....	7	1			
		Female.....	1				
		C {	Male.....	5			1
			Female.....				
192. Lightning.....	W {	Male.....	9			3	
		Female.....	4				
		C {	Male.....	2		1	
			Female.....	1			
193. Accidents due to electric currents.....	W	Male.....	11				
	C	Male.....	3				
194. Other accidents.....	W {	Male.....	51	3	5	4	6
		Female.....	14	4	2	1	1
	I {	Male.....	1				
		Female.....	1				
	C {	Male.....	30	8	4		1
		Female.....	9	4		1	1
195. Violent deaths of which the nature (accident, suicide, homicide) is unknown.....	W {	Male.....	5				
	I	Male.....	1				
	C	Male.....	8				
198. Legal executions.....	W	Male.....	3				
	C	Male.....	3				
201. Accidents in mines and quarries.....	W	Male.....	1				
202. Accidents from agricultural machinery.....	W	Male.....	2				
203. Elevator accidents.....	W	Male.....	1				
	C	Male.....	1			1	
205. Other machinery accidents.....	W	Male.....	13				
	C	Male.....	6				
206. Railroad and automobile collisions.....	W {	Male.....	29			1	
		Female.....	6			1	
		C {	Male.....	2			
			Female.....	1			
207. Other railroad accidents.....	W {	Male.....	61		3	2	
		Female.....	1				
		C {	Male.....	40		3	
			Female.....	4		1	
208. Street car and automobile collisions.....	W {	Male.....	2				
		Female.....	1				
209. Other street car accidents.....	W	Female.....	1				

*Continued*

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
		1	1	1	1	1	1				
						1	1				
				2		2					
1	2		1	1		1					
	2			2							
					1						
					1						
	2	6	2	1							
2	1										
6	1	3	3	3	4	6	5	1	1		
			1		1		1	3			
					1						
1											
2	2	2		2	4	4	1				
					1		2				
	1		1	1	1		1				
	1										
	2		1	2	2	1					
			2		1						
	2	1									
				1							
		1		1							
					1						
4		1	1	2	3	2					
	3	1			2						
3	8	5	5	2	4	1					
1	1	2		1	1						
		1			1						
7	6	7	8	10	4	8	3	3			
1											
4	8	9		12	2						2
	1				1		1				
1		1									
		1									
					1						

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years	
210. Automobile accidents .....	W {	Male .....	467	1	14	19	23
		Female.....	109	1	8	15	6
	I {	Male .....	3			1	
		Female.....					
	C {	Male .....	131		4	4	4
		Female.....	29		3	2	5
211. Motoreycle accidents.....	W Male .....	6					
	C Male .....	1					
212. Other land transportation accidents.....	W {	Male .....	14		3	1	1
		Female.....	2		1	1	
	C {	Male .....					
		Female.....	1		1		
213. Water transportation accidents.....	W {	Male .....	22			1	2
		Female.....					
	C {	Male .....	13				
		Female.....	3				2
214. Air transportation accidents .....	W {	Male .....	11				
		Female.....	1				
	C {	Male .....	1				
		Female.....					
XVIII. ILL-DEFINED CAUSES OF DEATH:							
Males .....	{	Total .....	252	49	28	5	4
		White .....	130	27	10	1	1
		Indian .....	2				1
		Colored.....	120	22	18	4	2
Females.....	{	Total .....	210	39	24	6	6
		White .....	88	22	5	2	2
		Indian .....	5		3		
		Colored.....	117	17	16	4	4
199. Sudden death .....	W {	Male .....	53	1	1		
		Female.....	22	2			
	I {	Male .....					
		Female.....	1				
	C {	Male .....	28	4			
		Female.....	19	1	1		1
200. Cause of death not specified or ill-defined...	W {	Male .....	77	26	9	1	1
		Female.....	66	20	5	2	2
	I {	Male .....	2				1
		Female.....	4		3		
	C {	Male .....	92	18	18	4	2
		Female.....	98	16	15	4	3



*Continued*

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
52	63	46	47	71	45	47	31	8			
16	9	6	7	14	6	8	9	3	1		
			1	1							
10	23	16	7	24	14	13	8	3	1		
3	1	2	3	2	3	5					
2	2	1	1								
	1										
2				1	2		3		1		
2	3	2	2	8	1			1			
	3	3		3	2	1	1				
1											
3	4	2	1			1					
1											
	1										
2	10	6	5	23	26	46	31	13	4		
1	1	1	1	11	15	30	20	9	2		
	1										
1	8	5	4	12	11	16	11	4	2		
5	8	7	9	18	20	31	31	6			
1	4	2	1	4	5	16	20	4			
				1			1				
4	4	5	8	13	15	15	10	2			
				5	9	17	11	7	2		
				2		8	8	2			
							1				
	1	1		5	5	5	3	2	2		
	1	1		3	6	3	2				
1	1	1	1	6	6	13	9	2			
1	4	2	1	2	5	8	12	2			
	1										
				1							
1	7	4	4	7	6	11	8	2			
4	3	4	8	10	9	12	8	2			

TABLE IV—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY COLOR, WITH RATE PER 1,000 POPULATION—1933

County	By Place of Death						By Place of Residence					
	Total		White		Indian		Colored		Total		White	
	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate
Entire State.....	30,496	9.3	19,140	8.2	168	10.5	11,188	11.8	30,218	9.2	18,898	8.1
Alamance.....	335	7.6	252	7.1	.....	.....	83	9.5	369	8.4	279	7.9
Alexander.....	98	7.5	86	7.2	.....	.....	12	10.9	108	8.3	95	8.0
Alleghany.....	51	7.0	48	7.0	.....	.....	3	8.7	55	7.6	50	7.3
Anson.....	250	8.4	114	8.0	.....	.....	136	8.8	254	8.6	118	8.3
Ashle.....	151	7.1	144	7.0	.....	.....	7	17.5	157	7.4	150	7.2
Avery.....	101	8.3	98	8.3	.....	.....	3	10.0	82	6.8	79	6.6
Beaufort.....	490	13.7	277	12.6	.....	.....	213	15.4	449	12.5	249	11.3
Bertie.....	272	10.3	98	8.5	.....	.....	174	11.8	279	10.6	101	8.9
Bladen.....	165	7.2	79	5.9	.....	.....	86	9.0	181	7.9	90	6.8
Brunswick.....	153	9.5	82	8.2	.....	.....	71	11.8	159	9.9	84	8.4
Buncombe.....	1,247	12.0	956	11.1	.....	.....	291	16.5	1,040	10.0	790	9.1
Burke.....	381	12.4	362	13.0	.....	.....	19	7.0	327	10.7	308	11.0
Cabarrus.....	370	8.0	281	7.4	.....	.....	89	10.7	410	8.8	320	8.4
Caldwell.....	275	9.3	241	9.0	.....	.....	34	13.6	281	9.5	247	9.1
Camden.....	58	10.5	26	7.9	.....	.....	32	14.5	60	10.9	27	8.1
Carveret.....	178	10.3	156	10.6	.....	.....	22	8.4	181	10.5	158	10.8
Caswell.....	132	7.0	62	6.2	.....	.....	70	8.1	139	7.4	67	6.7
Catawba.....	322	7.0	268	6.6	.....	.....	54	10.3	335	7.3	278	6.9
Chatham.....	180	7.4	112	6.9	.....	.....	68	8.5	212	8.8	135	8.3
Cherokee.....	110	6.7	105	6.6	.....	.....	5	12.5	119	7.3	114	7.1
Chowan.....	144	12.6	56	9.3	.....	.....	88	16.2	150	13.1	57	9.5
Clay.....	38	6.8	37	6.7	.....	.....	1	10.0	39	7.0	38	6.9
Cleveland.....	334	6.0	265	6.2	.....	.....	69	5.4	346	6.3	273	6.4
Columbus.....	345	8.8	204	7.6	.....	.....	141	11.5	375	9.6	223	8.3
Craven.....	402	13.0	144	9.0	.....	.....	258	17.3	408	13.2	147	9.1
Cumberland.....	516	11.0	324	11.0	.....	.....	192	10.8	468	10.0	284	9.7

Currituck.....	90	13.4	63	14.3	---	---	27	12.0	93	13.8	65	14.5	---	28	12.4
Dare.....	48	9.2	40	8.3	---	---	8	20.0	52	10.0	44	9.1	---	8	20.0
Davidson.....	348	7.0	288	6.4	---	---	60	11.1	336	7.1	295	6.6	---	61	11.2
Davie.....	111	7.6	82	6.8	---	---	29	12.0	125	8.6	94	7.8	---	31	12.9
Duplin.....	316	8.8	192	8.4	---	---	124	9.3	331	9.7	219	9.6	---	132	9.9
Durham.....	964	13.4	523	11.2	1	---	440	17.6	733	10.2	350	7.5	---	383	15.3
Edgecombe.....	457	9.2	177	8.3	---	---	280	9.9	455	9.1	172	8.0	---	283	10.0
Forsyth.....	1,182	10.0	658	8.3	---	---	524	13.3	1,148	9.8	624	8.0	---	524	13.3
Franklin.....	250	8.3	125	7.4	---	---	125	9.4	282	9.4	144	8.6	---	138	10.4
Gaston.....	651	7.8	477	6.9	---	---	174	13.2	674	8.1	494	7.0	---	180	13.7
Gates.....	93	8.7	46	8.3	---	---	47	9.2	98	9.2	51	9.2	---	47	9.2
Graham.....	25	4.1	25	4.3	---	---	---	---	28	4.6	28	4.8	---	---	---
Granville.....	290	10.0	131	8.9	---	---	159	11.1	298	10.2	135	9.1	---	163	11.4
Greene.....	116	6.0	51	5.1	---	---	65	7.0	135	7.0	59	6.0	---	76	8.2
Guilford.....	1,236	8.6	850	7.6	---	---	386	12.5	1,204	8.4	828	7.4	---	376	12.2
Halifax.....	529	9.6	195	8.4	---	---	334	10.5	545	9.9	203	8.8	---	342	10.8
Harnett.....	330	8.3	213	7.4	1	---	116	10.6	370	9.3	249	8.6	1	120	11.0
Haywood.....	271	9.3	203	9.2	---	---	8	11.4	286	9.8	278	9.8	---	8	11.4
Henderson.....	274	11.2	239	10.9	---	---	35	15.2	268	11.0	231	10.5	---	37	16.0
Hertford.....	183	10.2	61	8.2	---	---	122	11.7	188	10.5	62	8.3	---	126	12.1
Hoke.....	153	10.4	48	8.9	2	---	103	11.0	133	9.0	45	8.3	2	86	9.2
Hyde.....	88	10.2	46	9.0	---	---	42	12.0	102	11.8	55	10.8	---	47	13.4
Iredell.....	488	10.1	363	9.4	---	---	125	13.0	438	9.0	311	8.0	---	127	13.2
Jackson.....	144	7.9	131	7.7	5	---	8	6.6	148	8.1	135	7.9	5	8	6.6
Johnston.....	462	7.8	340	7.4	---	---	122	9.0	486	8.2	357	7.8	---	129	9.5
Jones.....	84	8.0	37	6.3	---	---	47	10.0	92	8.8	43	7.4	---	49	10.4
Lee.....	181	10.2	120	10.0	---	---	61	10.9	179	10.1	115	9.5	---	64	11.4
Lenoir.....	493	13.3	245	11.7	---	---	248	15.5	478	13.0	227	10.8	---	251	15.8
Lincoln.....	233	9.8	195	9.6	---	---	38	10.9	222	9.3	186	9.2	---	36	7.6
McDowell.....	203	9.7	176	9.3	---	---	27	13.5	213	10.1	185	9.8	---	28	14.0
Macon.....	129	9.3	121	9.0	---	---	8	16.0	113	8.1	105	7.9	---	8	16.0
Madison.....	158	7.8	156	7.8	---	---	2	6.6	173	8.5	170	8.5	---	3	10.0
Martin.....	194	8.1	66	5.2	---	---	128	11.4	224	9.4	81	6.5	---	143	12.8
Mecklenburg.....	1,268	9.3	691	7.2	---	---	577	14.2	1,208	8.8	626	6.5	---	582	14.4
Mitchell.....	93	6.4	92	6.4	---	---	1	17.2	103	7.1	102	7.1	---	1	17.2
Montgomery.....	110	6.6	84	6.6	---	---	26	6.8	125	7.5	97	7.6	---	28	7.3

TABLE IV—Continued

County	By Place of Death						By Place of Residence					
	Total		White		Indian		Colored		Total		White	
	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate	Num- ber	Rate
Moore.....	212	7.2	136	7.0	---	---	76	7.4	206	7.0	127	6.6
Nash.....	533	9.7	288	9.4	---	---	245	10.0	470	8.5	248	8.1
New Hanover.....	641	14.8	308	11.6	---	---	333	19.5	578	13.3	265	10.0
Northampton.....	208	7.4	75	7.2	---	---	133	7.6	219	7.8	79	7.6
Onslow.....	124	8.0	78	6.9	---	---	46	11.2	134	8.7	85	7.5
Orange.....	180	8.2	113	7.7	---	---	67	9.4	215	9.9	137	9.3
Pamlico.....	80	8.6	49	8.0	---	---	31	9.6	86	9.2	55	9.1
Pasquotank.....	265	13.6	101	9.0	---	---	164	19.8	256	13.1	98	8.8
Pender.....	152	9.6	76	9.2	---	---	76	10.0	174	11.0	89	10.8
Perquimans.....	82	7.6	33	6.1	---	---	49	9.2	88	8.2	38	7.0
Person.....	149	6.5	87	6.3	5	---	57	6.3	161	7.1	93	6.8
Pitt.....	481	8.5	234	8.1	---	---	247	9.0	513	9.1	256	8.8
Polk.....	79	7.5	61	6.9	---	---	18	11.2	72	7.0	54	6.0
Randolph.....	291	7.8	257	7.7	---	---	34	8.7	313	8.4	274	8.2
Richmond.....	318	9.0	182	8.4	---	---	136	9.7	328	9.2	188	8.7
Robeson.....	654	9.5	294	9.1	129	10.1	231	9.8	636	9.2	274	8.4
Rockingham.....	422	8.0	291	7.1	---	---	131	11.1	440	8.4	305	7.5
Rowan.....	486	8.2	357	7.6	---	---	129	10.8	481	8.1	352	7.5
Rutherford.....	310	7.3	267	7.3	---	---	43	7.6	300	7.1	258	7.0
Sampson.....	388	9.5	231	8.7	6	---	151	10.5	424	10.3	260	9.8
Scotland.....	190	9.0	93	10.1	5	---	92	7.8	198	9.4	98	10.6
Stanly.....	223	7.2	195	7.1	---	---	28	7.8	226	7.3	199	7.3
Stokes.....	136	6.0	117	5.8	---	---	19	7.6	147	6.5	124	6.1
Surry.....	315	7.6	289	7.5	---	---	26	9.2	308	7.5	283	7.4
Swain.....	75	6.4	60	5.8	14	---	1	0.8	79	6.8	63	6.1
Sylvania.....	90	9.3	84	9.3	---	---	6	10.0	96	10.0	88	9.8
Tyrrell.....	65	12.5	34	9.7	---	---	31	18.2	65	12.5	36	10.2

Union.....	342	8.1	243	7.6	99	9.7	340	8.1	238	7.5	102	10.0
Vance.....	252	9.0	127	8.0	125	10.0	253	9.0	131	8.3	122	9.8
Wake.....	1,135	11.5	665	10.5	470	13.3	1,076	11.0	605	9.6	471	13.4
Warren.....	246	10.3	82	9.4	164	10.9	238	10.9	86	9.9	172	11.4
Washington.....	124	10.6	48	7.7	76	14.0	129	11.1	52	8.3	77	14.2
Watauga.....	99	6.3	91	6.0	8	26.6	108	7.0	100	6.5	8	26.6
Wayne.....	759	13.9	287	9.3	472	19.7	656	12.0	283	9.2	373	15.6
Wilkes.....	309	8.3	278	8.1	31	11.0	310	8.4	280	8.2	30	10.7
Wilson.....	507	11.0	230	8.3	287	14.4	503	10.8	220	8.3	283	14.2
Yadkin.....	126	6.8	119	6.9	7	7.0	151	8.2	142	8.2	9	9.0
Yancey.....	105	7.2	103	7.1	2	12.2	111	7.6	109	7.6	2	12.2

TABLE V—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY CAUSE OF

Cause of Death	Entire State					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Colored	Colored
All causes—Total recorded .....	19,140	18,898	168	169	11,188	11,159
1. Typhoid and paratyphoid fever.....	54	54	—	—	74	74
2. Typhus fever.....	5	5	—	—	—	—
3. Smallpox.....	—	—	—	—	—	—
4. Measles.....	73	73	2	2	16	16
5. Scarlet fever.....	46	46	—	—	3	3
6. Whooping-cough.....	95	94	2	2	103	103
7. Diphtheria.....	178	176	—	—	40	40
8. Influenza.....	580	574	6	6	411	411
10. Tuberculosis of the respiratory system.....	828	735	6	6	1,099	1,076
11. Other forms of tuberculosis.....	73	72	—	—	104	102
12. Syphilis.....	47	44	—	—	203	203
13. Malaria.....	30	29	—	—	20	20
14. Dysentery.....	58	58	1	1	37	37
14. Acute poliomyelitis and polioencephalitis.....	12	12	1	1	5	5
14. Epidemic cerebrospinal meningitis.....	11	11	—	—	7	7
14. Other infectious and parasitic diseases.....	148	147	3	3	75	74
15. Cancer and other malignant tumors.....	1,316	1,314	9	9	413	413
16. Tumors, nonmalignant or unspecified.....	77	77	1	1	49	48
17. Chronic rheumatism and gout.....	41	41	—	—	24	24
18. Diabetes mellitus.....	273	268	2	2	99	98
19. Alcoholism (acute or chronic).....	62	62	—	—	30	30
20. Other general diseases and chronic poisonings.....	254	252	1	1	106	106
20. Pellagra.....	222	223	1	1	169	169
21. Progressive locomotor ataxia and paresis.....	46	46	—	—	34	35
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	1,585	1,576	10	10	911	911
23. Other diseases of the nervous system and organs of special sense.....	311	310	3	3	190	190
24. Diseases of the heart.....	3,067	3,044	21	21	1,389	1,387
25. Other diseases of the circulatory system.....	194	194	1	1	97	97
26. Bronchitis.....	56	55	1	1	29	29
27. Pneumonias.....	1,223	1,216	13	13	836	834
28. Other diseases of the respiratory system (TB excepted).....	104	102	—	—	78	78
29. Diarrhea and enteritis (under 2 years).....	462	456	12	12	329	329
29. Diarrhea and enteritis (2 years and over).....	188	187	2	2	81	81
30. Appendicitis.....	228	224	3	3	90	86
31. Cirrhosis of the liver.....	77	77	2	2	30	30
31. Other diseases of the liver.....	96	93	—	—	29	29
32. Other diseases of the digestive system.....	468	463	3	3	292	292
33. Nephritis.....	2,040	2,034	7	8	990	990
34. Other diseases of the genitourinary system.....	151	150	2	2	96	95
35. Puerperal septicemia.....	69	69	2	2	47	47
36. Other diseases of pregnancy and puerperal state.....	249	248	—	—	167	167
37. Diseases of skin, bones and organs of locomotion.....	85	81	—	—	43	43
38. Congenital debility, malformations and early infancy.....	1,701	1,690	18	18	1,079	1,078
39. Senility.....	232	231	4	4	181	182
40. Suicide.....	248	245	1	1	19	20
41. Homicide.....	157	155	8	8	275	275
42. Violent and accidental (suicide and homicide excepted).....	1,403	1,368	13	13	552	550
43. Cause not specified or ill-defined.....	217	218	7	7	237	237

## DEATH (ABRIDGED INTERNATIONAL LIST) AND BY COLOR OF DECEDENT—1933

Alamance				Alexander				Alleghany				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
252	279	83	90	86	95	12	13	48	50	3	5	1
				1	1							2
												3
				1	1							4
												5
												6
	2			6	6						1	7
4	4	6	6	5	5			1	1			8
14	15	9	9	3	3	3	3	1	1	1	1	10
												11
2	3		1			1	1					12
												13
				1	1			1		1	1	14
												14
												14
3	3	1	2	1	1							14
9	11	5	7	6	7	1	1	5	5			15
		1	2	1	1				1			16
												17
4	6	2	3	2	3	1	1					18
	1							1	1			19
1	1					1	1	1	1			20
3	2	1	1	2	2							20
1	1											21
25	27	3	3	9	9	2	2	3	3	1	1	22
4	4	2	2	2	2		1	2	2			23
50	52	14	13	8	8			6	6		1	24
3	4	1	1	2	2							25
1	1											26
18	19	7	7	5	5			4	4			27
								1	1			28
3	3			3	3							29
3	3	2	2						1			29
1	3				1							30
1	1			2	2							31
1	2			1	1							31
4	4	1	2			1	1	1				32
41	42	12	13	9	10	1	1	4	4			33
1	2				1			1	1			34
												35
2	4	1	1					1	1			36
1	2											37
18	21	4	4	9	9	1	1	9	9			38
7	7	3	3	1	1			1	1			39
2	2			1	1			1	1			40
		1	1	1	2							41
24	26	5	5	4	7			2	4			42
1	1	2	2					2	2			43

TABLE V—

Cause of Death	Anson			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	114	118	136	136
1. Typhoid and paratyphoid fever.....			2	2
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1		
5. Scarlet fever.....	1	1		
6. Whooping-cough.....			4	4
7. Diphtheria.....			1	1
8. Influenza.....	2	2	6	6
10. Tuberculosis of the respiratory system.....	2	2	5	6
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....			1	1
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1	1	
15. Cancer and other malignant tumors.....	8	8	4	4
16. Tumors, nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....			4	4
19. Alcoholism (acute or chronic).....		1		
20. Other general diseases and chronic poisonings.....	3	3		
20. Pellagra.....			1	2
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	12	12	14	14
23. Other diseases of the nervous system and organs of special sense.....	5	6	3	3
24. Diseases of the heart.....	21	22	20	20
25. Other diseases of the circulatory system.....	3	4	2	2
26. Bronchitis.....			2	2
27. Pneumonias.....	6	6	16	16
28. Other diseases of the respiratory system (tuberculosis excepted).....			1	1
29. Diarrhea and enteritis (under 2 years).....	1	1	2	2
29. Diarrhea and enteritis (2 years and over).....	2	1	1	1
30. Appendicitis.....	2	2	1	
31. Cirrhosis of the liver.....	1	1		
31. Other diseases of the liver.....	1			
32. Other diseases of the digestive system.....	1	2		
33. Nephritis.....	10	10	14	14
34. Other diseases of the genitourinary system.....			1	1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....		3	4	3
37. Diseases of skin, bones and organs of locomotion.....	1	1	1	1
38. Congenital debility, malformation and early infancy.....	13	15	10	10
39. Senility.....	4	4		
40. Suicide.....	1	1		
41. Homicide.....	1	1	7	6
42. Violent and accidental (suicide and homicide excepted).....	7	5	3	4
43. Cause not specified or ill-defined.....	2	2	4	5



Continued

Ashe				Avery				Beaufort				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
144	150	7	7	98 2	79 2	3	3	277	249	213	200	1
												2
												3
												4
				1	1			1	1			5
1	1			3	3			1	1	2	2	6
3	3			1	1			4	3	1	1	7
8	8			2	2			16	16	7	7	8
2	2	2	2	9	7	1	1	6	6	13	12	10
1	1			1	1					4	4	11
										1	1	12
								1	1			13
										2	2	14
1	1											14
												14
				1				4	3	1	1	14
8	9			4	4			14	14	13	13	15
	1							1	1	1		16
										1	1	17
								9	9	1	1	18
1	1							1	1			19
3	3							8	6	4	4	20
								3	3	1	1	20
												21
13	13	1	1	7	7	1	1	21	20	10	10	22
5	5			1				1	1	4	4	23
29	29	2	2	9	8	1	1	27	29	22	22	24
2	3			1	1			3	2	1	1	25
								2	2	1	1	26
8	8			4	4			12	9	9	9	27
				1	1			1	1	3	3	28
6	5							8	8	8	8	29
2	2			2	1			4	4	3	3	29
	3			3	2			6	3	2	2	30
2	2			1	1					2	2	31
1	1			1	1			1	1	1	1	31
4	4			3	1			12	8	10	8	32
11	12			8	6			33	32	27	27	33
2	2			2	1			3	2	3	1	34
				2	2					2	2	35
1	1			3				6	5			36
								4	2			37
13	13			12	11			18	16	16	16	38
7	7			3	3			5	5	4	4	39
								6	5	1	1	40
1	1							3	3	6	4	41
5	5			8	5			28	22	17	12	42
4	4	2	2	3	3			4	4	9	9	43

TABLE V—

Cause of Death	Bertie			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	98	101	174	178
1. Typhoid and paratyphoid fever.....	.....	1	.....	.....
2. Typhus fever.....	.....	.....	.....	.....
3. Smallpox.....	.....	.....	.....	.....
4. Measles.....	1	1	2	2
5. Scarlet fever.....	.....	.....	.....	.....
6. Whooping-cough.....	.....	.....	1	1
7. Diphtheria.....	1	1	1	1
8. Influenza.....	4	4	9	9
10. Tuberculosis of the respiratory system.....	7	7	13	13
11. Other forms of tuberculosis.....	.....	.....	.....	.....
12. Syphilis.....	.....	.....	1	2
13. Malaria.....	1	1	1	1
14. Dysentery.....	.....	.....	1	1
14. Acute poliomyelitis and polioencephalitis.....	.....	.....	.....	.....
14. Epidemic cerebrospinal meningitis.....	.....	.....	.....	.....
14. Other infectious and parasitic diseases.....	2	2	2	2
15. Cancer and other malignant tumors.....	6	6	8	9
16. Tumors, nonmalignant or unspecified.....	.....	.....	.....	.....
17. Chronic rheumatism and gout.....	4	4	2	2
18. Diabetes mellitus.....	4	4	4	4
19. Alcoholism (acute or chronic).....	.....	.....	.....	.....
20. Other general diseases and chronic poisonings.....	2	2	.....	.....
20. Pellagra.....	2	3	.....	.....
21. Progressive locomotor ataxia and paresis.....	.....	.....	.....	.....
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	12	12	15	15
23. Other diseases of the nervous system and organs of special sense.....	.....	.....	2	3
24. Diseases of the heart.....	13	13	11	11
25. Other diseases of the circulatory system.....	.....	.....	1	1
26. Bronchitis.....	1	1	1	1
27. Pneumonias.....	5	5	9	9
28. Other diseases of the respiratory system (tuberculosis excepted).....	1	1	2	2
29. Diarrhea and enteritis (under 2 years).....	2	3	4	4
29. Diarrhea and enteritis (2 years and over).....	.....	.....	.....	.....
30. Appendicitis.....	.....	.....	.....	.....
31. Cirrhosis of the liver.....	1	1	.....	.....
31. Other diseases of the liver.....	.....	.....	.....	.....
32. Other diseases of the digestive system.....	.....	.....	4	4
33. Nephritis.....	11	11	8	8
34. Other diseases of the genitourinary system.....	.....	.....	.....	.....
35. Puerperal septicemia.....	.....	.....	.....	1
36. Other diseases of pregnancy and puerperal state.....	.....	.....	2	2
37. Diseases of skin, bones and organs of locomotion.....	.....	.....	.....	.....
38. Congenital debility, malformations and early infancy.....	7	7	34	34
39. Senility.....	4	4	15	15
40. Suicide.....	.....	.....	.....	.....
41. Homicide.....	2	2	3	3
42. Violent and accidental (suicide and homicide excepted).....	4	4	13	13
43. Cause not specified or ill-defined.....	1	1	5	5

Continued

Bladen				Brunswick				Buncombe			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
79	90	86	91	82	84	71	75	956	790	291	250
2	2					1	2			1	1
2	2										
										1	1
		2	2					6	6	1	1
		1	1					4	4	1	1
2	2	4	4	1	1	3	3	13	12	8	8
1	2	3	3	1	1	3	3	222	114	70	37
1	1					1	1	9	8	5	2
		1	1					9	6	4	5
2	2					1	1	1			
								2	2		
		1	1							1	
								1			
	1					1	1	3	3	5	4
2	2	4	4	3	3	2	2	67	61	6	6
								1		2	2
				1	1						
		1	1	2	2	1	2	12	8	1	1
										1	1
		1	1			1	1	15	13	2	2
						1	1	7	7	5	6
								3	3		2
7	7	7	7	17	18	13	14	74	72	26	25
1	1	1	2	1	1	3	4	9	7	3	3
15	17	8	9	11	11	9	10	130	122	53	50
			1	2	2	2	2	9	7	1	1
								6	6	1	1
5	5	9	9	3	4	8	8	50	48	15	15
		3	3	3	3	1	1	7	4		
5	5	1	1	1	1	3	3	17	16	6	6
	1	1	1	2	2			8	6	1	1
	1			5	4			14	11	2	2
								7	7	2	2
								3	3		
2	2	1	1			1	1	39	35	11	11
15	16	9	10	15	15	3	3	58	52	19	18
1	1	1	1	1		1	1	10	8	4	3
								3	3		
1	1	3	3			2	2	9	9	2	2
1	1							2	1	1	1
9	9	9	9	4	4	4	4	57	57	16	15
		4	4	2	2	1	1	6	6	1	1
								14	15	1	1
						1		6	4	8	9
2	5	4	4	7	8	2	2	42	43	4	3
3	4	7	7	1	1	2	2	1	1		

TABLE V—

Cause of Death	Burke			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	362	308	19	19
1. Typhoid and paratyphoid fever.....	.....	.....	.....	.....
2. Typhus fever.....	.....	.....	.....	.....
3. Smallpox.....	.....	.....	.....	.....
4. Measles.....	2	2	.....	.....
5. Scarlet fever.....	1	1	.....	.....
6. Whooping-cough.....	1	1	.....	.....
7. Diphtheria.....	2	2	.....	.....
8. Influenza.....	10	9	.....	.....
10. Tuberculosis of the respiratory system.....	21	18	3	3
11. Other forms of tuberculosis.....	2	2	.....	.....
12. Syphilis.....	.....	.....	.....	.....
13. Malaria.....	2	1	.....	.....
14. Dysentery.....	.....	.....	.....	.....
14. Acute poliomyelitis and polioencephalitis.....	.....	.....	.....	.....
14. Epidemic cerebrospinal meningitis.....	.....	.....	.....	.....
14. Other infectious and parasitic diseases.....	2	2	.....	.....
15. Cancer and other malignant tumors.....	14	14	1	1
16. Tumors, nonmalignant or unspecified.....	2	1	.....	.....
17. Chronic rheumatism and gout.....	.....	.....	.....	.....
18. Diabetes mellitus.....	4	4	.....	.....
19. Alcoholism (acute or chronic).....	2	2	.....	.....
20. Other general diseases and chronic poisonings.....	4	4	.....	.....
20. Pellagra.....	32	19	.....	.....
21. Progressive locomotor ataxia and paresis.....	14	11	.....	.....
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	18	13	1	1
23. Other diseases of the nervous system and organs of special sense.....	26	15	.....	.....
24. Diseases of the heart.....	77	71	4	4
25. Other diseases of the circulatory system.....	14	9	1	1
26. Bronchitis.....	1	1	.....	.....
27. Pneumonias.....	14	15	2	2
28. Other diseases of the respiratory system (tuberculosis excepted).....	1	1	.....	.....
29. Diarrhea and enteritis (under 2 years).....	7	7	2	2
29. Diarrhea and enteritis (2 years and over).....	14	7	.....	.....
30. Appendicitis.....	1	1	.....	.....
31. Cirrhosis of the liver.....	.....	.....	.....	.....
31. Other diseases of the liver.....	1	1	.....	.....
32. Other diseases of the digestive system.....	2	1	1	1
33. Nephritis.....	15	15	1	1
34. Other diseases of the genitourinary system.....	1	1	1	1
35. Puerperal septicemia.....	.....	.....	.....	.....
36. Other diseases of pregnancy and puerperal state.....	4	4	.....	.....
37. Diseases of the skin, bones, and organs of locomotion.....	4	3	.....	.....
38. Congenital debility, malformations and early infancy.....	8	9	.....	.....
39. Senility.....	2	2	.....	.....
40. Suicide.....	6	4	.....	.....
41. Homicide.....	3	3	.....	.....
42. Violent and accidental (suicide and homicide excepted).....	25	30	2	2
43. Cause not specified or ill-defined.....	3	2	.....	.....

Continued.

Cabarrus				Caldwell				Camden			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
281	320	89	90	241	247	34	34	26	27	32	33
1	1			2	2						
1	1			7	7						
1	2										
1	1	1	1	1	1					1	1
13	15			9	9	1	1				
7	7	9	9	5	5	4	4	1	1	5	5
1	3										
1	1			2	2			1	1	1	1
	1										
1	2	1	1	3	3						
14	16	3	3	14	14	3	3	2	2	1	1
1	1		1	1	1						
1	1										
3	3			2	2			1	1		
5	6	4	4	6	6	2	2	1	1		
2	2	2	2	3	3	1	1	1	1		
				2	2						
20	21	6	6	25	25	4	4	6	6	3	3
4	5	1	1	3	4					1	1
52	54	18	18	33	32	5	5	2	2	2	2
2	2			2	2					1	1
				1	1						
33	35	8	8	22	22	2	2	3	3	6	6
	2										
10	10	2	2	7	8	1	1			1	1
1	1	2	2	2	2			1	1		
1	4	1	1	4	5	1	1		1		
	2				1			1	1	1	1
5	6	1	1	8	8	1	1				
31	35	10	10	11	11	2	2	3	3	2	2
	1	2	2	2	2	1	1	1	1		
1	1			2	2						1
3	4			4	4						
1	1			1	1						
33	36	9	9	26	26	2	2	1	1	1	1
2	2	1	1	4	4	1	1				
1	2			4	5						
3	4			2	2	1	1	1	1	1	1
22	26	7	7	13	15					2	2
3	3	1	1	8	8	2	2			1	1

TABLE V—

Cause of Death	Carteret			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	156	158	22	23
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....	1	1		
6. Whooping-cough.....				
7. Diphtheria.....	1	1	1	1
8. Influenza.....	1	1		
10. Tuberculosis of the respiratory system.....	6	6	1	1
11. Other forms of tuberculosis.....				
12. Syphilis.....	1	1	1	1
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....			1	1
15. Cancer and other malignant tumors.....	9	9	1	1
16. Tumors, nonmalignant or unspecified.....	1	1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	3	4	1	1
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	22	22	2	2
23. Other diseases of the nervous system and organs of special sense.....	1	1		
24. Diseases of the heart.....	23	22	4	4
25. Other diseases of the circulatory system.....	3	3		
26. Bronchitis.....				
27. Pneumonias.....	10	10	1	1
28. Other diseases of the respiratory system (tuberculosis excepted).....	1	1		
29. Diarrhea and enteritis (under 2 years).....	5	5		
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	4	8		
33. Nephritis.....	25	25	2	2
34. Other diseases of the genitourinary system.....	2	3		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	2	2		
37. Diseases of the skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....	11	11	1	1
39. Senility.....	2	2		
40. Suicide.....				
41. Homicide.....			1	1
42. Violent and accidental (suicide and homicide excepted).....	19	16	5	6
43. Cause not specified or ill-defined.....	2	2		

Continued

Caswell				Catawba				Chatham			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
62	67	70	72	268	278	54	57	112	135	68	77
		1	1							3	3
				3	3			1	1		
1	1										
		1	1					2	2	5	5
1	1			3	2					1	1
2	2	5	5	14	14	2	2	3	3	2	3
3	3	4	4	13	13	4	5	4	4	6	6
				1	1	1	1				
		1	1			1	1				
		1	1	2	2				1		
				1	1						
				2	2			2	2		
6	8	3	3	19	21	3	3	12	16	3	3
									1		
1	1			1	1	1	1				
		1	1	5	5						
						1	1	1	1	2	2
				2	2	1	1		1		
2	2	2	2	2	2	1	1	2	2	3	3
		1	1								2
5	5	5	5	28	28	2	2	14	17	5	5
1	1	2	2	7	8			1	1	4	4
9	9	11	12	57	59	14	14	19	19	12	13
		2	2	1	1			2	4		
1	1										
4	4	2	2	15	14	3	3	6	6	4	5
		2	2	1	1			1	1		
1	2			10	9	1	1	1	1		
		1	1	4	4			1	1		
		1	1	3	3			1	3		
	1			2	2		1				
									1		
		1	1	4	6	1	1	3	5		
8	8	1	2	10	12	4	4	13	13	5	6
				2	2	1	1		1		
									1		
		2	2					1	3	1	1
				1	1						
12	12	11	11	26	25	8	8	8	9	3	4
2	3	1	1	3	3			3	2	3	3
				3	3			3	3		
						2	2				1
1	1	3	3	20	24	2	3	5	7	3	4
2	2	5	5	3	3	1	1	3	3	3	3

TABLE V—

Cause of Death	Cherokee			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	105	114	5	5
1. Typhoid and paratyphoid fever.....	2	2		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....	1	1		
8. Influenza.....	6	6		
10. Tuberculosis of the respiratory system.....	5	5		
11. Other forms of tuberculosis.....	2	2		
12. Syphilis.....			1	1
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		
15. Cancer and other malignant tumors.....	10	11	1	1
16. Tumors, nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....	5	6		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	4	4		
23. Other diseases of the nervous system and organs of special sense.....	1	1		
24. Diseases of the heart.....	21	22	1	1
25. Other diseases of the circulatory system.....				
26. Bronchitis.....				
27. Pneumonias.....	3	3		
28. Other diseases of the respiratory system (tuberculosis excepted).....				
29. Diarrhea and enteritis (under 2 years).....	2	2		
29. Diarrhea and enteritis (2 years and over).....	3	3		
30. Appendicitis.....	1	1		
31. Cirrhosis of the liver.....	1	2		
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	2	2		
33. Nephritis.....	11	12		
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....	1	1		
36. Other diseases of pregnancy and puerperal state.....	1	1		
37. Diseases of the skin, bones and organs of locomotion.....	1	1		
38. Congenital debility, malformations and early infancy.....	9	10		
39. Senility.....			1	1
40. Suicide.....				
41. Homicide.....	2	3		
42. Violent and accidental (suicide and homicide excepted).....	5	6		
43. Cause not specified or ill-defined.....	3	4	1	1





TABLE V—

Cause of Death	Columbus			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	204	223	141	152
1. Typhoid and paratyphoid fever.....	.....	.....	.....	.....
2. Typhus fever.....	.....	.....	.....	.....
3. Smallpox.....	.....	.....	.....	.....
4. Measles.....	2	2	.....	.....
5. Scarlet fever.....	1	1	.....	.....
6. Whooping-cough.....	6	6	3	3
7. Diphtheria.....	2	3	.....	.....
8. Influenza.....	5	5	4	4
10. Tuberculosis of the respiratory system.....	3	3	15	15
11. Other forms of tuberculosis.....	.....	.....	1	1
12. Syphilis.....	.....	.....	6	6
13. Malaria.....	1	.....	.....	.....
14. Dysentery.....	.....	.....	.....	.....
14. Acute poliomyelitis and polioencephalitis.....	.....	.....	.....	.....
14. Epidemic cerebrospinal meningitis.....	.....	1	.....	.....
14. Other infectious and parasitic diseases.....	1	1	1	1
15. Cancer and other malignant tumors.....	12	12	2	2
16. Tumors, nonmalignant or unspecified.....	.....	.....	2	2
17. Chronic rheumatism and gout.....	.....	.....	2	2
18. Diabetes mellitus.....	1	1	.....	1
19. Alcoholism (acute or chronic).....	.....	1	.....	.....
20. Other general diseases and chronic poisonings.....	3	3	3	3
20. Pellagra.....	1	1	.....	.....
21. Progressive locomotor ataxia and paresis.....	1	1	.....	.....
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	21	21	8	8
23. Other diseases of the nervous system and organs of special sense.....	1	1	3	3
24. Diseases of the heart.....	32	33	10	10
25. Other diseases of the circulatory system.....	1	1	.....	.....
26. Bronchitis.....	1	1	1	1
27. Pneumonias.....	17	17	16	16
28. Other diseases of the respiratory system (tuberculosis excepted).....	.....	.....	1	1
29. Diarrhea and enteritis (under 2 years).....	4	5	5	5
29. Diarrhea and enteritis (2 years and over).....	3	3	2	2
30. Appendicitis.....	.....	2	.....	2
31. Cirrhosis of the liver.....	1	1	.....	.....
31. Other diseases of the liver.....	.....	.....	.....	.....
32. Other diseases of the digestive system.....	.....	5	3	3
33. Nephritis.....	30	32	17	18
34. Other diseases of the genitourinary system.....	1	1	.....	.....
35. Puerperal septicemia.....	.....	.....	.....	2
36. Other diseases of pregnancy and puerperal state.....	3	4	5	8
37. Diseases of the skin, bones and organs of locomotion.....	1	1	.....	1
38. Congenital debility, malformations and early infancy.....	31	34	12	12
39. Senility.....	9	8	1	2
40. Suicide.....	.....	.....	2	1
41. Homicide.....	3	3	7	7
42. Violent and accidental (suicide and homicide excepted).....	3	6	6	7
43. Cause not specified or ill-defined.....	3	3	3	3

Continued

Craven				Cumberland				Currituck				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
144	147	258	261	324	284	192	184	63	65	27	28	
1	1			1	1	1	1					1
												2
												3
				2	2							4
				2	2							5
				5	4	2	2					6
1	2			5	5							7
2	2	3	3	7	7	7	7	2	2	3	3	8
5	5	20	21	8	8	4	4	4	4	3	3	10
		1	1			4	4	1	1			11
1	1	1	1			4	4			1	1	12
				1	1			1	1			13
		1	1			1	1					14
				1				1	1			14
												14
5	5	6	5	1	1	1	1	2	2			14
5	7	3	4	22	21	9	9	4	4	1	1	15
1	2	2	2	2	1	1	1	1	1			16
		1	1	1	1	1	1	1	1			17
1	1	1	1	8	5	1	1			1	1	18
2	2			1	1							19
5	5	2	2	7	5	1	1			1	1	20
				1	1	2	4	2	2			20
			1									21
13	13	21	21	28	27	21	21	4	4	4	4	22
2	1	5	5	8	5				1	1	2	23
24	24	44	44	43	40	27	29	10	10	1	1	24
		2	2	5	4	2	2	1	1			25
				2	2							26
4	4	29	30	18	13	21	19	2	2	4	4	27
		1	1	1	1	3	2	1	1			28
4	4	11	11	14	12	9	9			2	2	29
1	1			3	3	5	5					29
4	3	1	1	9	6							30
		1	1			1	1					31
	1	1	1	1	1			1	1			31
6	7	8	8	13	11	3	2			1	1	32
25	24	22	22	24	24	11	10	6	7			33
1	3	3	3	2	2	5	3	1	1			34
2	1	2	2	2	1							35
1	1	4	4	8	8	3	3			1	1	36
2	1	2	2	6	5	1	1	1	1			37
12	14	24	24	18	17	11	11	5	4	2	2	38
1	1	9	9	3	3	1	1	5	5			39
2	2			4	4			2	2			40
		7	7	5	4	9	8	1	1			41
9	7	16	16	31	24	11	7	4	4	1	1	42
2	2	4	4	1	1	9	9	1	1			43

TABLE V—

Cause of Death	Dare			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	40	44	8	8
1. Typhoid and paratyphoid fever.....		1		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	2	2		
10. Tuberculosis of the respiratory system.....	2	2		
11. Other forms of tuberculosis.....				
12. Syphilis.....			1	1
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	6	7	1	1
16. Tumors nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....		1		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....				
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	1	1		
23. Other diseases of the nervous system and organs of special sense.....	1	1	2	2
24. Diseases of the heart.....	7	7	1	1
25. Other diseases of the circulatory system.....			1	1
26. Bronchitis.....				
27. Pneumonias.....	1	1		
28. Other diseases of the respiratory system (tuberculosis excepted).....				
29. Diarrhea and enteritis (under 2 years).....	2	2		
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....		1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....				
33. Nephritis.....	7	7	1	1
34. Other diseases of the genitourinary system.....	1	1		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....				
37. Diseases of the skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....	7	7	1	1
39. Senility.....	1	1		
40. Suicide.....	1	1		
41. Homicide.....				
42. Violent and accidental (suicide and homicide excepted).....				
43. Cause not specified or ill-defined.....	1	1		

Continued

[illegible]

TABLE V—

Cause of Death	Durham					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded .....	523	350	1	-----	440	383
1. Typhoid and paratyphoid fever.....	3	-----	-----	-----	-----	-----
2. Typhus fever.....	1	1	-----	-----	-----	-----
3. Smallpox.....	-----	-----	-----	-----	-----	-----
4. Measles.....	-----	-----	-----	-----	-----	-----
5. Scarlet fever.....	1	1	-----	-----	-----	-----
6. Whooping-cough.....	-----	-----	-----	-----	4	4
7. Diphtheria.....	2	-----	-----	-----	-----	-----
8. Influenza.....	7	6	-----	-----	12	11
10. Tuberculosis of the respiratory system.....	14	12	-----	-----	45	41
11. Other forms of tuberculosis.....	-----	-----	-----	-----	12	10
12. Syphilis.....	2	1	-----	-----	13	14
13. Malaria.....	-----	-----	-----	-----	-----	-----
14. Dysentery.....	2	-----	-----	-----	-----	-----
14. Acute poliomyelitis and polioencephalitis.....	-----	-----	-----	-----	-----	-----
14. Epidemic cerebrospinal meningitis.....	1	1	-----	-----	1	1
14. Other infectious and parasitic diseases.....	3	2	-----	-----	3	1
15. Cancer and other malignant tumors.....	72	41	1	-----	24	22
16. Tumors, nonmalignant or unspecified.....	8	1	-----	-----	5	1
17. Chronic rheumatism and gout.....	1	1	-----	-----	-----	-----
18. Diabetes mellitus.....	8	5	-----	-----	2	1
19. Alcoholism (acute or chronic).....	2	2	-----	-----	-----	-----
20. Other general diseases and chronic poisonings.....	8	4	-----	-----	7	5
20. Pellagra.....	6	5	-----	-----	4	4
21. Progressive locomotor ataxia and paresis.....	-----	-----	-----	-----	1	1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	37	29	-----	-----	11	12
23. Other diseases of the nervous system and organs of special sense.....	13	8	-----	-----	13	10
24. Diseases of the heart.....	74	60	-----	-----	62	56
25. Other diseases of the circulatory system.....	15	11	-----	-----	2	1
26. Bronchitis.....	4	3	-----	-----	1	1
27. Pneumonias.....	16	12	-----	-----	27	25
28. Other diseases of the respiratory system (T.B. excepted).....	6	2	-----	-----	3	3
29. Diarrhea and enteritis (under 2 years).....	4	2	-----	-----	5	5
29. Diarrhea and enteritis (2 years and over).....	-----	-----	-----	-----	1	1
30. Appendicitis.....	6	1	-----	-----	12	7
31. Cirrhosis of the liver.....	3	1	-----	-----	1	1
31. Other diseases of the liver.....	4	1	-----	-----	2	1
32. Other diseases of the digestive system.....	21	9	-----	-----	16	14
33. Nephritis.....	60	51	-----	-----	36	31
34. Other diseases of the genitourinary system.....	15	7	-----	-----	4	2
35. Puerperal septicemia.....	2	1	-----	-----	2	2
36. Other diseases of pregnancy and puerperal state.....	7	-----	-----	-----	10	7
37. Diseases of the skin, bones and organs of locomotion.....	5	2	-----	-----	1	1
38. Congenital debility, malformations and early infancy.....	38	25	-----	-----	44	41
39. Senility.....	5	5	-----	-----	1	1
40. Suicide.....	6	4	-----	-----	2	2
41. Homicide.....	7	6	-----	-----	20	19
42. Violent and accidental (suicide and homicide excepted).....	31	24	-----	-----	29	22
43. Cause not specified or ill-defined.....	3	3	-----	-----	2	2

Continued

Edgecombe				Forsyth				Franklin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
177	172	280	283	658	624	524	524	125	144	125	138	1
-----	-----	1	1	2	1	3	3	-----	-----	-----	-----	2
-----	-----	-----	-----	3	3	2	2	-----	-----	-----	-----	3
-----	-----	-----	-----	7	7	-----	-----	1	1	-----	-----	4
1	1	7	7	3	3	1	1	-----	-----	-----	-----	5
1	1	-----	-----	17	16	3	3	-----	1	1	1	6
4	4	11	11	16	16	14	14	2	3	3	3	7
10	10	39	40	16	19	75	75	5	5	11	13	8
-----	-----	3	4	3	2	14	14	-----	1	2	2	9
1	1	3	3	-----	1	19	19	1	1	2	3	10
3	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	11
1	1	1	1	-----	1	-----	-----	-----	1	-----	-----	12
-----	-----	-----	-----	2	2	-----	-----	-----	-----	-----	-----	13
-----	-----	-----	-----	1	1	2	2	-----	-----	-----	-----	14
-----	-----	3	3	3	1	1	1	-----	-----	-----	-----	14
11	11	10	10	49	48	16	16	10	11	4	4	15
1	-----	1	1	3	3	2	2	-----	-----	1	1	16
-----	-----	-----	-----	-----	-----	1	1	1	1	-----	-----	17
1	1	3	3	12	9	7	7	3	4	-----	1	18
2	2	3	3	-----	-----	-----	-----	1	1	-----	-----	19
4	4	2	2	11	8	5	5	2	2	1	1	20
1	1	1	2	2	4	14	16	2	2	3	3	20
-----	-----	-----	1	1	1	3	4	-----	-----	-----	-----	21
16	16	16	17	41	38	28	29	9	9	7	8	22
3	3	2	2	8	7	4	4	2	2	4	6	23
22	22	41	41	107	105	69	70	29	30	9	8	24
3	3	5	5	3	3	2	2	-----	-----	1	1	25
-----	-----	2	2	-----	-----	-----	-----	-----	-----	-----	-----	26
8	8	15	15	36	31	29	29	9	10	10	10	27
2	2	-----	-----	6	5	5	5	-----	1	-----	-----	28
6	6	16	16	18	17	15	15	-----	-----	4	4	29
-----	-----	1	1	7	7	5	5	1	1	1	1	29
1	1	1	1	9	8	5	5	-----	2	1	1	30
3	3	1	1	3	3	3	3	2	2	-----	-----	31
-----	-----	-----	-----	6	6	1	1	-----	-----	-----	-----	31
2	1	8	8	15	15	16	15	1	2	6	7	32
21	21	16	15	78	79	32	32	15	15	17	18	33
2	2	-----	-----	8	5	8	8	1	1	-----	1	34
-----	-----	1	1	2	2	4	4	1	2	-----	-----	35
4	3	5	5	8	7	10	10	1	1	2	5	36
1	1	-----	-----	6	4	1	1	1	1	-----	-----	37
19	18	30	30	68	63	50	49	15	16	20	21	38
3	3	8	9	9	9	1	1	1	1	3	4	39
6	5	-----	-----	13	13	3	3	3	4	2	2	40
2	2	5	5	4	3	22	21	-----	-----	1	1	41
12	12	12	10	49	45	17	15	5	9	9	8	42
-----	-----	7	7	3	3	12	12	1	1	-----	-----	43

TABLE V—

Cause of Death	Gaston			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	477	494	174	180
1. Typhoid and paratyphoid fever.....	1	1	-----	-----
2. Typhus fever.....	-----	-----	-----	-----
3. Smallpox.....	-----	-----	-----	-----
4. Measles.....	1	1	-----	-----
5. Scarlet fever.....	1	1	-----	-----
6. Whooping-cough.....	4	4	-----	-----
7. Diphtheria.....	1	1	1	1
8. Influenza.....	18	19	6	6
10. Tuberculosis of the respiratory system.....	14	15	18	18
11. Other forms of tuberculosis.....	2	1	2	3
12. Syphilis.....	1	1	2	2
13. Malaria.....	-----	-----	-----	-----
14. Dysentery.....	1	1	-----	-----
14. Acute poliomyelitis and polioencephalitis.....	-----	-----	-----	-----
14. Epidemic cerebrospinal meningitis.....	-----	-----	-----	-----
14. Other infectious and parasitic diseases.....	2	2	1	1
15. Cancer and other malignant tumors.....	43	45	10	9
16. Tumors, nonmalignant or unspecified.....	4	5	-----	-----
17. Chronic rheumatism and gout.....	-----	-----	-----	-----
18. Diabetes mellitus.....	9	6	-----	-----
19. Alcoholism (acute or chronic).....	-----	-----	-----	-----
20. Other general diseases and chronic poisonings.....	5	6	-----	-----
20. Pellagra.....	8	9	2	4
21. Progressive locomotor ataxia and paresis.....	2	2	-----	-----
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	51	53	13	14
23. Other diseases of the nervous system and organs of special sense.....	9	12	3	4
24. Diseases of the heart.....	67	69	17	17
25. Other diseases of the circulatory system.....	7	8	1	1
26. Bronchitis.....	1	1	-----	-----
27. Pneumonias.....	32	34	9	9
28. Other diseases of the respiratory system (tuberculosis excepted).....	4	5	-----	-----
29. Diarrhea and enteritis (under 2 years).....	15	16	3	3
29. Diarrhea and enteritis (2 years and over).....	5	5	2	2
30. Appendicitis.....	9	11	3	3
31. Cirrhosis of the liver.....	3	3	1	1
31. Other diseases of the liver.....	3	3	-----	-----
32. Other diseases of the digestive system.....	7	7	5	6
33. Nephritis.....	34	34	22	23
34. Other diseases of the genitourinary system.....	3	3	3	3
35. Puerperal septicemia.....	2	3	2	2
36. Other diseases of pregnancy and puerperal state.....	7	7	2	2
37. Diseases of the skin, bones and organs of locomotion.....	-----	-----	1	1
38. Congenital debility, malformations and early infancy.....	45	44	13	13
39. Senility.....	5	5	4	5
40. Suicide.....	3	3	1	1
41. Homicide.....	-----	1	5	5
42. Violent and accidental (suicide and homicide excepted).....	38	37	19	18
43. Cause not specified or ill-defined.....	10	10	3	3



Continued

Gates				Graham		Granville				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	White	White	Colored	Colored	
46	51	47	47	25	28	131	135	159	163	1
1	1			1	1					2
										3
										4
										5
						1	1	5	5	6
										7
2	2	2	2	1	1	3	3	11	11	8
1	1	4	4	1	1	6	6	13	14	10
1	1			1	1			1	1	11
		1	1					3	3	12
										13
				1	1	1	1	1	1	14
										14
		2	2			1	1			14
4	5	3	3			17	17	5	5	15
				1	2	2	2			16
		1	1							17
1	1	1	1			3	3	3	3	18
						1	1			19
1	1					3	3	1	1	20
						3	3	1	1	20
										21
8	8	3	3	3	3	10	10	17	17	22
1	1				1	2	2	3	3	23
12	12	4	4	5	5	17	17	19	19	24
1	1	1	1			2	2	2	2	25
								1	1	26
1	1	3	3	2	2	9	9	10	9	27
							1	1	1	28
2	2	1	1			3	4	4	4	29
						2	2	2	2	29
						1	1		1	30
						1	1			31
1	1					1	1			31
2	2	2	2			1	1	5	5	32
2	2	4	4	1	1	20	21	14	15	33
	1					1	1	1	1	34
						1	1			35
	1					3	3	2	2	36
						1	1			37
1	1	3	3	5	5	8	8	17	17	38
		3	3					5	5	39
		1	1					1	1	40
				1	2		1			41
4	6	7	7	1	1	7	7	10	12	42
		1	1	1	1			1	1	43

TABLE V—

Cause of Death	Greene			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	51	59	65	76
1. Typhoid and paratyphoid fever.....	1	1	1	2
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....	3	3		
7. Diphtheria.....				
8. Influenza.....	3	3	1	1
10. Tuberculosis of the respiratory system.....	1	2	2	4
11. Other forms of tuberculosis.....				
12. Syphilis.....			1	1
13. Malaria.....				
14. Dysentery.....			1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....		1		
14. Other infectious and parasitic diseases.....			1	2
15. Cancer and other malignant tumors.....	1	2	2	2
16. Tumors, nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1	1	2
20. Pellagra.....			1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	2	2	3	3
23. Other diseases of the nervous system and organs of special sense.....	1	1	2	3
24. Diseases of the heart.....	8	8	7	8
25. Other diseases of the circulatory system.....	2	2		
26. Bronchitis.....	1	1		
27. Pneumonias.....	3	4	10	10
28. Other diseases of the respiratory system (tuberculosis excepted).....				
29. Diarrhea and enteritis (under 2 years).....	3	3	3	3
29. Diarrhea and enteritis (2 years and over).....			2	2
30. Appendicitis.....				1
31. Cirrhosis of the liver.....			1	1
31. Other diseases of the liver.....	1	1		
32. Other diseases of the digestive system.....	2	2		1
33. Nephritis.....	7	7	8	8
34. Other diseases of the genitourinary system.....		1		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	1	1		1
37. Diseases of the skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....	6	7	15	15
39. Senility.....	1	1	1	1
40. Suicide.....	1	1		
41. Homicide.....	1	2		
42. Violent and accidental (suicide and homicide excepted).....		1	1	2
43. Cause not specified or ill-defined.....	1	1	1	1

Continued

Guilford				Halifax				Harnett					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.
850	828	386	376	195	203	334	342	213	249	1	1	116	120
-----	1	1	1	-----	1	1	1	1	2	-----	-----	2	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1
4	4	-----	-----	1	1	-----	-----	1	1	-----	-----	-----	-----
-----	-----	1	1	2	2	5	5	-----	-----	-----	-----	-----	-----
11	10	2	2	1	1	1	1	4	4	-----	-----	-----	-----
21	21	9	9	7	8	27	27	4	4	-----	-----	3	3
36	38	43	46	3	3	30	30	6	7	-----	-----	11	11
5	4	2	2	-----	1	2	2	-----	-----	-----	-----	-----	-----
5	4	10	8	2	2	5	5	1	1	-----	-----	1	1
-----	1	-----	-----	1	1	-----	-----	1	1	-----	-----	1	1
4	4	1	1	-----	-----	-----	-----	-----	2	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9	11	1	1	2	2	2	3	2	2	-----	-----	1	1
65	62	21	19	13	14	8	8	11	13	-----	-----	5	5
6	4	1	1	-----	2	1	1	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	1	1	2	2	-----	-----	-----	-----
17	17	9	8	4	2	3	2	1	3	-----	-----	2	2
4	3	2	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
10	10	7	7	4	5	3	4	3	5	-----	-----	1	1
12	11	8	9	-----	-----	3	3	2	2	-----	-----	-----	-----
-----	-----	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
71	71	29	28	15	15	26	26	20	19	-----	-----	10	10
11	13	4	3	3	3	2	3	1	1	-----	-----	-----	-----
156	152	73	72	36	38	34	35	36	40	-----	-----	14	14
8	9	5	5	3	3	3	3	-----	2	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	2	2	1	1	-----	-----	-----	-----
46	45	37	37	15	13	26	26	16	16	-----	-----	15	16
2	2	3	3	-----	5	5	1	1	1	-----	-----	-----	-----
11	9	5	5	6	6	21	21	6	6	1	1	9	9
6	6	-----	-----	-----	1	1	2	2	2	-----	-----	2	2
13	13	3	3	1	2	-----	1	-----	3	-----	-----	-----	1
4	4	4	4	-----	-----	-----	-----	1	1	-----	-----	-----	-----
7	5	3	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
23	23	9	7	4	5	7	7	3	10	-----	-----	1	1
88	86	26	25	22	22	15	16	28	28	-----	-----	14	14
6	6	5	4	1	1	4	4	-----	-----	-----	-----	-----	-----
2	2	1	1	-----	1	1	1	-----	-----	-----	-----	-----	-----
14	11	3	2	-----	2	4	5	6	6	-----	-----	1	1
5	3	1	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----
65	64	30	29	18	19	51	52	30	35	-----	-----	13	13
4	4	1	1	2	2	14	14	-----	-----	-----	-----	1	1
16	14	-----	-----	3	2	-----	-----	2	2	-----	-----	-----	-----
1	1	10	10	2	2	6	5	2	3	-----	-----	2	2
74	72	15	13	21	20	12	14	15	19	-----	-----	5	7
7	7	1	1	2	2	6	6	4	4	-----	-----	1	1

TABLE V—

Cause of Death	Haywood			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total reported.....	263	278	8	8
1. Typhoid and paratyphoid fever.....	.....	.....	.....	.....
2. Typhus fever.....	.....	.....	.....	.....
3. Smallpox.....	.....	.....	.....	.....
4. Measles.....	.....	.....	.....	.....
5. Scarlet fever.....	1	1	.....	.....
6. Whooping-cough.....	3	3	.....	.....
7. Diphtheria.....	.....	.....	.....	.....
8. Influenza.....	12	12	.....	.....
10. Tuberculosis of the respiratory system.....	10	12	.....	.....
11. Other forms of tuberculosis.....	.....	.....	.....	.....
12. Syphilis.....	.....	.....	.....	.....
13. Malaria.....	.....	.....	.....	.....
14. Dysentery.....	1	1	.....	.....
14. Acute poliomyelitis and polioencephalitis.....	.....	.....	.....	.....
14. Epidemic cerebrospinal meningitis.....	.....	.....	.....	.....
14. Other infectious and parasitic diseases.....	3	3	.....	.....
15. Cancer and other malignant tumors.....	7	10	.....	.....
16. Tumors, nonmalignant or unspecified.....	2	2	.....	.....
17. Chronic rheumatism and gout.....	.....	.....	.....	.....
18. Diabetes mellitus.....	3	3	.....	.....
19. Alcoholism (acute or chronic).....	1	1	.....	.....
20. Other general diseases and chronic poisonings.....	3	3	.....	.....
20. Pellagra.....	2	3	2	2
21. Progressive locomotor ataxia and paresis.....	.....	.....	.....	.....
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	7	7	.....	.....
23. Other diseases of the nervous system and organs of special sense.....	4	5	.....	.....
24. Diseases of the heart.....	46	46	1	1
25. Other diseases of the circulatory system.....	2	2	.....	.....
26. Bronchitis.....	.....	.....	.....	.....
27. Pneumonias.....	34	35	1	1
28. Other diseases of the respiratory system (tuberculosis excepted).....	3	4	.....	.....
29. Diarrhea and enteritis (under 2 years).....	2	2	.....	.....
29. Diarrhea and enteritis (2 years and over).....	3	4	.....	.....
30. Appendicitis.....	1	1	.....	.....
31. Cirrhosis of the liver.....	1	1	.....	.....
31. Other diseases of the liver.....	1	1	.....	.....
32. Other diseases of the digestive system.....	8	10	.....	.....
33. Nephritis.....	22	22	3	3
34. Other diseases of the genitourinary system.....	2	2	.....	.....
35. Puerperal septicemia.....	1	1	.....	.....
36. Other diseases of pregnancy and puerperal state.....	4	5	.....	.....
37. Diseases of the skin, bones and organs of locomotion.....	.....	.....	1	1
38. Congenital debility, malformations and early infancy.....	29	29	.....	.....
39. Senility.....	7	7	.....	.....
40. Suicide.....	4	5	.....	.....
41. Homicide.....	5	5	.....	.....
42. Violent and accidental (suicide and homicide excepted).....	21	22	.....	.....
43. Cause not specified or ill-defined.....	8	8	.....	.....

Continued

Henderson				Hertford				Hoke					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.
239	231	35	37	61	62	122	126	48	45	2	2	103	86
				1	1	1	1						
3	3												
1	1	1	1									2	2
3	3					1	1						
7	6			1	1	1	1	3	3			1	1
9	9	3	3	5	5	15	17	4	1			29	11
1	1			2	1								
1	1	1	1			1	1					7	7
						1	1						
1	1											1	1
2	2			1	1	2	3						
13	14	1	1	4	4	2	2		1			5	5
1	2	1	1										
4	4					1	1						
						1	1	1	1				
						1	1						
3	3			2	2			1	1			2	2
1	1												
21	20	4	4	5	5	19	19	4	4			3	3
2	3					2	2	4	3			1	1
50	45	9	9	7	8	3	3	11	11			6	6
5	5				1		1					1	1
				1	1	1	1						
17	17	2	2	2	2	7	7	1	1			4	4
1		1	1			1	1						
1	1			4	4	7	7					2	2
				1	1							2	2
4	3					1	1		1				
1	1			3	3	1	1						
1	1					1	1						
4	3	2	2					3	3	1	1		
25	25	2	2	10	10	16	16	11	11			5	5
1	1		1			2	2						
1	1											1	1
				3	3	1	1						
				1	1							1	1
23	22	3	4	4	4	10	10	4	4			18	18
1	1	1	1	1	1	1	1					2	2
6	5			1	1								
3	3			1	1							3	4
22	21	3	3	1	1	17	17	1				2	2
						5	5			1	1	5	5

TABLE V—

Cause of Death	Hyde			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	46	55	42	47
1. Typhoid and paratyphoid fever.....			2	2
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....			4	4
7. Diphtheria.....		1		
8. Influenza.....	4	4	5	5
10. Tuberculosis of the respiratory system.....			1	2
11. Other forms of tuberculosis.....				
12. Syphilis.....			1	1
13. Malaria.....	1	1		
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	2	2		
16. Tumors, nonmalignant or unspecified.....				1
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....			1	1
20. Other general diseases and chronic poisonings.....	2	3		
20. Pellagra.....	1	1	1	1
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	6	6	5	5
23. Other diseases of the nervous system and organs of special sense.....				2
24. Diseases of the heart.....	14	14	2	2
25. Other diseases of the circulatory system.....				
26. Bronchitis.....	1	1		
27. Pneumonias.....	3	4	3	3
28. Other diseases of the respiratory system (tuberculosis excepted).....			1	1
29. Diarrhea and enteritis (under 2 years).....				
29. Diarrhea and enteritis (2 years and over).....	2	2		
30. Appendicitis.....				
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	1	3	1	1
33. Nephritis.....	3	3		
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....			1	1
36. Other diseases of pregnancy and puerperal state.....			1	1
37. Diseases of skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....		2	4	4
39. Senility.....			4	4
40. Suicide.....				
41. Homicide.....				1
42. Violent and accidental (suicide and homicide excepted).....	4	6	3	3
43. Cause not specified or ill-defined.....	2	2	2	2

Continued

Iredell				Jackson						Johnston				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
363	311	125	127	131	135	5	5	8	8	340	357	122	129	1
		1	1	1	1					1	1	1	1	2
														3
										4	5			4
										1	1			5
		1	1	1	1									6
1	1			7	7					1	1			7
13	13	1	1	1	1	1	1	1	1	9	9	4	4	8
7	7	9	10	5	7	3	3			16	16	13	14	10
		1	1		1			1	1			2	2	11
1		3	3							2	2	3	3	12
1	1									2	2	1	1	13
				2	2					1	2	1	1	14
1	1			2	2			1	1					14
														14
3	2	1	1							4	6	1	1	14
26	21	7	7	3	3					19	20	3	3	15
5	3			1						1	2			16
1	1	1	1							2	2			17
7	7	1	1							5	6	1	1	18
										1	1	1	1	19
5	6	2	2							4	5	1	1	20
4	5			2	2					5	5	1	1	20
														21
19	19	6	7	6	6					34	35	6	6	22
4	4			3	3					5	6	2	4	23
49	50	19	19	10	13	1	1	1	1	41	41	14	15	24
1	1			1	1			2	2	2	2			25
1	1			1	1					2	2			26
20	19	5	5	11	11					29	30	10	11	27
3	3			1	1					1	2	2	2	28
5	5	7	7	2	2					7	7	4	4	29
3	2	1	1	2	2					7	7	1	1	29
16	7	4	4	2	2					3	3			30
2	1	2	1											31
6	5	1	1	1	1						1			31
15	9	4	4	2	2					4	4	4	4	32
50	46	20	20	27	27					30	30	4	4	33
5	2	2	2	2	2					4	4	2	2	34
3	1	1	1	1	2					1	1			35
5	4			3	3					3	3	4	4	36
3	2	1	1							1	1	3	3	37
27	25	10	10	16	16					38	42	15	15	38
4	4	3	3	1	1			2	2	3	3	2	3	39
4	5			2	1					8	8			40
4	1	2	2	1	1					2	2	1	1	41
39	25	8	9	4	3					29	29	7	8	42
	1	1	1	7	7					8	8	8	8	43

TABLE V—

Cause of Death	Jones			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	37	43	47	49
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	2	2	5	5
10. Tuberculosis of the respiratory system.....	1	1	5	5
11. Other forms of tuberculosis.....				
12. Syphilis.....			1	1
13. Malaria.....			1	1
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		1
15. Cancer and other malignant tumors.....	1	1		
16. Tumors, nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....			1	1
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....			1	1
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....			1	1
23. Other diseases of the nervous system and organs of special sense.....	1	1		
24. Diseases of the heart.....	8	9	3	3
25. Other diseases of the circulatory system.....	1	1	1	1
26. Bronchitis.....	1	1		
27. Pneumonias.....	3	3	2	2
28. Other diseases of the respiratory system (tuberculosis excepted).....			1	1
29. Diarrhea and enteritis (under 2 years).....	3	3	3	3
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....		1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....			1	2
33. Nephritis.....	2	3	2	2
34. Other diseases of the genitourinary system.....	1	1		
35. Puerperal septicemia.....		1		
36. Other diseases of pregnancy and puerperal state.....			1	1
37. Diseases of skin, bones and organs of locomotion.....		1	1	1
38. Congenital debility, malformations and early infancy.....	5	5	10	10
39. Senility.....	2	2	2	2
40. Suicide.....				
41. Homicide.....				
42. Violent and accidental (suicide and homicide excepted).....	2	3	4	4
43. Cause not specified or ill-defined.....	1	1	1	1



Continued

Lee				Lenoir				Lincoln				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
120	115	61	64	245	227	248 9	251 8	195	186	38	36	1
												2
												3
1	1			2	2							4
1	1											5
				1				1	1			6
1	1			1		1	1					7
3	3	2	2	4	4	20	20	13	12	3	2	8
3	3	1	1	10	8	22	26	3	4	3	3	10
						6	6	1	1			11
						4	5	1	1	1	1	12
						1	1					13
1	1			2	2	1	1					14
												14
				1	1	1	1					14
2	2	1		2	2	2	2	3	3			14
14	13	2	2	9	10	8	7	10	9	1	1	15
				1	2	3	3					16
2	2			1	1							17
1				2	2	1	1	5	5			18
						1	1	1	1			19
2	1			2	2	2	1	8	6			20
1	1	4	6	1	1		1	3	3			20
												21
7	7	3	3	24	24	18	18	22	22	3	3	22
3	3	1	1	6	6	3	4	1		1	1	23
25	25	10	10	31	30	28	28	28	26	7	7	24
1	1	1	1	3	3	3	3	1				25
				3	3							26
5	5	6	7	17	14	24	24	15	15	3	3	27
2	2					3	3	1				28
2	2			16	14	14	14	2	2			29
										1	1	29
4	4	1	1	8	5	1	1	2	2			30
						1	1					31
1	1	1	1	2	2			1	1			31
3	3			15	12	5	3	3	3	2	1	32
17	17	14	15	27	27	12	12	24	24	4	4	33
				5	2			2	2			34
1	1			1	2			2	1			35
1	1			3	1	6	6	2	2			36
2	2			2	1					1	1	37
5	4	8	8	24	22	25	25	13	13	2	2	38
				2	2	3	5	4	4	2	2	39
4	4							2	2			40
		1	1	2	1	4	3	2	2	2	2	41
5	4	3	3	13	17	8	8	16	16	2	2	42
		2	2	2	2	8	8	3	3			43

TABLE V—

Cause of Death	McDowell			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	176	185	27	28
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1		
5. Scarlet fever.....				
6. Whooping-cough.....	7	7	2	2
7. Diphtheria.....	2	2		
8. Influenza.....	9	9		
10. Tuberculosis of the respiratory system.....	10	10		
11. Other forms of tuberculosis.....				
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	2	2		
15. Cancer and other malignant tumors.....	12	12	1	1
16. Tumors, nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	1	1	1	1
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	2		
20. Pellagra.....	5	7	2	2
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	8	9	1	1
23. Other diseases of the nervous system and organs of special sense.....	3	3		
24. Diseases of the heart.....	18	18	6	7
25. Other diseases of the circulatory system.....	1	1	1	1
26. Bronchitis.....				
27. Pneumonias.....	14	14	1	1
28. Other diseases of the respiratory system (tuberculosis excepted).....	1	1		
29. Diarrhea and enteritis (under 2 years).....	4	4	2	2
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....	1	1	2	2
31. Cirrhosis of the liver.....	2	2		
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	5	7	2	2
33. Nephritis.....	17	17	1	1
34. Other diseases of the genitourinary system.....		1		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	4	4	1	1
37. Diseases of skin, bones and organs of locomotion.....	4	5		
38. Congenital debility, malformations and early infancy.....	18	18	1	1
39. Senility.....	1	1		
40. Suicide.....	1	1		
41. Homicide.....	1	1	1	1
42. Violent and accidental (suicide and homicide excepted).....	16	17	1	1
43. Cause not specified or ill-defined.....	5	5	1	1

Continued

Macon				Madison				Martin			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
121	105	8	8	156	170	2	3	66	81	123	143
				1	1					1	1
				4	4					4	4
				1	1					1	2
2	2			3	3			4	4	6	6
3	4	1	1	6	6			2	2	16	16
3	2	1	1							2	2
										2	3
1	1										
1	1										
1	1			2	2			2	2		
8	4			10	12			3	5	8	9
1	1										
				1	1					3	3
		1	1	2	3			1	2	1	
								1	1	1	1
2	1			1	1			1	2		
				3	3			2	2		
				1	1					1	2
8	8	1	1	10	12	1	1	8	9	7	7
				3	3			2	2	3	4
13	13	2	2	19	20			7	7	6	6
				4	5			1	2	1	1
				1	1						
6	5	1	1	15	15			8	9	6	6
				1	1					1	1
1	1			3	4			2	2	4	4
										2	2
4	2				2				2		
1											
1				1	1						
5	4			3	3			1	1	1	4
24	24			14	15	1	1	4	4	6	6
				1	3				1		
2	1									1	1
3	2			3	3				1	3	3
									2	1	1
15	14			16	16			9	9	21	21
1	1			8	8			2	2	2	2
				2	2			2	3		
3	2			2	3					3	4
11	10			12	12		1	2	3	9	16
1	1	1	1	3	3			2	2	5	5

TABLE V—

Cause of Death	Mecklenburg			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	691	626	577	582
1. Typhoid and paratyphoid fever.....	—	—	3	3
2. Typhus fever.....	2	2	—	—
3. Smallpox.....	—	—	—	—
4. Measles.....	4	4	1	1
5. Scarlet fever.....	—	1	—	—
6. Whooping-cough.....	4	4	1	1
7. Diphtheria.....	2	1	1	1
8. Influenza.....	23	21	11	11
10. Tuberculosis of the respiratory system.....	23	25	54	54
11. Other forms of tuberculosis.....	3	3	5	5
12. Syphilis.....	1	1	12	12
13. Malaria.....	1	1	—	—
14. Dysentery.....	2	2	3	3
14. Acute poliomyelitis and polioencephalitis.....	1	1	—	—
14. Epidemic cerebrospinal meningitis.....	1	—	—	—
14. Other infectious and parasitic diseases.....	2	2	2	2
15. Cancer and other malignant tumors.....	77	69	16	16
16. Tumors, nonmalignant or unspecified.....	2	1	6	4
17. Chronic rheumatism and gout.....	1	1	1	1
18. Diabetes mellitus.....	16	15	2	2
19. Alcoholism (acute or chronic).....	1	2	—	—
20. Other general diseases and chronic poisonings.....	14	13	4	4
20. Pellagra.....	6	7	9	10
21. Progressive locomotor ataxia and paresis.....	—	—	—	2
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	71	67	71	70
23. Other diseases of the nervous system and organs of special sense.....	10	8	6	9
24. Diseases of the heart.....	114	106	102	101
25. Other diseases of the circulatory system.....	8	8	5	5
26. Bronchitis.....	1	1	2	2
27. Pneumonias.....	46	43	54	54
28. Other diseases of the respiratory system (tuberculosis excepted).....	8	6	2	2
29. Diarrhea and enteritis (under 2 years).....	16	15	7	7
29. Diarrhea and enteritis (2 years and over).....	7	7	8	8
30. Appendicitis.....	4	3	7	7
31. Cirrhosis of the liver.....	5	5	2	2
31. Other diseases of the liver.....	12	8	3	3
32. Other diseases of the digestive system.....	18	12	19	20
33. Nephritis.....	48	40	35	35
34. Other diseases of the genitourinary system.....	6	5	4	4
35. Puerperal septicemia.....	2	1	2	2
36. Other diseases of pregnancy and puerperal state.....	9	10	5	5
37. Diseases of the skin, bones and organs of locomotion.....	1	—	1	1
38. Congenital debility, malformations and early infancy.....	45	42	39	39
39. Senility.....	—	—	2	2
40. Suicide.....	14	14	2	3
41. Homicide.....	7	6	36	37
42. Violent and accidental (suicide and homicide excepted).....	53	43	27	27
43. Cause not specified or ill-defined.....	—	—	5	5

Continued.

Mitchell				Montgomery				Moore			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
92	102	1	1	84	97	26	28	136	127	76	79
								1	1		
								1	1	1	1
						2	2				
2	2							1	1	1	1
2	2			4	4	3	3	7	6	3	3
3	3			2	2	1	1	6	4	10	10
										1	1
1	1							1	1		
1	1										1
9	10			6	8	2	2	9	10	2	2
								1	5	6	1
2	2			1	1			2	2	1	1
1	1			1	1						
											1
5	5			4	5	2	2	8	6	2	2
1	2			1	1			2	1	1	1
11	12	1	1	14	16	3	3	21	20	12	11
1	1			1	1			4	4	1	1
1	1							1	1		
10	10			10	11	1	1	10	10	5	5
								1	1	1	1
4	4			3	4			4	3	2	2
1	1			1	1			3	2		
1	2									1	1
										1	1
								1	2		
	2			3	4			2	1	5	6
5	6			11	11	5	5	23	22	11	11
	1							1	2		
										2	2
	1			2	2		1	2	2	1	1
1	1				1			2	1		
13	13			8	8	3	3	8	7	5	5
3	3			1	1						
1	1			1	1			1	1		
2	2			1	1			1	1		
7	8			6	10	4	4	5	5	4	5
4	4			3	3			3	3	2	2

TABLE V—

Cause of Death	Nash			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	288	248	245	222
1. Typhoid and paratyphoid fever.....	5	4	1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....	1	1		
6. Whooping-cough.....	1	1	2	2
7. Diphtheria.....	4	2	1	
8. Influenza.....	5	4	13	13
10. Tuberculosis of the respiratory system.....	4	4	30	29
11. Other forms of tuberculosis.....	1	1	1	1
12. Syphilis.....	1	1	4	1
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1		2	1
15. Cancer and other malignant tumors.....	17	14	8	7
16. Tumors, nonmalignant or unspecified.....	1		2	1
17. Chronic rheumatism and gout.....	2	2	1	1
18. Diabetes mellitus.....	4	2	3	2
19. Alcoholism (acute or chronic).....	1	1	2	2
20. Other general diseases and chronic poisonings.....	5	4	5	4
20. Pellagra.....	7	6	4	4
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	24	22	20	22
23. Other diseases of the nervous system and organs of special sense.....	5	3	6	5
24. Diseases of the heart.....	44	42	22	19
25. Other diseases of the circulatory system.....	1	1	1	1
26. Bronchitis.....	1	1		
27. Pneumonias.....	18	15	10	11
28. Other diseases of the respiratory system (tuberculosis excepted).....	3	2	1	1
29. Diarrhea and enteritis (under 2 years).....	5	3	5	5
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....	4	3	2	1
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....			2	2
32. Other diseases of the digestive system.....	5	3	7	4
33. Nephritis.....	33	33	27	25
34. Other diseases of the genitourinary system.....	2	1	5	4
35. Puerperal septicemia.....			3	3
36. Other diseases of pregnancy and puerperal state.....	4	4	5	3
37. Diseases of the skin, bones and organs of locomotion.....	1	1	2	2
38. Congenital debility, malformations and early infancy.....	36	35	26	25
39. Senility.....	1	1	1	1
40. Suicide.....	6	5		
41. Homicide.....	4	4	6	5
42. Violent and accidental (suicide and homicide excepted).....	28	19	12	11
43. Cause not specified or ill-defined.....	3	3	3	3

Continued

New Hanover				Northampton				Onslow				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
308	265	333	313	75	79	133	140	78	85	46	49	1
		4	3			1	1					2
								1	1			3
2	2	1	1									4
												5
1						6	6					6
2		2	1					1	1			7
3	2	4	4	2	2	4	4	4	5	1	1	8
17	16	21	21	2	2	19	20	3	4	7	8	10
2	2	3	3									11
		10	10			1	1			1	1	12
										2	2	13
						2	2			1	1	14
												14
2	1	1	1									14
4	5	7	5	3	3			1	1		1	14
35	36	6	6	9	9	5	6	5	5		1	15
2	1								1			16
		1	1					2	2			17
8	8	4	2	2	2	1	2					18
1	1	2	2							1	1	19
3	2	2	2			1	1			1	1	20
1	1	6	7					1	1			20
1	1		1	1	1							21
21	22	34	33	9	9	13	13	8	8	8	8	22
5	4	3	6	2	3	3	4					23
45	41	38	38	14	14	13	13	11	11	2	2	24
7	7	10	10	1	1	1	1	1	1			25
		1	1							1	1	26
21	15	23	21	2	4	9	9	3	4	4	4	27
2	2	3	3			2	2	1	1			28
3	2	2	2			13	13	4	4			29
				1	1	1	1	1	1			29
3	1	6	3									30
1	1											31
1	1	1	1		1			1	1			31
13	9	10	8			1	1	2	2	2	2	32
45	41	58	57	14	14	8	8	13	14	5	5	33
5	5	9	8	3	3	2	3					34
2		3	1			1	1	1	1			35
4	3	7	6			3	4			1	1	36
1	1	2	1									37
13	7	17	16	4	3	11	11	6	8	5	5	38
						1	1					39
2	2			2	3			1	1			40
		13	12			1	1			2	2	41
28	21	17	14	4	4	4	5	6	6	1	1	42
2	2	2	2			6	6	1	1	1	1	43

TABLE V—

Cause of Death	Orange			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	113	137	67	78
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....	1	1		
8. Influenza.....	2	3	1	1
10. Tuberculosis of the respiratory system.....	3	4	8	9
11. Other forms of tuberculosis.....	1	1	1	2
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....				
15. Cancer and other malignant tumors.....	5	11	5	5
16. Tumors, nonmalignant or unspecified.....	1	1		
17. Chronic rheumatism and gout.....	2	2		
18. Diabetes mellitus.....	1	1		
19. Alcoholism (acute or chronic).....	1	1		
20. Other general diseases and chronic poisonings.....			1	2
20. Pellagra.....	1	2	2	2
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	10	12	7	9
23. Other diseases of the nervous system and organs of special sense.....				
24. Diseases of the heart.....	25	27	8	9
25. Other diseases of the circulatory system.....	1	1	2	2
26. Bronchitis.....				
27. Pneumonias.....	3	3	2	2
28. Other diseases of the respiratory system (tuberculosis excepted).....		1	2	2
29. Diarrhea and enteritis (under 2 years).....			1	1
29. Diarrhea and enteritis (2 years and over).....	3	3	1	1
30. Appendicitis.....				1
31. Cirrhosis of the liver.....	1	1		
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....		3	3	4
33. Nephritis.....	28	30	8	9
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....		1		
37. Diseases of the skin, bones and organs of locomotion.....			1	1
38. Congenital debility, malformations and early infancy.....	10	13	5	6
39. Senility.....	2	2		
40. Suicide.....	3	3		
41. Homicide.....	1	2		
42. Violent and accidental (suicide and homicide excepted).....	8	8	6	7
43. Cause not specified or ill-defined.....			3	3



Continued

[illegible]

TABLE V—

Cause of Death	Perquimans			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	33	38	49	50
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....			1	1
7. Diphtheria.....	1	1		
8. Influenza.....				
10. Tuberculosis of the respiratory system.....			4	4
11. Other forms of tuberculosis.....		1		
12. Syphilis.....				
13. Malaria.....			1	1
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....			1	1
15. Cancer and other malignant tumors.....	3	3	2	2
16. Tumors, nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....			1	1
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....				
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	8	8	10	10
23. Other diseases of the nervous system and organs of special sense.....			1	1
24. Diseases of the heart.....	7	8	5	5
25. Other diseases of the circulatory system.....	1	1	1	1
26. Bronchitis.....			3	3
27. Pneumonias.....			2	2
28. Other diseases of the respiratory system (tuberculosis excepted).....				
29. Diarrhea and enteritis (under 2 years).....	3	4		
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....				1
31. Cirrhosis of the liver.....			1	1
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....				
33. Nephritis.....	4	4	7	7
34. Other diseases of the genitourinary system.....		1	1	1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....				
37. Diseases of the skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....	1	1	4	4
39. Senility.....				
40. Suicide.....				
41. Homicide.....	1	1		
42. Violent and accidental (suicide and homicide excepted).....	3	4	3	3
43. Cause not specified or ill-defined.....			1	1

Continued

Person						Pitt				Polk			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.
87	93	5	5	57	63	234	256	247	257	61	54	18	18
						4	4	1	1	1	1		
						1	1	1	1				
						1	1						
1	1					5	6	7	7			1	1
						1	1			2	2		6
1	1			2	2	5	5	10	10	4	4	1	1
4	5			9	9	5	7	25	26	1	1	2	2
								5	6				
				1	1			3	3	1	1		
3	3			1	1	2	2	3	3			1	1
								1	1				
		1	1	1	1	3	4	1	1				
5	5			2	2	16	19	8	9	5	5		
1	1				1		1		1				
						2	2						
						5	5	1	1	1	1		
				1	1	1	1	1	1				
1	2					2	2	1	1	3	2	1	1
				1	1	1	1	5	5	2	2		
							1			1	1		1
7	7			7	7	15	15	18	18	1	1		
2	3			1	1	6	6	3	3	2	2	1	1
32	32	1	1	8	9	32	33	23	23	7	7	4	4
					1	3	3	1	1				
3	3	2	2	2	2	13	15	21	21	3	2	1	1
1	1					1	1	1	1		1		
3	3					15	16	9	9	6		1	1
				1	1	1	1	3	3				
						1	1	1	1	1	1		
						2	2						
						1	2	1	1	1	1		
1	1	1	1			9	13	5	6	1	2	1	1
4	4			10	10	20	22	21	21	11	11	2	2
1	2					2	3	1	2				
				1	1			1	1				
2	3			1	3	6	5	2	2	1			
								1	1	1	1		
10	10			5	6	21	21	36	36	4	2	1	
1	1			2	2	2	2	2	3	1	1		
1	1					8	8						
1	2					4	4	3	5		1	1	1
2	2			1	1	17	19	16	17		2		
						1	1	5	5				

TABLE V—

Cause of Death	Randolph			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	257	274	34	39
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....		2		
8. Influenza.....	8	8	1	1
10. Tuberculosis of the respiratory system.....	8	8	2	3
11. Other forms of tuberculosis.....				
12. Syphilis.....	2	2	2	2
13. Malaria.....				
14. Dysentery.....	2	2		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		
15. Cancer and other malignant tumors.....	21	22	5	5
16. Tumors, nonmalignant or unspecified.....		1		
17. Chronic rheumatism and gout.....	1	1		
18. Diabetes mellitus.....	6	7		
19. Alcoholism (acute or chronic).....	1	1	1	1
20. Other general diseases and chronic poisonings.....	4	5		
20. Pellagra.....	3	4		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	28	29	6	6
23. Other diseases of the nervous system and organs of special sense.....	4	5		
24. Diseases of the heart.....	49	50	6	7
25. Other diseases of the circulatory system.....	1	1		
26. Bronchitis.....	1	1		
27. Pneumonias.....	16	15	6	7
28. Other diseases of the respiratory system (tuberculosis excepted).....		1		
29. Diarrhea and enteritis (under 2 years).....	2	3		
29. Diarrhea and enteritis (2 years and over).....	2	2		
30. Appendicitis.....	3	4		
31. Cirrhosis of the liver.....	3	3		
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	4	4	1	1
33. Nephritis.....	30	30		1
34. Other diseases of the genitourinary system.....	2	2		
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	2	4		1
37. Diseases of the skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....	22	24	1	1
39. Senility.....				
40. Suicide.....	8	8		
41. Homicide.....	2	2		
42. Violent and accidental (suicide and homicide excepted).....	19	20	3	3
43. Cause not specified or ill-defined.....	2	2		

Continued

Richmond				Robeson						Rockingham				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
182	188	136	140	294	274	129	131	231	231	291	305	131	135	1
2	2			1	1			3	3	2	2	3	3	2
														3
1	1	1	1	4	4	2	2	1	1					4
														5
				2	2	2	2					1	1	6
		1	1	2	1					8	8			7
7	7	3	3	14	14	3	3	15	15	13	14	10	10	8
3	3	12	14	4	4	2	2	13	13	13	14	11	11	10
1	1	1	1							6	6			11
1	1	1	1					4	4	1	1	2	3	12
				1	1			1	1					13
						1	1	2	2					14
				1	1	1	1							14
														14
1	1			1		2	2			3	3	1	1	14
12	12	7	7	16	17	6	7	11	10	19	19	3	4	15
1	1					1	1		1	1	1	4	3	16
				2	2									17
4	4	3	3	3	4	1	1	1	1	6	6	1	1	18
2	2									2	2			19
		1	1	4	4	1	1			4	4			20
2	2	3	3	4	5	1	1	3	3	5	5	4	4	20
														21
19	19	17	17	26	27	8	8	18	17	35	35	11	11	22
2	5	1	1		3	3	3	2	2	3	4	1	3	23
36	36	19	20	38	37	17	17	24	24	47	50	21	22	24
		3	3	2	2	1	1	5	4	1	1	1	1	25
						1	1							26
7	7	6	6	11	10	8	8	20	21	18	19	6	6	27
1	1	1	1					2	3			2	2	28
9	8	6	6	16	16	10	10	14	14	3	4	3	3	29
1	2			5	4	1	1	1	1	1	4	1	1	29
			1	5	3	3	3	1	1	1	1			30
				1	1	2	2							31
2	3													31
4	4	4	4	7	4	1	1	5	5	7	8	4	4	32
12	12	16	16	39	38	7	8	15	13	21	21	18	18	33
				3	3	2	2	2	3		1	1	2	34
1	1	1	1			1	1			3	3			35
3	2	1	1	8	7			5	4	5	5	4	4	36
1	2			1	2			1	1	2	2			37
17	18	13	13	20	20	14	14	40	40	21	20	5	5	38
2	2	3	3	4	4	3	3			3	3	1	1	39
2	2			3	3	1	1		1	3	3			40
1	1	2	2	3	3	8	8	5	6	5	5	5	4	41
23	24	7	7	38	23	10	10	11	11	28	30	4	4	42
2	2	3	3	5	4	5	5	6	6	1	1	3	3	43

TABLE V—

Cause of Death	Rowan			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	357	352	129	129
1. Typhoid and paratyphoid fever.....	1	1		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....	2	1		
6. Whooping-cough.....			1	1
7. Diphtheria.....	3	3	2	2
8. Influenza.....	23	21	2	2
10. Tuberculosis of the respiratory system.....	8	9	6	6
11. Other forms of tuberculosis.....	3	1		
12. Syphilis.....	2	2	1	1
13. Malaria.....				
14. Dysentery.....	1	1		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1	2	2
15. Cancer and other malignant tumors.....	30	33	8	8
16. Tumors, nonmalignant or unspecified.....	4	4		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	5	5	1	1
19. Alcoholism (acute or chronic).....	1	1	1	1
20. Other general diseases and chronic poisonings.....	3	3		
20. Pellagra.....	4	4		
21. Progressive locomotor ataxia and paresis.....	1	3		
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	18	18	15	15
23. Other diseases of the nervous system and organs of special sense.....	9	8	1	1
24. Diseases of the heart.....	55	53	12	12
25. Other diseases of the circulatory system.....	3	3	1	1
26. Bronchitis.....	3	3	1	1
27. Pneumonias.....	15	16	10	10
28. Other diseases of the respiratory system (tuberculosis excepted).....	1	1		
29. Diarrhea and enteritis (under 2 years).....	2	4	1	1
29. Diarrhea and enteritis (2 years and over).....			1	1
30. Appendicitis.....	8	6	2	2
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	2	1	1
32. Other diseases of the digestive system.....	10	8	3	3
33. Nephritis.....	42	43	21	22
34. Other diseases of the genitourinary system.....	2	2		
35. Puerperal septicemia.....	2	1		
36. Other diseases of pregnancy and puerperal state.....	3	3	7	7
37. Diseases of the skin, bones and organs of locomotion.....	1	3		
38. Congenital debility, malformations and early infancy.....	39	38	11	11
39. Senility.....	3	3	2	2
40. Suicide.....	3	2		
41. Homicide.....			4	4
42. Violent and accidental (suicide and homicide excepted).....	42	39	8	7
43. Cause not specified or ill-defined.....	3	3	4	4

Continued

Rutherford				Sampson						Scotland					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	I.	I.	C.	C.
267	258	43	42	231	260	6	6	151	158	93	98	5	5	92	95
				2	2			5	5					1	1
				5	5			1	1	5	5				
3	3			3	3			1	1						
3	3	1	1	2	3			1	1	1	1			4	4
1	1	1	1	2	2			1	1						
13	13	2	2	4	4			8	8	5	5			8	8
11	11	3	3	5	6			12	12	2	2			6	8
1	1			2	2			1	1					2	2
		1	1	1	1			2	3					1	1
1	1			1	1										
2	2			2	2					1	1				
18	16	2	2	9	10	1	1	6	6	7	7			5	5
1	1			1	1			1	1	1	1			1	1
								1	1						
3	3	1	1	4	4	1	1	1	1	1	1			2	2
1	1			3	3			1	1					1	1
5	3				1			4	5	2	2				
5	6	2	2	1	1			2	2	1	1				
25	25	4	4	24	24			11	11	10	10			5	5
5	6			6	6			1	1						
53	52	8	8	40	43	1	1	22	21	16	17			8	9
1	1			4	4					1	1				
				1	1										
22	23	2	2	14	19			14	14	4	4	1	1	6	6
								1	1					1	1
5	5	1	1	8	10			9	9	9	9	1	1	4	4
4	4	1	1					1	1	1	1	1	1	1	1
4	4	1	1	1	3					2	2			2	2
				1	1										
2	1			1	1				1						
7	7	2	2	4	5			1	2	3	5				
18	18	5	5	23	24			15	15	5	4			4	4
										1	1				
1	1				1					1	1				
3	3			4	4			2	2	3	3			2	2
2	2													1	1
21	21	3	3	30	31	2	2	17	17	7	7	1	1	15	15
		1	1	5	5			3	3					3	3
				1	1					1	1			1	1
3	2			1	1				1						
21	16	2	1	11	20	1	1	1	3	3	4			6	6
2	2			5	5			5	5			1	1	2	2

TABLE V—

Cause of Death	Stanly			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	195	199	28	27
1. Typhoid and paratyphoid fever.....	1	1		
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....				
7. Diphtheria.....				
8. Influenza.....	7	8	1	1
10. Tuberculosis of the respiratory system.....	2	3	4	4
11. Other forms of tuberculosis.....	1	2		
12. Syphilis.....	2	2		
13. Malaria.....				
14. Dysentery.....	2	1		
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	2	2		
15. Cancer and other malignant tumors.....	20	21		
16. Tumors, nonmalignant or unspecified.....				
17. Chronic rheumatism and gout.....	2	2		
18. Diabetes mellitus.....	2	2		
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....	3	3		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	21	20	3	2
23. Other diseases of the nervous system and organs of special sense.....	5	6	1	1
24. Diseases of the heart.....	35	37	2	2
25. Other diseases of the circulatory system.....				
26. Bronchitis.....	1	1		
27. Pneumonias.....	8	8	2	2
28. Other diseases of the respiratory system (tuberculosis excepted).....	2	2		
29. Diarrhea and enteritis (under 2 years).....	3	3	1	1
29. Diarrhea and enteritis (2 years and over).....	1	1		
30. Appendicitis.....	3	2		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....	1	1		
32. Other diseases of the digestive system.....	3	3		
33. Nephritis.....	14	14	3	3
34. Other diseases of the genitourinary system.....	2	2	1	1
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	4	4	1	1
37. Diseases of the skin, bones and organs of locomotion.....			1	1
38. Congenital debility, malformations and early infancy.....	21	21	2	2
39. Senility.....	4	4	1	1
40. Suicide.....				
41. Homicide.....	2	2	1	1
42. Violent and accidental (suicide and homicide excepted).....	17	17	3	3
43. Cause not specified or ill-defined.....	3	3	1	1



Continued

Stokes				Surry				Swain					
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.
117	124	19	23	289	283	26	25	60	63	14	14	1	2
				2	1								
				2	2								
				2	2								
				2	2								
3	4	1	1	2	2	1							
8	7			10	10			1	1	2	2		
3	3	1	2	13	14	3	3	6	6	1	1		
2	2			2	3								
				1	1								
								1	1				
	1			1				1	2				
	1			5	4	1	1	2	2				
5	6	2	2	15	16	1	1			1	1		
	1			1									
2	3			2	2			1	1				
				3	3								
				1	1			1	1				
3	3			3	4								
								1	1				
9	8	3	4	14	13	2	2	5	5	2	2		
1	1			4	7								
18	19	1	1	28	28	6	6	4	4	1	1		
				1	1								
12	12			22	23	3	2	8	9	2	2		
				2	3								
1	1	1	1	14	14			1	1				
4	4			8	8			3	3				
				9	5								
2	2			1	1								
		1	1	4	3								
4	4	1	2	12	10	1	1	1	1				
12	12	4	4	26	26	1	1	6	6			1	1
				2	2			1	1				
				1	1					1	1		
1	2	1	1	10	8	1	1	2	2				
1	1			1	2								
12	12			28	27	3	3	8	8	1	1		
3	3	3	3	8	8			2	2	1	1		
5	6			9	9								
				3	3	1	1						1
6	6		1	12	11	1	1	4	5	2	2		
				5	5	1	2	1	1				

TABLE V—

Cause of Death	Transylvania			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	84	88	6	8
1. Typhoid and paratyphoid fever.....	1	1	1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....				
6. Whooping-cough.....	1	1		
7. Diphtheria.....				
8. Influenza.....	3	3		
10. Tuberculosis of the respiratory system.....	3	4	1	1
11. Other forms of tuberculosis.....				
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....	1	1		
14. Acute poliomyelitis and polioencephalitis.....				1
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1	1		
15. Cancer and other malignant tumors.....	7	7		
16. Tumors, nonmalignant or unspecified.....	1	1		
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....				
20. Other general diseases and chronic poisonings.....	1	1		
20. Pellagra.....				
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	3	3	1	1
23. Other diseases of the nervous system and organs of special sense.....				
24. Diseases of the heart.....	14	14		1
25. Other diseases of the circulatory system.....		2		
26. Bronchitis.....				
27. Pneumonias.....	8	8	1	1
28. Other diseases of the respiratory system (tuberculosis excepted).....	1	1		
29. Diarrhea and enteritis (under 2 years).....	2	2		
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....	4	4		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....			1	1
32. Other diseases of the digestive system.....	1	2		
33. Nephritis.....	12	13		
34. Other diseases of the genitourinary system.....	1	1		
35. Puerperal septicemia.....	1	1		
36. Other diseases of pregnancy and puerperal state.....				
37. Diseases of the skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....	9	10	1	1
39. Senility.....				
40. Suicide.....	1	1		
41. Homicide.....	1	1		
42. Violent and accidental (suicide and homicide excepted).....	6	4		
43. Cause not specified or ill-defined.....	1	1		

Continued

Tyrrell				Union				Vance			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
34	36	31	29	243	238	99	102	127	131	125	122
		1	1								
				3	2						
				1	1	1	1				
				1	1	1	1			1	1
1	1	4	4	7	7	11	11	1	1	12	12
		3	3	9	10	8	8	8	8	10	10
				1							
						1	1	1	1	4	4
						1	1	1	1		
										1	1
				2	2			1	1	2	2
2	2	1	1	18	18	2	2	4	5	7	7
1	1			1	1			2	2	1	1
				1	1						
		1	1	4	4			2	2	1	1
				2	2			1	1		
				4	5	1	1				
				2	3	2	2	2	2	3	3
1	1	4	4	16	16	8	8	8	10	10	9
				5	3	1	1	2	2	1	1
				47	49	12	13	15	16	10	9
				3	3			1	1		
3	3	1	1	18	19	7	7	12	13	16	16
	1			2	2	1	1	1	1	1	1
		3	3	3	3	2	2	5	5		
2	2			1	1	4	4			4	4
				3	2	1	1	1	1	7	6
				1	1	1	1				
				1	1			2	2		
1	1			8	8	2	2	5	5	2	2
12	12	3	3	25	25	8	9	23	24	14	14
			1	3	3		1				
1	2							1	1		
2	2			3	1	3	3	1	1		
1				1	1			1	1		
6	7	7	6	21	20	8	8	15	14	7	7
				2	2	1	1	1	1	3	3
				1	1			1	2		
				1		4	4	1	1		
1	1	2		22	20	5	5	8	6	7	6
		1	1			3	3			1	1

TABLE V—

Cause of Death	Wake			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	665	605	470	471
1. Typhoid and paratyphoid fever.....			5	5
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	2	1	2	2
5. Scarlet fever.....	1	1		
6. Whooping-cough.....	1	1	1	1
7. Diphtheria.....	3	3		
8. Influenza.....	12	10	13	13
10. Tuberculosis of the respiratory system.....	23	24	24	30
11. Other forms of tuberculosis.....	3	2	5	3
12. Syphilis.....	1	1	8	7
13. Malaria.....			1	1
14. Dysentery.....	5	2	3	3
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....			1	1
14. Other infectious and parasitic diseases.....	5	3	4	4
15. Cancer and other malignant tumors.....	48	48	17	17
16. Tumors, nonmalignant or unspecified.....	1	1	3	4
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	9	9	3	2
19. Alcoholism (acute or chronic).....	6	2	1	1
20. Other general diseases and chronic poisonings.....	5	5	3	3
20. Pellagra.....	9	10	6	7
21. Progressive locomotor ataxia and paresis.....	10	7		3
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	39	38	41	41
23. Other diseases of the nervous system and organs of special sense.....	19	18	7	8
24. Diseases of the heart.....	138	123	80	78
25. Other diseases of the circulatory system.....	9	7	2	2
26. Bronchitis.....	3	3		
27. Pneumonias.....	42	40	32	32
28. Other diseases of the respiratory system (tuberculosis excepted).....	6	5	1	1
29. Diarrhea and enteritis (under 2 years).....	8	8	7	7
29. Diarrhea and enteritis (2 years and over).....	6	6	1	1
30. Appendicitis.....	7	5	2	2
31. Cirrhosis of the liver.....	1	1	2	2
31. Other diseases of the liver.....	4	3	1	1
32. Other diseases of the digestive system.....	15	14	21	20
33. Nephritis.....	84	82	48	46
34. Other diseases of the genitourinary system.....	4	4	5	4
35. Puerperal septicemia.....	3	2	6	6
36. Other diseases of pregnancy and puerperal state.....	6	6	10	8
37. Diseases of the skin, bones and organs of locomotion.....			3	3
38. Congenital debility, malformations and early infancy.....	53	48	47	47
39. Senility.....	1	1	4	6
40. Suicide.....	14	14		
41. Homicide.....	7	4	19	18
42. Violent and accidental (suicide and homicide excepted).....	50	41	28	27
43. Cause not specified or ill-defined.....	2	2	3	4

Continued

Warren				Washington				Watauga			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
82	86	164	172	48	52	76	77	91	100	8	8
		1	1						1		
								2	2		
		1	1			1	1	1	1		
	1	1	1	1	1	1	1	2	2		
2	2	8	8			6	6	2	2		
1	1	15	15	4	4	6	6	1	1		
		1	1					1	1		
						1	1				
		1	1	2	2	1	1				
		2	2								
1	1					1	1		1		
6	6	5	5	3	3	5	5	2	2		
			1								
		2	2								
1	1	3	3	1	1						
1	1	1	1			2	2	1	1		
		3	4			1	1				
										1	1
10	11	12	12	5	5	5	5	7	7		
		3	4	1	1	6	6	3	3		
23	23	15	16	10	10	7	7	5	5	1	1
		1	1			2	2	1	1		
1	1										
3	4	21	20	2	2	7	7	5	5		
1	1	1	1			1	1	1	1		
1	1	7	7	1	1	3	3	1	1		
				1	1			1	1		
		2	2					1	4		
1	1					2	2				
										1	1
3	3	1	2	2	2	1	1	2	4	1	1
9	10	19	19	5	6	4	4	13	14		
		1	1	2	2	2	2				
				1	1						
1	1	1	1								
8	8	23	23	2	2	7	7	15	15	4	4
2	2	3	3	1	1	1	1	4	4		
1	1			2	2			1			
		2	4				1	2	3		
5	5	4	5	2	5	2	2	5	6		
1	1	4	4			1	1	12	12		

TABLE V—

Cause of Death	Wayne			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	287	283	472	373
1. Typhoid and paratyphoid fever.....	2	2	1	1
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....	1	1		
5. Scarlet fever.....	1	1		
6. Whooping-cough.....	3	3	3	3
7. Diphtheria.....	4	4		
8. Influenza.....	5	5	12	12
10. Tuberculosis of the respiratory system.....	8	8	61	56
11. Other forms of tuberculosis.....			2	3
12. Syphilis.....	1	1	14	10
13. Malaria.....	1	1	1	1
14. Dysentery.....			2	2
14. Acute poliomyelitis and polioencephalitis.....			1	1
14. Epidemic cerebrospinal meningitis.....	1		1	1
14. Other infectious and parasitic diseases.....	2	2	1	1
15. Cancer and other malignant tumors.....	23	22	15	15
16. Tumors, nonmalignant or unspecified.....		1	3	3
17. Chronic rheumatism and gout.....			1	1
18. Diabetes mellitus.....	3	4	1	1
19. Alcoholism (acute or chronic).....	2	2	1	1
20. Other general diseases and chronic poisonings.....	7	6	4	4
20. Pellagra.....			40	22
21. Progressive locomotor ataxia and paresis.....			25	6
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	25	25	39	34
23. Other diseases of the nervous system and organs of special sense.....	2	3	44	21
24. Diseases of the heart.....	45	46	38	34
25. Other diseases of the circulatory system.....	4	4	7	6
26. Bronchitis.....			2	2
27. Pneumonias.....	17	17	22	20
28. Other diseases of the respiratory system (tuberculosis excepted).....	3	3	5	5
29. Diarrhea and enteritis (under 2 years).....	15	15	9	9
29. Diarrhea and enteritis (2 years and over).....	3	3	2	2
30. Appendicitis.....	4	2	1	1
31. Cirrhosis of the liver.....	2	3		
31. Other diseases of the liver.....	2	2	1	1
32. Other diseases of the digestive system.....	10	9	17	17
33. Nephritis.....	24	26	21	21
34. Other diseases of the genitourinary system.....	3	3	3	3
35. Puerperal septicemia.....	3	2		
36. Other diseases of pregnancy and puerperal state.....	5	5	8	6
37. Diseases of the skin, bones and organs of locomotion.....	1	1	3	3
38. Congenital debility, malformations and early infancy.....	22	23	19	19
39. Senility.....	3	3	20	9
40. Suicide.....	2	2		
41. Homicide.....	4	4	8	6
42. Violent and accidental (suicide and homicide excepted).....	23	18	9	8
43. Cause not specified or ill-defined.....	1	1	5	2

Continued

[illegible]

TABLE VI—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN CITIES OR TOWNS, BY CAUSE

Cause of Death	Total					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded .....	4,677	3,563	1		3,538	3,245
1. Typhoid and paratyphoid fever .....	11	2			20	15
2. Typhus fever .....	4	1				
3. Smallpox .....						
4. Measles .....	10	9			4	3
5. Scarlet fever .....	13	12			1	1
6. Whooping-cough .....	20	15			18	17
7. Diphtheria .....	43	28			12	9
8. Influenza .....	108	86			85	79
10. Tuberculosis of the respiratory system .....	182	175			298	338
11. Other forms of tuberculosis .....	19	13			55	51
12. Syphilis .....	22	14			92	84
13. Malaria .....	3	2			2	2
14. Dysentery .....	12	6			6	5
14. Acute poliomyelitis and polioencephalitis .....	4	3			1	
14. Epidemic cerebrospinal meningitis .....	8	2			7	6
14. Other infectious and parasitic diseases .....	36	21			31	25
15. Cancer and other malignant tumors .....	392	323	1		130	117
16. Tumors, nonmalignant or unspecified .....	37	14			26	18
17. Chronic rheumatism and gout .....	6	5			7	7
18. Diabetes mellitus .....	92	62			33	26
19. Alcoholism (acute or chronic) .....	21	14			10	9
20. Other general diseases and chronic poisonings .....	67	51			45	39
20. Pellagra .....	30	24			55	54
21. Progressive locomotor ataxia and paresis .....	14	12			4	6
22. Cerebral hemorrhage, cerebral embolism and thrombosis .....	310	281			292	284
23. Other diseases of the nervous system and organs of special sense .....	90	65			37	30
24. Diseases of the heart .....	720	628			505	487
25. Other diseases of the circulatory system .....	55	44			19	19
26. Bronchitis .....	15	12			9	9
27. Pneumonias .....	245	187			266	250
28. Other diseases of the respiratory system (T. B. excepted) .....	36	24			24	21
29. Diarrhea and enteritis (under 2 years) .....	90	58			70	69
29. Diarrhea and enteritis (2 years and over) .....	29	26			28	26
30. Appendicitis .....	117	47			56	29
31. Cirrhosis of the liver .....	23	21			18	17
31. Other diseases of the liver .....	42	25			13	11
32. Other diseases of the digestive system .....	175	99			143	117
33. Nephritis .....	433	379			308	289
34. Other diseases of the genitourinary system .....	71	37			52	39
35. Puerperal septicemia .....	27	11			21	11
36. Other diseases of pregnancy and puerperal state .....	70	30			58	40
37. Diseases of the skin, bones and organs of locomotion .....	31	14			15	13
38. Congenital debility, malformations and early infancy .....	370	284			269	255
39. Senility .....	21	21			13	14
40. Suicide .....	70	65			7	8
41. Homicide .....	35	16			158	132
42. Violent and accidental (suicide and homicide excepted) .....	427	274			178	127
43. Cause not specified or ill-defined .....	21	21			37	37



## OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY COLOR OF DECEDENT—1933

Asheville				Charlotte				Concord				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
468	352	214	206	498	396	444	443	112	118	24	24	1
		1				2	1					2
				2	1							3
				4	4	1	1					4
		1	1					1	1			5
3	3	1	1	3	3							6
1	1			1		1	1					7
8	6	7	6	17	14	9	9	7	7			8
81	58	21	26	7	13	25	38	5	5	5	5	10
4	2	2	2	2	2	4	4		1			11
7	2	3	2	1		11	11					12
1												13
				1	1	3	3					14
		1		1	1							14
1				1								14
2	2	4	4	2	2	2	2	1	1			14
37	34	5	5	56	47	11	11	7	6	1	1	15
1		2	2	2	1	6	4				1	16
				1	1	1	1	1	1			17
9	5	1	1	15	12	1	1	1	1			18
		1	1									19
7	6	2	2	8	7	4	4	1	2	1	1	20
1	1	4	4	2	3	9	9	1	1	1	1	20
2	2											21
32	29	25	24	46	38	64	62	6	7			22
8	4	3	2	7	5	4	5	1	1			23
65	59	47	47	80	68	73	73	19	20	6	5	24
4	3	1	1	6	5	4	4	2	2			25
3	2	1	1	1	1	2	2					26
25	18	10	10	28	23	46	45	14	14	1	1	27
4	2			7	5	1	1		2			28
7	4	6	6	10	8	4	4	5	5			29
3	2	1	1	5	4	7	7	1	1	1	1	29
13	4	2	2	4	1	6	4		1			30
5	6	2	2	4	4	1	1					31
1	1			9	4	3	3		1			31
26	13	11	11	17	8	19	18	3	3			32
24	19	15	15	37	27	19	18	10	13	2	2	33
8	4	4	2	6	4	4	3			1	1	34
2	1					1	1					35
6	3	2	2	6	2	2	1	1	1			36
1		1	1	1		1	1					37
26	22	14	12	38	31	31	30	14	14	3	3	38
		1	1							1	1	39
7	9	1	1	10	9	2	3					40
3	1	7	6	5	3	33	33	1	1			41
29	23	4	2	45	34	23	20	10	6			42
1	1					4	4			1	1	43

TABLE VI—

Cause of Death	Durham					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded.....	461	266	1	-----	395	319
1. Typhoid and paratyphoid fever.....	3	-----	-----	-----	-----	-----
2. Typhus fever.....	1	-----	-----	-----	-----	-----
3. Smallpox.....	-----	-----	-----	-----	-----	-----
4. Measles.....	-----	-----	-----	-----	-----	-----
5. Scarlet fever.....	1	1	-----	-----	-----	-----
6. Whooping-cough.....	-----	-----	-----	-----	4	3
7. Diphtheria.....	2	-----	-----	-----	-----	-----
8. Influenza.....	7	6	-----	-----	9	7
10. Tuberculosis of the respiratory system.....	11	9	-----	-----	43	37
11. Other forms of tuberculosis.....	-----	-----	-----	-----	12	10
12. Syphilis.....	2	1	-----	-----	13	14
13. Malaria.....	-----	-----	-----	-----	-----	-----
14. Dysentery.....	2	-----	-----	-----	-----	-----
14. Acute poliomyelitis and polioencephalitis.....	-----	-----	-----	-----	-----	-----
14. Epidemic cerebrospinal meningitis.....	1	1	-----	-----	1	1
14. Other infectious and parasitic diseases.....	3	2	-----	-----	3	1
15. Cancer and other malignant tumors.....	62	31	1	-----	19	16
16. Tumors, nonmalignant or unspecified.....	8	-----	-----	-----	5	1
17. Chronic rheumatism and gout.....	-----	-----	-----	-----	-----	-----
18. Diabetes mellitus.....	8	4	-----	-----	2	1
19. Alcoholism (acute or chronic).....	2	1	-----	-----	-----	-----
20. Other general diseases and chronic poisonings.....	7	3	-----	-----	7	5
20. Pellagra.....	5	2	-----	-----	4	4
21. Progressive locomotor ataxia and paresis.....	-----	-----	-----	-----	1	1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	30	22	-----	-----	10	10
23. Other diseases of the nervous system and organs of special sense.....	13	7	-----	-----	12	9
24. Diseases of the heart.....	65	50	-----	-----	53	45
25. Other diseases of the circulatory system.....	14	10	-----	-----	2	1
26. Bronchitis.....	4	3	-----	-----	1	1
27. Pneumonias.....	12	7	-----	-----	23	20
28. Other diseases of the respiratory system (T. B. excepted).....	6	2	-----	-----	3	3
29. Diarrhea and enteritis (under 2 years).....	3	1	-----	-----	5	5
29. Diarrhea and enteritis (2 years and over).....	-----	-----	-----	-----	1	1
30. Appendicitis.....	6	1	-----	-----	12	5
31. Cirrhosis of the liver.....	2	-----	-----	-----	1	1
31. Other diseases of the liver.....	4	1	-----	-----	2	1
32. Other diseases of the digestive system.....	18	5	-----	-----	16	13
33. Nephritis.....	49	37	-----	-----	29	23
34. Other diseases of the genitourinary system.....	15	6	-----	-----	4	2
35. Puerperal septicemia.....	2	1	-----	-----	2	1
36. Other diseases of pregnancy and puerperal state.....	7	-----	-----	-----	10	7
37. Diseases of the skin, bones and organs of locomotion.....	5	2	-----	-----	1	1
38. Congenital debility, malformations and early infancy.....	35	20	-----	-----	34	30
39. Senility.....	5	5	-----	-----	-----	-----
40. Suicide.....	5	3	-----	-----	2	2
41. Homicide.....	5	3	-----	-----	19	15
42. Violent and accidental (suicide and homicide excepted).....	28	16	-----	-----	28	20
43. Cause not specified or ill-defined.....	3	3	-----	-----	2	2

Continued

Elizabeth City				Fayetteville				Gastonia				Goldsboro			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	W.	W.	C.	C.
71	65	105	100	196	132	115	99	145	134	79	78	131	99	143	136
				1	1							1			
															1
															2
				1	1			1	1						3
															4
															5
		3	3	4	2	2	2	3	3			1	1	2	2
		1	1	2	1										7
2	1	2	2	5	4	6	6	6	4	2	2	3	3	5	5
		20	19	5	5	1	1	3	4	5	6	2	2	11	13
		1	1			3	3	1	1	2	2			1	2
		1	1			2	2	1	1			1	1	6	6
		1	1									1	1		13
1	1							1	1						14
				1											14
						1	1	1	1			1		1	1
												1		1	1
5	5	3	3	18	15	5	5	12	12	6	6	8	7	7	15
		1	1	2		1	1	3	3					2	2
		1	1	1	1									1	1
2	2	2	2	6	3	1	1	4				1	1		18
2	2											2	2	1	1
2	2	1	1	6	4	1	1	1	1			2		3	2
		2	2	1		1		2	2	2	2			2	2
															21
4	4	7	7	12	10	14	14	10	12	7	8	6	6	13	13
															22
1	1	1	1	4				5	6			1	1		23
10	9	7	8	25	21	17	18	17	18	8	8	22	21	12	12
				3	2							3	2		25
		1	1	2	2			1	1					2	2
7	6	10	10	14	9	11	8	6	6	2	2	6	5	11	10
2	2			1		3	2	1	1					3	3
1	1	3	3	10	5	5	5	4	4	2	2	5	4	5	5
1	1	2	2			3	2	2	2	2	2	2	2	2	2
2	1	3		8	3			7	4	3	2	4	1	1	
						1	1	1	1	1	1	1	1		31
				1	1			1	1			2	1		31
		2	2	10	5	2	1	2	2	2	2	6	4	13	12
15	15	15	15	9	9	7	6	7	7	14	13	9	9	9	9
1		1	1	2	2	4	2	2	2	1	1	2	1	2	2
1	1	2	1	2	1			1	1			3	1		35
		2	2	5	3	1	1	1	1			3		5	3
1	1	2	2	5	4					1	1				37
2	1	4	4	7	6	5	5	12	10	5	5	12	11	8	8
2	2							3	3	3	3	1	1		39
				1	1							2	2		40
1	1	1	1	2	1	7	4		1	2	2	3	2	7	4
6	6	3	2	19	9	7	3	19	13	8	7	14	6	6	5
				1	1	4	4	4	4	1	1			1	1

TABLE VI—

Cause of Death	Greensboro			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Coloerd
All causes—Total recorded.....	352	298	225	203
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....	2	2		
6. Whooping-cough.....				
7. Diphtheria.....	2		2	2
8. Influenza.....	9	7	4	3
10. Tuberculosis of the respiratory system.....	10	14	17	23
11. Other forms of tuberculosis.....	3	3	1	1
12. Syphilis.....	2	1	7	5
13. Malaria.....				
14. Dysentery.....			1	1
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	5	2		
15. Cancer and other malignant tumors.....	27	24	13	8
16. Tumors, nonmalignant or unspecified.....	2	1	1	1
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....	6	6	7	6
19. Alcoholism (acute or chronic).....	2	1		
20. Other general diseases and chronic poisonings.....	2	2	6	6
20. Pellagra.....	6	3	8	8
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	29	27	18	17
23. Other diseases of the nervous system and organs of special sense.....	8	8	3	2
24. Diseases of the heart.....	69	65	41	39
25. Other diseases of the circulatory system.....	2	3	1	1
26. Bronchitis.....				
27. Pneumonias.....	23	16	15	11
28. Other diseases of the respiratory system (tuberculosis excepted).....			3	3
29. Diarrhea and enteritis (under 2 years).....	4	2	2	2
29. Diarrhea and enteritis (2 years and over).....	2	3		
30. Appendicitis.....	4	3	2	2
31. Cirrhosis of the liver.....	1	1	3	3
31. Other diseases of the liver.....	4	1	3	3
32. Other diseases of the digestive system.....	11	8	8	6
33. Nephritis.....	29	24	16	15
34. Other diseases of the genitourinary system.....	3	1	5	4
35. Puerperal septicemia.....	2	1	1	
36. Other diseases of pregnancy and puerperal state.....	7	3	1	
37. Diseases of the skin, bones and organs of locomotion.....	1		1	1
38. Congenital debility, malformations and early infancy.....	26	26	18	17
39. Senility.....			1	1
40. Suicide.....	11	8		
41. Homicide.....			7	7
42. Violent and accidental (suicide and homicide excepted).....	37	31	9	5
43. Cause not specified or ill-defined.....	1	1		

Continued

High Point				Kinston				New Bern				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
222	210	89	89	122	75	103	93	84	68	127	121	1
		1	1			5	3	1				2
												3
												4
2	2											5
		1	1	1								6
5	4			1		1	1	1	2			7
4	4	3	3	1	1	9	8	1	1			8
8	12	12	12	4	3	8	10	3	3	9	10	10
1						3	3			1	1	11
3	3	2	2			3	4					12
	1											13
1	1			2								14
												14
				1		1	1					14
1	1	1	1	1	1			2	1	4	3	14
18	17	4	4	3	1	3	2	3	5	1	2	15
2	1			1	1	1	1	1	1	1	1	16
				1	1					1	1	17
3	2	1	1									18
2	2	2	2					1	1			19
3	3	1	1	1	1	2	1	4	2	1	1	20
2	2											20
											1	21
13	15	5	5	8	7	6	5	10	10	9	8	22
2	3			3	3	1	1	2	1	3	3	23
35	32	17	17	17	13	14	14	13	13	22	22	24
2	2	2	2							1	1	25
				1	1							26
10	12	15	15	7	4	7	7	2	2	20	21	27
						3	2					28
6	5	2	2	5	2	1	1	1		2	2	29
3	2											29
9	9	1	1	8	3	1		4	1	1	1	30
2	2	1	1							1	1	31
1	1			2	2							31
10	9			8	5	4	2	3	1	5	5	32
19	19	4	4	16	14	6	6	13	11	14	14	33
1	1			3				1	2			34
				1	1			2	1			35
4	3			3	1	5	4	1		2	2	36
4	3			2				2	1	2	2	37
25	21	8	8	12	5	9	8	5	5	8	8	38
1	1					2	2	1	1	2	2	39
3	3							1	1			40
1	1	2	2	1		2	1			7	4	41
16	11	4	4	7	4	3	3	4		7	2	42
				1	1	3	3	2	2	3	3	43

TABLE VI—

Cause of Death	Raleigh			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	426	300	275	235
1. Typhoid and paratyphoid fever.....	.....	.....	2	2
2. Typhus fever.....	.....	.....	.....	.....
3. Smallpox.....	.....	.....	.....	.....
4. Measles.....	1	.....	.....	.....
5. Scarlet fever.....	.....	.....	.....	.....
6. Whooping-cough.....	.....	.....	1	1
7. Diphtheria.....	2	2	.....	.....
8. Influenza.....	6	3	4	3
10. Tuberculosis of the respiratory system.....	14	13	9	12
11. Other forms of tuberculosis.....	1	.....	4	2
12. Syphilis.....	1	1	6	3
13. Malaria.....	.....	.....	1	1
14. Dysentery.....	3	.....	2	1
14. Acute poliomyelitis and polioencephalitis.....	.....	.....	.....	.....
14. Epidemic cerebrospinal meningitis.....	.....	.....	1	.....
14. Other infectious and parasitic diseases.....	4	1	2	2
15. Cancer and other malignant tumors.....	33	29	12	11
16. Tumors, nonmalignant or unspecified.....	1	1	2	.....
17. Chronic rheumatism and gout.....	.....	.....	.....	.....
18. Diabetes mellitus.....	7	6	3	2
19. Alcoholism (acute or chronic).....	6	2	1	1
20. Other general diseases and chronic poisonings.....	3	2	3	3
20. Pellagra.....	2	3	4	4
21. Progressive locomotor ataxia and paresis.....	10	7	.....	1
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	19	17	31	29
23. Other diseases of the nervous system and organs of special sense.....	16	13	1	.....
24. Diseases of the heart.....	96	77	45	42
25. Other diseases of the circulatory system.....	7	4	1	1
26. Bronchitis.....	1	.....	.....	.....
27. Pneumonias.....	26	16	16	14
28. Other diseases of the respiratory system (tuberculosis excepted).....	3	.....	1	.....
29. Diarrhea and enteritis (under 2 years).....	3	1	4	4
29. Diarrhea and enteritis (2 years and over).....	3	2	.....	.....
30. Appendicitis.....	7	1	2	.....
31. Cirrhosis of the liver.....	.....	.....	2	2
31. Other diseases of the liver.....	4	2	1	1
32. Other diseases of the digestive system.....	10	4	14	9
33. Nephritis.....	47	42	28	26
34. Other diseases of the genitourinary system.....	4	3	5	4
35. Puerperal septicemia.....	3	1	4	2
36. Other diseases of pregnancy and puerperal state.....	5	2	8	5
37. Diseases of the skin, bones and organs of locomotion.....	.....	.....	2	2
38. Congenital debility, malformations and early infancy.....	34	22	23	22
39. Senility.....	1	1	1	2
40. Suicide.....	8	8	.....	.....
41. Homicide.....	5	1	12	10
42. Violent and accidental (suicide and homicide excepted).....	29	12	16	10
43. Cause not specified or ill-defined.....	1	1	1	1

Continued

Rocky Mount				Salisbury				Shelby				Statesville			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	W.	W.	C.	C.
159	99	161	125	156	117	57	45	93	77	16	15	161	91	37	37
3	1							1		2	2				
				1											
						1	1	1	1					1	1
1															
4	1	1		1	1	2	2	6	6			1	1		
1		9	9	6	4			4	3	1	1	4	4		
3	2	17	15	3	4	1					2	2	2	2	3
		1	2	2							1	1			
1	1	5	2	2	2					1	1	1		1	1
								1							
								1	1						
1		1		1	1	2	2	1	1			2	1	1	1
10	7	7	6	11	12	3	3	4	4	1	1	9	3	1	1
1		1		2	2							5	1		
1	1							1						1	1
3	1	3	2	2	2	1		5	4			3	2		
		2	1	1	1	1	1								
2	1	2	1	1	1			2	3			2		1	1
4	2	2	2					1	1			1	1		
					1										
15	12	5	6	8	8	6	6	7	7			8	7	3	3
4		3	2	3	2							1	1		
24	21	25	22	22	15	4	3	16	14			21	19	4	4
1	1			2	2			1	1			1	1		
		1	1	2	2										
8	3	8	9	5	5	7	7	5	5	1	1	4	4		
2	2											1	1		
3		5	5	1	1			2	1			2	2	1	1
						1	1					1	1		
4		2	1	7	3	2		1		1		13	4	2	2
2	2	1	1									1		1	
		1		1	1							4	2		
4	2	7	3	8	4	2	2	1	1			9	3	2	2
8	7	14	13	16	15	8	7	7	6	4	2	17	12	8	8
2	1	2	1	1				1	1	1		4	1		
		2		2								2			
1		2				3	1					4	2		
		1	1					1				3	1		
18	15	16	14	14	10	3	3	7	7			6	4	3	3
1	1					1	1							1	1
5	4			3	2							1	2		
2		5	2			3	2			2	2	2		1	
19	10	10	4	26	15	5	2	16	10	1	2	26	8	3	4
1	1			2	1	1	1						1		

TABLE VI—

Cause of Death	Thomasville			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded.....	60	55	22	22
1. Typhoid and paratyphoid fever.....				
2. Typhus fever.....				
3. Smallpox.....				
4. Measles.....				
5. Scarlet fever.....	2	2		
6. Whooping-cough.....				
7. Diphtheria.....	2			
8. Influenza.....		1		
10. Tuberculosis of the respiratory system.....	2	2	2	2
11. Other forms of tuberculosis.....			1	1
12. Syphilis.....				
13. Malaria.....				
14. Dysentery.....				
14. Acute poliomyelitis and polioencephalitis.....				
14. Epidemic cerebrospinal meningitis.....				
14. Other infectious and parasitic diseases.....	1			
15. Cancer and other malignant tumors.....	2	2		
16. Tumors, nonmalignant or unspecified.....	1			
17. Chronic rheumatism and gout.....				
18. Diabetes mellitus.....				
19. Alcoholism (acute or chronic).....	2	1		
20. Other general diseases and chronic poisonings.....	2	2		
20. Pellagra.....	1	1		
21. Progressive locomotor ataxia and paresis.....				
22. Cerebral hemorrhage, cerebral embolism and thrombosis.....	3	3	4	4
23. Other diseases of the nervous system and organs of special sense.....	2	2		
24. Diseases of the heart.....	3	3	4	4
25. Other diseases of the circulatory system.....				
26. Bronchitis.....				
27. Pneumonias.....	2	2	1	2
28. Other diseases of the respiratory system (tuberculosis excepted).....	2	1		
29. Diarrhea and enteritis (under 2 years).....	1	1	2	2
29. Diarrhea and enteritis (2 years and over).....				
30. Appendicitis.....	3	1		
31. Cirrhosis of the liver.....				
31. Other diseases of the liver.....				
32. Other diseases of the digestive system.....	2	2	2	2
33. Nephritis.....	11	11	3	3
34. Other diseases of the genitourinary system.....				
35. Puerperal septicemia.....				
36. Other diseases of pregnancy and puerperal state.....	1	1		
37. Diseases of the skin, bones and organs of locomotion.....				
38. Congenital debility, malformations and early infancy.....	10	10	1	1
39. Senility.....				
40. Suicide.....	1	1		
41. Homicide.....				
42. Violent and accidental (suicide and homicide excepted).....	4	6	2	1
43. Cause not specified or ill-defined.....				



Continued

Wilmington				Wilson				Winston-Salem			
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.
258	214	286	254	81	67	154	134	421	330	467	467
		4	3					2		3	3
2	2	1						1	1	2	2
								4	4		
				1	1	1	1	2	1	1	1
2		2	1					10	9	2	1
3	2	2	2	2	1	1	1	12	10	12	12
8	11	13	17	2	2	19	17	9	11	58	70
2	2	3	2	1	1	1	1	2	1	14	13
		10	9			3	3		1	18	18
									1		
								2	2		
2	1	1	1					1		2	2
4	4	7	5			1	1	3		1	1
31	32	5	4	1	1	9	7	35	29	14	14
2	1			1		1	1	2	1	2	2
		1	1							1	1
8	7	4	2			1	1	9	4	6	6
1	1	2	2								
2	2	2	2		1	3	3				
		4	4					1	2	12	12
1	1							1	1	3	3
16	17	29	27	3	3	11	10	25	20	25	26
5	3	1	1			1		4	4	4	4
37	32	34	32	7	7	11	11	57	51	61	61
5	4	5	6					2	2	2	2
		1	1								
18	13	21	17	2	2	15	15	21	15	26	25
2	2	3	3					5	4	4	4
3	2	1	1	5	3	5	4	9	6	15	15
				1	1	3	2	5	5	5	5
3		6	2	1	1	4	2	9	5	5	5
1	1							3	3	3	3
1	1	1	1	2	2	1	1	5	3	1	1
11	7	10	7	2	1	8	6	14	12	16	14
28	32	48	47	15	14	19	17	37	36	26	26
5	3	9	8	2	2	2	2	8	3	7	6
2		3	1			2	1	2	1	4	4
4	2	7	5	3	2	2	1	8	4	6	6
1	1	2	1					4	1	1	
11	6	15	14	11	8	13	13	45	30	48	47
				1	1			5	5		
1	1			4	4			7	7	2	2
		12	11	1	1	7	6	3		22	20
24	19	15	12	12	7	7	4	37	28	17	15
2	2	2	2	1	1	3	3	1	1	11	11

TABLE VII—DEATH RATES PER 100,000 POPULATION (BY PLACE OF DEATH, ALSO BY PLACE OF USUAL RESIDENCE) IN EACH COUNTY, FROM NINE IMPORTANT CAUSES, WITH ESTIMATED POPULATION—1933

County		Esti- mated Popu- lation	Rate per 100,000 Population																	
			Diarrhea and Enteritis (Under 2 Years of Age)		Diphtheria		Malaria		Measles		Pellagra		Scarlet Fever		Tuberculosis of the Respir- atory System		Typhoid Fever		Whooping- cough	
			Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.		
Entire State.....	3,275,000	24.5	24.3	6.6	6.5	1.5	1.4	2.8	2.8	12.0	12.0	1.4	1.4	59.0	55.4	3.9	3.9	6.1	6.0	
Alamance.....	43,800	6.8	6.8		4.6					9.1	6.8			52.5	54.8					
Alexander.....	13,000	23.0	23.0	46.1	46.1			7.7	7.7	15.4	15.4			46.1	46.1	7.7	7.7			
Alleghany.....	7,186				13.9									28.0	28.0					
Anson.....	29,500	10.1	10.1	3.4	3.4			3.4	3.4	3.4	10.2	3.4	3.4	23.7	27.1	10.2	10.2	13.6	13.6	
Ashe.....	21,000	28.6	23.8	14.2	14.2									82.6	66.1	16.5	16.5	4.8	4.8	
Avery.....	12,100			8.2	8.2									19.0	19.0					
Beaufort.....	35,700	44.8	44.8	14.0	11.2	2.8	2.8			11.2	11.2	2.8	2.8	53.2	50.4			8.4	8.4	
Bertie.....	26,200	22.9	26.7	7.6	7.6	7.6	7.6	11.4	11.4	7.6	11.4			76.3	76.3			3.8	3.8	
Bladen.....	22,800	26.3	26.3	4.3	4.3	8.8	8.8	8.8	8.8					17.5	21.9	8.8	8.8	8.8	8.8	
Brunswick.....	16,000	25.0	25.0			6.2	6.2			6.2	6.2			25.0	25.0	6.2	12.5			
Buncombe.....	103,700	22.2	21.2	4.8	4.8	1.0				11.6	12.5	1.0	1.0	281.6	145.6	1.0	1.0	6.8	6.8	
Burke.....	30,500	29.5	29.5	6.6	6.6	6.6	3.2	6.6	6.6	104.9	62.2	3.2	3.2	78.6	68.8			3.2	3.2	
Cabarrus.....	46,100	26.0	26.0	4.3	4.3	2.1	2.1	2.1	2.1	8.6	8.6	2.1	4.3	34.7	34.7	2.1	2.1			
Caldwell.....	29,400	27.2	30.6							13.6	13.6			30.6	30.6	6.8	6.8	3.4	3.4	
Camden.....	5,500	18.1	18.1			36.3	36.3	23.8	23.8	18.1	18.1			109.0	109.0			18.1	18.1	
Carteret.....	17,200	29.0	29.0	12.0	12.0							5.8	5.8	40.6	40.6					
Caswell.....	18,600	5.3	10.8	5.3	5.3					21.5	21.5	5.3	5.3	37.6	37.6	5.3	5.3	5.3	5.3	
Catawba.....	45,700	24.0	21.8	6.5	4.3			6.5	6.5	6.5	6.5			37.1	39.3					
Chatham.....	24,200	4.1	4.1	4.1	4.1			4.1	4.1	20.6	20.6			41.3	41.3	12.3	12.3	28.9	28.9	
Cherokee.....	16,300	12.3	12.3	6.1	6.1					30.6	36.8			30.6	30.6	12.3	12.3			
Chowan.....	11,400	52.6	52.6											78.9	78.9	8.8	8.8			

[illegible]

TABLE VII—Continued

County	Estimated Population (Under 2 Years of Age)	Rate per 100,000 Population																		
		Diarrhea and Enteritis		Diphtheria		Malaria		Measles		Pellagra		Scarlet Fever		Tuberculosis of the Respiratory System		Typhoid Fever		Whooping-cough		
		Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	
Martin	23,800	25.2	25.2	4.2	8.4					8.4	8.4			4.2	4.2	16.8	16.8			
Mecklenburg	136,100	16.8	16.1	2.2	1.4	0.7	0.7	3.6	3.6	11.0	12.4		0.7	2.2	2.2	3.6	3.6			
Mitchell	14,400	27.7	27.7	13.8	13.8					7.0	7.0									
Montgomery	16,500	18.1	24.2							6.0	6.0									
Moore	29,400	20.4	17.0	6.8	6.8	3.4	3.4	6.8	6.8											
Nash	54,800	18.2	14.5	9.1	3.6					20.0	18.2		1.8	1.8	62.0	60.2	10.9	9.1	5.4	5.4
New Hanover	43,400	11.5	9.2	9.2	2.3					6.9	6.9					89.8	85.2	9.2	6.9	
Northampton	27,800	46.8	46.8													75.5	79.1	3.5	3.5	
Onslow	15,400	26.0	26.0	6.4	6.4	13.0	13.0			6.4	6.4					64.9	77.9			
Orange	21,700	4.6	4.6	4.6	4.6					13.8	18.4					50.6	59.9			
Pamlico	9,300					21.5	21.5									32.2	32.2			
Pasquotank	19,400	61.8	61.8	5.1	5.1	5.1	5.1			10.3	10.3					118.5	113.4			
Pender	15,800	38.0	38.0	6.3	6.3			6.3	6.3	19.0	25.3					57.0	57.0			
Perquimans	10,668	28.1	37.4	9.3	9.3	9.3	9.3									37.4	37.4			
Person	22,600	13.2	13.2							4.4	4.4					57.5	61.9			
Pitt	56,000	42.8	44.6	1.7	1.7			3.5	3.5	10.7	10.7	1.7	1.7	8.9	8.9	28.5	28.5	9.5	9.5	
Polk	10,500	66.6	9.5	19.0	19.0					19.0	19.0					26.8	29.5			
Randolph	37,200	5.3	8.0							8.0	10.7					42.2	47.8	5.6	5.6	
Richmond	35,500	42.2	39.4	2.8	2.8	5.6	5.6	5.6	5.6	14.0	14.0					27.7	27.7	5.8	5.8	
Robeson	68,500	58.3	58.3	2.9	1.4			10.2	10.2	11.6	13.1					45.8	47.8	9.5	9.5	
Rockingham	52,300	11.4	13.3	15.2	15.2					17.2	17.2					23.8	25.5	1.7	1.7	
Rowan	58,800	5.1	8.5	8.5	8.5					6.8	6.8	3.4	1.7							

Rutherford.....	42,000	14.2	4.7	4.7	7.1	7.1	16.6	19.0	10.0	10.0	33.3	33.3	17.1	17.1	9.5	9.5
Sampson.....	40,800	41.6	46.5	7.3	7.3	14.7	7.3	7.3	10.0	10.0	41.6	44.1	17.1	17.1	7.3	10.0
Scotland.....	21,000	66.6	66.6	7.3	23.8	23.8	4.7	4.7	4.7	4.7	38.0	47.6	4.7	4.7	23.8	23.8
Stanly.....	30,700	13.0	13.0	7.3	7.3	7.3	9.7	9.7	9.7	9.7	19.5	22.8	3.2	3.2	4.8	4.8
Stokes.....	22,600	8.8	8.8	17.6	22.1	13.2	13.2	13.2	4.8	4.8	17.6	22.1	4.8	4.8	4.8	4.8
Surry.....	41,000	34.1	34.1	7.3	4.8	7.3	9.7	9.7	4.8	4.8	39.0	41.4	4.8	4.8	4.8	4.8
Swain.....	11,588	8.6	8.6	7.3	4.8	7.3	9.7	9.7	4.8	4.8	39.0	41.4	4.8	4.8	4.8	4.8
Sylvania.....	9,600	20.8	20.8	7.3	4.8	7.3	9.7	9.7	4.8	4.8	39.0	41.4	4.8	4.8	4.8	4.8
Tyrrell.....	5,200	57.6	57.6	7.3	4.8	7.3	9.7	9.7	4.8	4.8	39.0	41.4	4.8	4.8	4.8	4.8
Union.....	41,800	12.0	12.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	60.5	60.5	20.8	20.8	10.4	10.4
Vance.....	28,100	17.8	17.8	3.5	3.5	17.8	17.8	17.8	7.1	4.8	57.6	57.6	19.2	19.2	4.8	4.8
Wake.....	98,100	15.2	15.2	3.0	1.0	4.0	15.2	17.3	1.0	1.0	47.9	55.0	5.0	5.0	2.0	2.0
Warren.....	23,700	33.7	33.7	4.2	4.2	4.2	12.6	16.8	1.0	1.0	67.5	67.5	4.2	4.2	4.2	4.2
Washington.....	11,600	34.4	34.4	17.2	25.8	25.8	8.6	8.6	8.6	8.6	86.2	86.2	6.4	6.4	8.6	8.6
Watauga.....	15,500	6.4	6.4	12.9	12.9	12.9	73.2	40.2	1.8	1.8	126.3	117.2	5.4	5.4	6.4	6.4
Wayne.....	54,600	44.0	44.0	7.3	3.6	3.6	7.3	40.2	1.8	1.8	126.3	117.2	5.4	5.4	6.4	6.4
Wilkes.....	36,800	5.4	5.4	21.7	21.7	21.7	2.1	2.1	2.1	2.1	40.7	38.0	8.6	8.6	2.7	2.7
Wilson.....	46,300	36.7	39.0	4.3	4.3	2.1	2.1	2.1	2.1	2.1	101.5	101.5	8.6	8.6	8.6	8.6
Yadkin.....	18,300	32.7	32.7	5.4	5.4	6.9	5.4	10.9	5.4	5.4	10.9	10.9	10.9	10.9	10.9	10.9
Yancey.....	14,486	6.9	6.9	13.8	13.8	6.9	20.7	20.7	20.7	20.7	48.3	48.3	48.3	48.3	48.3	48.3

\*No deaths from smallpox reported during 1933.

TABLE VIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY CAUSE

Cause of Death	Total	Under 1 Day	1 Day
All causes .....	4,975	1,253	272
1. Typhoid fever.....	1		
6. Smallpox.....			
7. Measles.....	24		
8. Scarlet fever.....	4		
9. Whooping-cough.....	120		
10. Diphtheria.....	31		
11. Influenza.....	179		2
13. Dysentery.....	28		
15. Erysipelas.....	15		
16. Acute poliomyelitis and acute polioencephalitis.....	2		2
18. Epidemic cerebrospinal meningitis.....	4		
22. Tetanus.....	3		
23. Tuberculosis of the respiratory system.....	9		
24. Tuberculosis of the meninges and central nervous system.....	6		
25-32. Tuberculosis (all other forms).....	1		
34. Syphilis.....	62	5	1
35. Gonococcus infection and other venereal diseases.....			
36. Purulent infection, septicemia.....	2		
63. Rickets.....	11		
79. Meningitis.....	32		
86. Infantile convulsions.....	39	1	1
89. Diseases of the ear and of the mastoid process.....	20		
90-95. Pericarditis, endocarditis and myocarditis (acute), other diseases of the heart.....	10		
106. Bronchitis.....	21		
107. Bronchopneumonia.....	337		1
108. Lobar pneumonia.....	114		
110. Pleurisy.....			
117. Ulcer of the stomach and duodenum.....			
119. Diarrhea and enteritis.....	575		
121. Appendicitis.....	1		
122. Hernia, intestinal obstruction.....	22		
130. Acute nephritis.....	8		
151. Furuncle.....	1		
152. Phlegmon, acute abscess.....	8		
153. Other diseases of the skin and of the cellular tissue.....	8		
157. Congenital malformation.....	291	68	24
158. Congenital debility.....	711	174	58
159. Premature birth.....	1,451	863	131
160. Injury at birth.....	191	88	25
161. Other diseases peculiar to early infancy.....	132	35	15
181. Accidental burns.....	15		
182. Accidental mechanical suffocation.....	61	1	2
186. Accidental traumatism by fall.....	8		
172. Infanticide.....	4	2	
199-200. Sudden death; cause not specified or ill-defined.....	88	7	2
Total all other causes.....	325	9	10

\*Including one child dying out of North Carolina but resident of the State.

## BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE—1933\*

2 Days	3 to 6 Days	7 to 13 Days	14 to 20 Days	21 to 29 Days	1 Month	2 Months	3 to 5 Months	6 to 8 Months	9 to 11 Months,
214	345	279	197	173	457	333	691	432	329
						1			
			1		1	1	5	9	7
			1			1			2
	1		1	5	24	16	37	13	23
				1	6	5	5	8	6
	5	7	11	7	24	21	57	25	20
			1	1	3	4	9	5	5
				1	7	1	4	1	1
					2				
							1	2	1
	1	2							
					1		1	2	5
								3	3
								1	
1	6	4	3		10	8	15	3	6
		1					1		
					1	2	3	3	2
	2	3			6	2	6	9	4
	5	9	3		4	5	4	5	2
		1				3	8	3	5
	1			2	2	1	2	1	1
	1	1	1	1	5	1	8	1	2
5	4	10	13	19	51	36	88	59	51
	5	3	5	2	14	12	29	20	24
	3	11	8	23	60	65	178	141	86
								1	
	1		1		3	5	6	5	1
1				2	2			3	
									1
			1		2		3	2	
		1			2		5		
22	40	18	13	9	29	18	25	16	9
52	74	68	40	41	80	51	54	13	6
88	121	83	60	28	41	17	16	2	1
18	29	15	6	2	1	2	3	2	
12	26	21	4	7	9	3			
							2	8	5
5	4	1	3	3	7	11	19	2	3
						1	1	4	2
						1	1		
2	4	3	7	3	7	7	16	18	12
8	12	17	14	16	53	32	79	42	33

TABLE IX—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS), AND MATERNAL DEATHS IN EACH COUNTY WITH RATES PER 1,000 LIVE BIRTHS—1933

County	Infant Mortality				Maternal Mortality			
	By Place of Death		By Place of Residence		By Place of Death		By Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Entire State.....	4,974	66.0	4,950	65.8	535	7.1	532	7.0
Alamance.....	36	34.8	41	38.3	3	2.9	5	4.7
Alexander.....	18	56.6	18	54.9				
Alleghany.....	10	60.6	10	59.5	1	6.1	1	6.0
Anson.....	36	53.1	38	57.1	6	8.8	6	9.0
Ashe.....	22	42.4	21	39.8	1	1.9	1	1.9
Avery.....	16	46.1	15	45.4	5	14.4	2	6.0
Beaufort.....	70	87.1	67	83.8	8	10.0	7	8.8
Bertie.....	67	94.1	68	95.4	2	2.8	3	4.2
Bladen.....	45	65.5	45	65.2	4	5.8	4	5.8
Brunswick.....	18	38.4	18	37.9	2	4.3	2	4.2
Buncombe.....	125	70.0	123	70.1	14	7.8	14	8.0
Burke.....	23	34.2	24	35.3	4	5.9	4	5.9
Cabarrus.....	71	71.4	74	72.0	4	4.0	5	4.9
Caldwell.....	53	62.8	53	62.5	6	7.1	6	7.1
Camden.....	10	104.2	10	103.1			1	10.3
Carteret.....	28	72.4	28	73.7	2	5.2	2	5.3
Caswell.....	32	71.0	32	70.0	2	4.4	2	4.4
Catawba.....	56	52.6	55	51.0				
Chatham.....	19	47.8	23	55.4	2	5.0	5	12.0
Cherokee.....	16	42.6	17	44.9	2	5.3	2	5.3
Chowan.....	33	124.1	33	124.1	3	11.3	3	11.3
Clay.....	6	44.1	6	43.5				
Cleveland.....	54	43.2	55	43.9	1	0.8	1	0.8
Columbus.....	86	80.8	89	81.5	8	7.5	14	12.8
Craven.....	60	92.0	62	93.8	9	13.8	8	12.1
Cumberland.....	89	78.3	81	72.4	13	11.4	12	10.7
Currituck.....	10	73.0	9	64.3	1	7.3	1	7.1
Dare.....	12	96.8	12	93.8				
Davidson.....	41	37.4	45	40.7	5	4.6	5	4.5
Davie.....	19	57.8	20	59.3			1	3.0
Duplin.....	63	68.5	68	72.8	8	8.7	12	12.8
Durham.....	126	76.9	104	71.8	21	12.8	10	6.9
Edgecombe.....	94	80.1	92	78.0	10	8.5	9	7.6
Forsyth.....	182	77.3	173	75.6	24	10.2	23	10.0
Franklin.....	47	66.7	52	72.5	4	5.7	8	11.2
Gaston.....	109	62.3	110	61.9	13	7.4	14	7.9
Gates.....	13	59.4	13	59.1			1	4.5
Graham.....	9	77.6	9	74.4				
Granville.....	47	64.9	48	65.8	6	8.3	6	8.2
Greene.....	41	80.6	43	81.9	1	2.0	2	3.8
Guilford.....	151	56.6	144	54.9	20	7.5	16	6.1
Halifax.....	126	87.4	128	88.7	5	3.5	8	5.5
Harnett.....	68	62.3	76	68.2	7	6.4	7	6.3
Haywood.....	47	64.6	47	63.9	5	6.9	6	8.2
Henderson.....	36	63.5	37	65.8	1	1.8	1	1.8
Hertford.....	34	89.5	34	88.5	4	10.5	4	10.4
Hoke.....	34	94.4	34	93.4	1	2.8	1	2.7
Hyde.....	10	54.0	12	62.5	2	10.8	2	10.4
Iredell.....	67	69.4	64	70.6	9	9.3	6	6.6
Jackson.....	26	54.3	26	53.8	4	8.4	5	10.4
Johnston.....	101	64.1	106	66.8	8	5.1	8	5.0
Jones.....	26	91.5	26	91.0	1	3.5	2	7.0



TABLE IX—Continued

County	Infant Mortality				Maternal Mortality			
	By Place of Death		By Place of Residence		By Place of Death		By Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Lee.....	24	66.8	22	61.8	2	5.6	2	5.6
Lenoir.....	98	116.9	93	113.4	10	11.9	9	10.1
Lincoln.....	29	50.8	29	52.0	4	7.0	3	5.4
McDowell.....	38	70.6	39	72.4	5	9.3	5	9.3
Macon.....	19	50.7	18	48.1	5	13.3	3	8.0
Madison.....	31	56.8	32	58.0	3	5.5	3	5.4
Martin.....	55	78.0	56	78.8	4	5.7	5	7.0
Mecklenburg.....	154	65.0	148	64.2	18	7.6	18	7.8
Mitchell.....	21	49.1	21	47.9	-----	-----	1	2.3
Montgomery.....	19	60.1	20	62.3	2	6.3	3	9.3
Moore.....	27	47.7	25	44.3	5	8.8	5	8.9
Nash.....	94	74.0	89	70.8	12	9.4	10	8.0
New Hanover.....	49	57.3	40	49.1	16	18.7	10	12.2
Northampton.....	39	63.0	39	62.1	4	6.5	5	8.0
Onslow.....	19	42.3	21	46.2	2	4.5	2	4.4
Orange.....	20	51.4	24	55.0	-----	-----	1	2.3
Pamlico.....	6	22.3	6	22.1	-----	-----	1	3.7
Pasquotank.....	41	96.9	41	98.6	5	11.8	4	9.6
Pender.....	27	67.8	27	66.2	2	5.0	4	9.8
Perquimans.....	13	52.8	14	56.4	-----	-----	-----	-----
Person.....	25	43.3	27	46.0	4	6.9	7	11.9
Pitt.....	125	83.2	126	83.1	9	6.0	8	5.3
Polk.....	22	95.2	13	57.5	1	4.3	-----	-----
Randolph.....	35	39.5	38	42.4	2	2.3	5	5.6
Richmond.....	61	73.3	61	72.5	6	7.2	5	5.9
Robeson.....	140	73.5	139	73.4	14	7.4	12	6.3
Rockingham.....	55	43.7	55	43.4	12	9.5	12	9.5
Rowan.....	68	55.7	68	55.2	12	9.8	11	8.9
Rutherford.....	50	47.8	50	47.9	4	3.8	4	3.8
Sampson.....	77	69.9	84	75.5	6	5.4	7	6.3
Scotland.....	41	80.4	41	80.2	6	11.8	6	11.7
Stanly.....	35	49.9	35	50.6	5	7.1	5	7.2
Stokes.....	18	35.2	20	38.7	2	3.9	3	5.8
Surry.....	58	58.8	57	58.0	12	12.2	10	10.2
Swain.....	11	45.1	11	45.1	3	12.3	3	12.3
Transylvania.....	16	64.5	16	64.3	1	4.0	1	4.0
Tyrrell.....	19	133.8	19	133.8	4	28.2	4	28.2
Union.....	49	49.7	48	48.8	6	6.1	4	4.1
Vance.....	52	84.4	51	83.6	2	3.2	2	3.3
Wake.....	157	82.1	148	78.3	25	13.1	22	11.6
Warren.....	56	83.4	57	84.1	2	3.0	2	2.9
Washington.....	26	87.5	26	87.1	1	3.4	1	3.3
Watauga.....	30	68.2	30	68.0	-----	-----	-----	-----
Wayne.....	89	80.0	90	80.8	16	14.4	13	11.7
Wilkes.....	48	45.2	48	45.5	3	2.8	4	3.8
Wilson.....	110	94.2	107	91.8	11	9.4	10	8.6
Yadkin.....	16	40.2	20	47.2	-----	-----	4	9.4
Yancey.....	24	59.1	24	58.2	5	12.3	5	12.1

TABLE X—CASES AND DEATHS FROM SPECIAL

Disease		Total	Jan.	Feb.
Total cases and deaths.....	Cases.....	49,767	8,509	4,700
	Deaths.....	30,496	3,000	2,568
1. Anthrax.....	Cases.....			
	Deaths.....			
2. Chancroid.....	Cases.....	35	5	1
	Deaths.....			
3. Chickenpox.....	Cases.....	4,167	639	547
	Deaths.....	2		
4. Diphtheria.....	Cases.....	2,497	91	76
	Deaths.....	218	24	5
5. Endemic typhus.....	Cases.....	46	1	
	Deaths.....	5		
6. German measles.....	Cases.....	187	10	11
	Deaths.....	1		
7. Gonorrhea.....	Cases.....	2,167	167	149
	Deaths.....	29	1	3
8. Influenza.....	Cases.....	7,215	5,289	1,104
	Deaths.....		393	228
9. Malaria.....	Cases.....			
	Deaths.....	50	1	1
10. Measles.....	Cases.....	16,197	1,219	1,578
	Deaths.....	91	3	7
11. Meningococcus meningitis (epidemic).....	Cases.....	66	8	11
	Deaths.....	18	1	4
12. Mumps (parotitis).....	Cases.....			
	Deaths.....	1		
13. Ophthalmia neonatorum.....	Cases.....	9		1
	Deaths.....			
14. Paratyphoid fever.....	Cases.....	12		
	Deaths.....			
15. Pellagra.....	Cases.....	333	22	75
	Deaths.....	392	27	17
16. Pneumonia (all forms).....	Cases.....			
	Deaths.....	2,072	321	271
17. Poliomyelitis (acute).....	Cases.....	30	1	1
	Deaths.....	18	1	2
18. Scarlet fever.....	Cases.....	3,662	223	144
	Deaths.....	49	4	1
19. Septic sore throat.....	Cases.....	123	12	9
	Deaths.....	22	4	1
20. Smallpox.....	Cases.....	35	4	4
	Deaths.....			
21. Syphilis.....	Cases.....	4,570	337	362
	Deaths.....	250	24	18
22. Trachoma.....	Cases.....	5		
	Deaths.....			
23. Tuberculosis of the respiratory system.....	Cases.....			
	Deaths.....	1,933	192	158
24. Tuberculosis (all other forms).....	Cases.....			
	Deaths.....	177	7	12
25. Tularemia.....	Cases.....	28	4	8
	Deaths.....	1		

## DISEASES BY MONTH OF OCCURRENCE—1933

March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
4,937	*4,892	5,260	3,797	2,209	1,771	2,127	2,707	3,791	5,067
2,758	2,343	2,548	2,695	2,370	2,207	2,254	2,393	2,628	2,732
3	3	3	3	1	5	1	2	5	6
922	579	444	116	33	17	20	39	295	516
1	1	1	36	58	138	383	726	529	271
64	73	52	2	2	13	27	47	47	37
5	4	5	4	6	9	3	3	5	13
1	1	1	1	2	1	1	1	1	1
20	43	52	4	7	7	6	8	8	11
197	149	175	196	186	216	195	178	184	175
2	1	1	4	4	2	2	1	4	4
332	79	46	27	4	9	116	56	82	71
116	70	26	9	11	6	12	16	61	48
2	2	4	5	6	5	6	9	6	3
2,220	2,708	2,885	1,497	399	101	109	160	896	2,425
12	15	18	13	6	2	1	1	4	10
5	5	1	4	5	2	4	3	10	8
3	3	1	1	1	1	1	1	1	2
1	1	1	2	1	1	1	1	1	1
1	1	1	2	2	3	2	2	2	2
28	62	118	213	137	62	38	44	22	12
24	27	40	57	51	35	27	31	37	19
277	187	145	71	58	70	81	101	222	268
2	1	3	1	1	2	8	3	6	1
2	2	1	1	2	1	2	1	3	3
198	232	184	99	104	184	298	654	840	502
3	2	5	1	3	2	2	9	12	7
15	5	5	8	3	4	18	19	12	13
2	2	2	2	2	2	4	3	1	3
10	1	12	1	1	1	1	1	1	2
412	344	387	499	339	404	496	341	341	308
17	18	23	22	23	14	20	23	18	30
186	164	159	191	173	146	160	137	137	130
20	16	20	19	15	16	12	15	13	12
9	3	1	1	1	1	1	1	1	2

TABLE X—

Disease		Total	Jan.	Feb.
26. Typhoid fever.....	Cases.....	684	17	15
	Deaths.....	128	4	3
27. Undulant fever.....	Cases.....	15	1	3
	Deaths.....	4		
28. Whooping-cough.....	Cases.....	7,155	459	601
	Deaths.....	200	14	13
29. Diarrhea and enteritis (under 2 years).....	Cases.....			
	Deaths.....	803	11	13
30. Rocky Mountain spotted fever.....	Cases.....	27		
	Deaths.....	5		
31. Automobile fatalities (total).....	Cases.....			
	Deaths.....	772	43	35
32. Milk sickness.....	Cases.....			
	Deaths.....	2		1
33. Rabies.....	Cases.....	1		
	Deaths.....	5	1	

\* Includes one dysentery case.

*Continued*

March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
15	29	44	112	171	98	76	65	24	18
2	2	7	20	30	22	13	11	8	6
2	1	1	1	-----	1	1	3	-----	1
-----	1	-----	-----	2	1	-----	-----	-----	-----
481	576	842	972	743	497	345	399	530	710
7	15	13	39	41	16	10	8	8	16
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
22	31	125	219	97	75	66	79	41	24
-----	-----	-----	-----	9	11	5	1	1	-----
-----	-----	-----	2	1	2	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
52	51	51	70	61	73	58	81	98	99
-----	-----	-----	-----	-----	-----	-----	-----	1	-----
-----	-----	1	-----	-----	-----	-----	-----	-----	-----
1	1	-----	-----	-----	1	-----	-----	1	-----

TABLE XI—CASES FROM 30 OF THE

County or City	Anthrax	Chaneroid	Chicken Pox	Diphtheria	Dysentery Bacillary	Endemic Typhus	German Measles	Gonorrhea	Influenza	Measles	Meningococcus Meningitis
Alamance.....			26	79			3	15	28	11	1
Alexander.....			41	17				34	182	142	2
Alleghany.....											1
Anson.....			15	17		1	3	4	58	347	1
Ashe.....				14			1	5	6	7	
Avery.....			4	12				4	1	3	
Beaufort.....			28	15		1	2	19	10	50	
Bertie.....				4				2	43	24	1
Bladen.....			13	12			5	18	28	338	1
Brunswick.....				6					9	29	
Buncombe.....			18	20			19	7	61	13	
Asheville.....	1		80	23			1		1	17	
Burke.....		1		22				2	7	20	2
Cabarrus.....			105	24				9	160	87	
Caldwell.....			4	5			1	4	171	161	1
Camden.....				1							
Carteret.....		1	4	9				15	91	15	
Caswell.....			4	13				4	2	22	1
Catawba.....			6	19				1	39	168	3
Chatham.....				3						3	
Cherokee.....		1		11			1	2	1	4	
Chowan.....			4	6					10	3	
Clay.....			6	5							
Cleveland.....		1	13	69			6	7	204	433	
Columbus.....			14	14			6	18	3	600	
Craven.....			8	5		5			4	6	
New Bern.....		1	18	8		13		2	34	3	
Cumberland.....		2	44	43				26		1,638	1
Currituck.....				1			1		5		
Dare.....		2		2				14	64	1	
Davidson.....			79	114				6	259	47	1
Davie.....			14	19					17	185	1
Duplin.....			12	90			2	19	63	15	1
Durham.....			86	7			3		10	26	
Durham City.....		2	445	21	1			159	59	501	4
Edgecombe.....		1	10	22				6	5	21	
Forsyth.....			54	86			4	12	24	343	1
Winston-Salem.....			134	176			4	85	177	1,221	4
Franklin.....			16	22			1	58	207	3	2
Gaston.....			49	39		1	3	21	309	508	1
Gates.....			13	2				2	624	1	
Graham.....				1						6	
Granville.....			144	10		4	2	8	9	9	
Greene.....			132	7				2	4	37	1
Guilford.....			84	57				1	96	57	1
Greensboro.....		1	542	72			31	143	15	22	1
High Point.....			34	77			7	3	34	13	1
Halifax.....			14	34			2	46	22	10	1
Harnett.....			6	22				1	8	213	
Haywood.....			26	32				13	101	3	
Henderson.....			48	27			42	6	31	62	1
Hertford.....				8				3	6	2	
Hoke.....		1	11	7				44	45	36	
Hyde.....				1					8		
Iredell.....		1	92	32		1		69	712	240	
Jackson.....				11			1		2		1
Johnston.....				13				2	42	4	1

## REPORTABLE DISEASES BY COUNTIES—1933

Ophthalmia Neonatorum	Paratyphoid Fever	Pellagra	Plague	Poliomylitis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tularemia	Tuberculosis	Typhoid Fever	Typhus, Europe	Undulant Fever	Whooping-cough	Yellow Fever
1	5	1				42				2		2	21	1			7	
	31					15				1			7	6			13	
		1		1		1												
		1				19	1			2		3	3	3		1	45	
		1				16											1	
										1			4	14			18	
1	3					36				21			8	3			18	
						17				1			9	3			2	
	55			2		17				5			8	7			9	
						2				1			17	7			21	
	6			1		61	1			2			44	10			160	
	3					40				2			79	8			150	
	8					6				5			10	1			17	
	1					40	1			51			33	3		1	24	
	2					20				2			2	7			37	
										3			3	2			5	
	1					56	1			9			5	4			4	
	3			1		12							9				1	
1	9					27	1			1			8	9			19	
	1					1						2	9	1			15	
						5							6	3			9	
						3							1	4			36	
						24								3			4	
	3					23	4			3			18	25			56	
1	5			1		23	1			39			21	6			109	
	2					16							5	8			4	
1	1					17				1			11	3			33	
	2			2		56	1	2		9			21	22		1	245	
						4				3			10				4	
						5				7			3				2	
	3					165	1			4			26	4			49	
	1					19							3	5			4	
						16	2			4			19	13			18	
	1	3				43				9		1	16				95	
	1	9				86	1	1	340			1	112	10		1	148	
						19	1			31			116	9			92	
		6		2		96				5			38	1			191	
	16			1		241	1	1	857			1	209	8			105	
	20					29	3	3	57			1	25	7			83	
1	28					125	4		37				61	12			114	
						17		1					6					
						3								8				
		5				24	1			42		2	11	6			682	
	1	2				15				7			5	6			65	
		25				101	1			1		1	33	10			89	
	3	3		1		101	2			336			66	12		5	266	
		8				222	3			6		1	37	5			57	
		25		2		44	7			114			21	24			40	
		12				53							119	10			2	
		8				44	3			6			5				45	
		15		1		13			7	25	2		9	1			258	
						10	1						5	4			2	
		26				4	5			16			16				27	
													1					
		3				69		9		49			16	15			21	
				1		3							1	3				
		2				34		4		8			18	7			3	

TABLE XI—

County or City	Anthrax	Chaneroid	Chicken Pox	Diphtheria	Dysentery Bacillary	Endemic Typhus	German Measles	Gonorrhea	Influenza	Measles	Meningococcus Meningitis
Jones.....			2						80	4	
Lee.....			14	12					13	388	
Lenoir.....			23	39		1		9	38	199	2
Lincoln.....			14	14					67	69	
McDowell.....			2	9				35	119	33	
Macon.....		2	5	10			1			12	
Madison.....				11				1			
Martin.....			3	1			1	4		27	1
Mecklenburg.....			2	25		1		1	10	68	1
Charlotte.....			270	35		2	4	478	29	1,560	
Mitchell.....									2		
Montgomery.....			1	14					2	4	1
Moore.....		2	34	29			2	61	18	243	
Nash.....			9	24			4	27	147	1	
Rocky Mount.....			15	17				1	138		2
New Hanover.....			82	9		1		1	1	311	
Wilmington.....		9	294	19		7	6	66	8	1,692	3
Northampton.....			5	7					1	1	3
Onslow.....			19	4		1	1		12	135	
Orange.....			17	10			2	6	7	34	1
Pamlico.....			10	8				9	55	59	
Pasquotank.....			15	8			2		18	4	
Pender.....			6	9				1	1	77	
Perquimans.....			58	3							
Person.....			15	4		2	1		19	5	
Pitt.....			42	76			3		10	326	
Polk.....				1							
Randolph.....			57	54		1	2	29	254	29	1
Richmond.....			61	6				22	2	487	
Robeson.....			27	23		1		170	358	990	1
Rockingham.....			30	149				2	83	68	
Rowan.....			54	51			2	3	116	233	1
Rutherford.....			9	29				4	7	26	
Sampson.....		1	11	21		1		40	2	127	
Scotland.....			5	1			2	1	1	176	1
Stanly.....			28	14				9	256	208	
Stokes.....			36	10			1	1	62	108	1
Surry.....			52	16			1	20	218	97	3
Swain.....								3	1		
Transylvania.....			5	11			2		1	2	1
Tyrrell.....				1					2		
Union.....			3	22			2	4	8	4	2
Vance.....			35	12			1	2	1	5	
Wake.....			60	16		1		2	110	224	1
Raleigh.....			152	16			2	114	116	32	
Warren.....			2	13				7	5	2	
Washington.....			24	3					1		
Watauga.....				13					1	2	
Wayne.....			1	24					15	14	1
Goldsboro.....			7	7			2	11	524	33	
Wilkes.....		2	10	35				58	17	210	1
Wilson.....		3	31	14		1	1	36	14	8	
Yadkin.....			10	43			1	8	127	88	
Yancey.....				7					7	42	
Totals.....		35	4,167	2,497	1	46	187	2,167	7,215	16,197	66



Continued

Ophthalmia Neonatorum	Paratyphoid Fever	Pellagra	Plague	Poliomylclitis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tularemia	Tuberculosis	Typhoid Fever	Typhus, Europe	Undulant Fever	Whooping-cough	Yellow Fever
		10		1			4	2	1				3	10				
		1		1	1		18	1				1	8	4			50	
				1			44	2	3	109			21	17			47	
		14					10			6			8	1			32	
		8					12	1		10			5	4			47	
							10	9									20	
							6						3	10			26	
							4						10	6			166	
		32					38			6			16	5			169	
		54		3			93			629			59	9		1	795	
													2	2				
		1				1	8						2	7			5	
1		14				1	23	3		72			18	5			15	
	1	6				1	28	2	7	86		2	18	21			122	
		2					17			1			36	7			73	
							12			5			5				28	
		5					30		1	187			43	10			31	
		1					20			24			3	1			1	
		1					9						7	1				
				1			11			38			9	1			36	
		2					17			1			4	3			59	
		7					6						30	2			30	
		1					2			3			10	5			16	
							1						5	1			14	
		5					9						13				243	
	2	3		2			26	3		8			34	21			187	
		1											1					
1		25				7	122	4		6	3		14	8			152	
		59					50			62			25	11			29	
		55		1			95			127			33	25			85	
		12					43	1	2	4			20	14			9	
		4				1	102	8		4			49	7			62	
		2			1		17			15			3	1			26	
		7					54	4		59			13	26			13	
		6					3		1	1			14	1			62	
							30	4	1	3		2	88	2			14	
		3					26	2					59	7			16	
		20					35	3	1	35			27	2			105	
													105					
							2						1	5			25	
				1			35		1	17		4	1				5	
							32	1		7			15				106	
		5					45	3		10		1	34	2			144	
		6								10		1	50	21		2	109	
		9					126			566		2	60	6		1	57	
		6		1			17	2		15			17	3		2	2	
													4				20	
	1						10						1	2			4	
		63					38					1	19	13			25	
		10					28	1		270			40	6			59	
							28	6		21			10	4			17	
		4					37		2	37			41	10			48	
		2					27	1		4			31	1			217	
		2		1			2						8	5			8	
9	12	833		30	1	27	3,662	123	35	4,570	5	28	2,524	684		15	7,155	

TABLE XII—DEATH RATES PER 100,000 POPULATION FROM TEN IMPORTANT CAUSES, FOR THE STATE AS A WHOLE, WITH ESTIMATED POPULATION FOR EACH YEAR—1914 1933

Year	Estimated Population	Death Rate per 100,000 Population from—									
		Diarrhea and Enteritis (Under 2 Years of Age)	Diphtheria	Malaria	Measles	Pellagra	Scarlet Fever	Smallpox	Tuberculosis (All Forms)	Typhoid Fever	Whooping-cough
1914.....	2,339,452	81.2	15.8	10.8	7.6	23.6	0.9	1.1	139.3	35.8	18.7
1915.....	2,371,095	72.9	22.1	12.7	0.5	35.0	1.2	0.4	156.4	31.3	11.5
1916.....	2,402,738	72.7	17.3	12.9	7.1	19.4	2.5	0.5	146.3	29.1	18.1
1917.....	2,434,381	91.4	12.6	12.0	44.8	24.9	1.6	0.4	141.5	30.2	26.2
1918.....	2,466,024	77.5	10.2	8.2	12.4	25.7	0.9	0.1	137.5	22.2	28.5
1919.....	2,497,667	55.1	9.6	8.1	5.0	15.3	0.9	0.3	120.3	17.0	8.7
1920.....	*2,559,123	59.9	11.1	8.2	2.3	11.6	1.5	1.0	113.6	12.5	13.4
1921.....	2,614,335	61.7	13.9	6.6	4.9	12.7	1.3	0.8	101.0	11.7	14.6
1922.....	2,649,982	52.4	19.2	6.7	0.4	11.5	2.4	0.2	97.5	11.2	7.2
1923.....	2,686,325	53.0	12.3	5.6	19.0	8.3	0.9	0.4	94.7	9.9	18.6
1924.....	2,722,669	54.5	11.8	4.5	15.6	10.0	1.0	0.8	99.1	9.9	17.4
1925.....	2,812,000	52.0	11.0	4.3	0.4	14.1	1.1	0.2	89.0	9.8	5.3
1926.....	2,858,000	49.8	9.2	2.9	2.9	16.0	1.1	0.4	96.8	9.4	10.1
1927.....	2,897,000	40.7	9.5	1.8	7.9	23.7	1.0	0.4	88.9	7.8	21.8
1928.....	2,936,000	44.8	12.0	2.2	17.0	29.2	1.4	0.5	83.3	6.3	6.5
1929.....	2,975,000	33.3	10.8	2.2	0.5	32.0	1.8	0.03	85.8	5.5	9.0
1930.....	*3,170,276	35.0	8.6	1.4	0.06	32.0	1.2	0.1	76.4	4.7	9.5
1931.....	3,217,000	26.0	7.1	1.5	3.1	21.6	1.8	0.06	71.4	4.8	6.5
1932.....	3,244,000	19.9	5.1	1.7	1.8	14.6	1.0	-----	67.8	4.9	7.4
1933.....	3,275,000	24.5	6.6	1.5	2.8	12.0	1.4	-----	64.4	3.9	6.1

\*U. S. Census years.

No deaths due to smallpox.











